# 1

# Fire Fighting Equipment

Extinguishers
Hose reels
Wheeled extinguishers
Fire blankets
Aerosol/automatic extinguishers

PowerX
7 - 11

FirePower
12 - 17

Gloria
18 - 23

Hose Reels & Spares
24 - 26

Wheeled Extinguishers
& Spares
27 - 30

Fire Blankets & Aerosol/
Automatic Extinguishers
31 - 34

# PowerX

Manufactured in China

5 year warranty

BS EN3 Kitemarked

Inclusive of Pressure Release Valve

# PowerX

## WATER EXTINGUISHERS WITH ADDITIVE -
Stored Pressure

- Kitemarked to BS EN3
- High quality product
- Complete with wall bracket
- Nickel plated brass valve assembly
- Coated steel levers
- Polyester external coating
- Easy gauge testing (with needle test)
- Approved to the Pressure Equipment Directive
- Inclusive of pressure release valve
- 5 year warranty

| Type | Water Additive SP | Water Additive SP |
|---|---|---|
| Capacity (ltr) | 3 | 6 |
| Fire Rating | 13A | 21A |
| Height | 430mm | 553mm |
| Cylinder Diameter (mm) | 140mm | 162mm |
| Overall Width (mm) | 210mm | 224mm |
| Filled Weight (kg) | 5.5 | 9.5 |
| Range of Throw (m) | >2 | >6 |
| Duration of Discharge (secs) | >9 | >9 |
| Working Pressure (at 20˚C) | 12Bar | 12Bar |
| Temperature Range (˚C) | +5/+60 | +5/+60 |
| BS EN3 Approved | YES | YES |
| MED Approved | N/A | N/A |
| 35KV | YES | YES |
| Pressure Relief Valve | YES | YES |
| Low Freeze Additive | NO | NO |
| Part Number | 81/03402 | 81/03403 |
| Model Number | WA3 | WA6 |

# PowerX

## WATER EXTINGUISHERS -
Stored Pressure

- Kitemarked to BS EN3
- High quality product
- Complete with wall bracket
- Nickel plated brass valve assembly
- Coated steel levers
- Polyester external coating
- Easy gauge testing (with needle test)
- Approved to the Pressure Equipment Directive
- Inclusive of pressure release valve
- 5 year warranty

| Type | Water Spray SP | Water Spray SP |
|---|---|---|
| Capacity (ltr) | 9 | 6 |
| Fire Rating | 13A | 13A |
| Height (mm) | 620 | 550 |
| Cylinder Diameter (mm) | 184 | 162 |
| Overall Width (mm) | 240 | 225 |
| Filled Weight (kg) | 13.9 | 9.7 |
| Range of Throw (m) | >2 | >6 |
| Duration of Discharge (secs) | >9 | >9 |
| Working Pressure (at 20°C) | 12Bar | 12Bar |
| Temperature Range (°C) | +5 to +60 | +5 to +60 |
| BS EN3 Approved | YES | YES |
| MED Approved | YES | N/A |
| 35kv Conductivity Discharge Test | YES | YES |
| Pressure Release Valve | YES | YES |
| Low Freeze Additive | NO | NO |
| Part Number | 81/02905 | 81/03404 |
| Model Number | W9 | W6 |

# PowerX

## FOAM EXTINGUISHERS -
Stored Pressure

- Kitemarked to BS EN3, except 1ltr Foam
- High quality product
- Complete with wall bracket
- Nickel plated brass valve assembly
- Coated steel levers
- Polyester external coating
- Easy gauge testing (with needle test)
- Approved to the Pressure Equipment Directive
- Inclusive of pressure release valve
- 5 year warranty

| Type | AFFF Foam SP | AFFF Foam SP | AFFF Foam SP | AFFF Foam SP | AFFF Foam SP |
|---|---|---|---|---|---|
| Capacity (ltr) | 1 | 2 | 3 | 6 | 9 |
| Fire Rating | 5A 21B | 5A 34B | 8A 55B | 13A 144B | 21A 183B |
| Height (mm) | 330mm | 390mm | 430mm | 550mm | 620mm |
| Cylinder Diameter (mm) | 85mm | 110mm | 140mm | 162mm | 184mm |
| Overall Width (mm) | 125mm | 125mm | 210mm | 225mm | 240mm |
| Filled Weight (kg) | 2 | 3.8 | 5.5 | 9.7 | 13.9 |
| Range of Throw (m) | >1 | >2 | >2 | >4 | >4 |
| Duration of Discharge (secs) | >6 | >6 | >9 | >15 | >15 |
| Working Pressure (at 20°C) | 12Bar | 12Bar | 12Bar | 12Bar | 12Bar |
| Temperature Range (°C) | 0/+60 | 0/+60 | 0/+60 | 0/+60 | 0/+60 |
| BS EN3 Approved | N/A | YES | YES | YES | YES |
| MED Approved | N/A | N/A | N/A | YES | YES |
| 35KV | NO | YES | YES | YES | YES |
| Pressure Release Valve | YES | YES | YES | YES | YES |
| Low Freeze Additive | NO | NO | NO | NO | NO |
| Part Number | 81/03643 | 81/03405 | 81/03406 | 81/02903 | 81/02904 |
| Model Number | F1 | F2 | F3 | F6 | F9 |

# PowerX

## POWDER EXTINGUISHERS - Stored Pressure

- Kitemarked to BS EN3
- High quality product
- Supplied with plastic skirt to prevent damage to extinguisher base
- Complete with wall bracket
- Nickel plated brass valve assembly
- Coated steel levers
- Polyester external coating
- Easy gauge testing (with needle test)
- Approved to the Pressure Equipment Directive
- Inclusive of pressure release valve
- 5 year warranty
- **Supplied with Bracket & Strap

| Type | ABC Powder SP | ABC Powder SP | ABC Powder SP | ABC Powder SP | ABC Powder SP | ABC Powder SP |
|---|---|---|---|---|---|---|
| Capacity (ltr) | 1 | 2 | 3 | 4 | 6 | 9 |
| Fire Rating | 5A 34BC | 13A 70BC | 13A 89B | 21A 89BC | 27A 144BC | 34A 183BC |
| Height (mm) | 330mm | 390mm | 430mm | 495mm | 545mm | 590mm |
| Cylinder Diameter (mm) | 85mm | 110mm | 125mm | 140mm | 150mm | 184mm |
| Overall Width (mm) | 125mm | 125mm | 170mm | 210mm | 225mm | 240mm |
| Filled Weight (kg) | 2.1 | 3.8 | 5.5 | 6.8 | 9.2 | 13.6 |
| Range of Throw (m) | >2 | >2 | >2 | >4 | >4 | >4 |
| Duration of Discharge (secs) | >6 | >9 | >9 | >9 | >15 | >15 |
| Working Pressure (at 20°C) | 14Bar | 14Bar | 14Bar | 14Bar | 14Bar | 14Bar |
| Temperature Range (°C) | -30/+60 | -30/+60 | -30/+60 | -30/+60 | -30/+60 | -30/+60 |
| BS EN3 Approved | YES | YES | YES | YES | YES | YES |
| MED Approved | N/A | YES | N/A | N/A | N/A | N/A |
| 35KV | N/A | N/A | N/A | N/A | N/A | N/A |
| Pressure Release Valve | YES | YES | YES | YES | YES | YES |
| Low Freeze Additive | N/A | N/A | N/A | N/A | N/A | N/A |
| Part Number | 81/02908 | 81/02900 | 81/03645 | 81/03407 | 81/02901 | 81/02902 |
| Model Number | PG1A | PG2A | PG3A ** | PG4A | PG6A | PG9A |

5 YEAR WARRANTY

# PowerX

## $CO_2$ EXTINGUISHERS

- Kitemarked to BS EN3
- High quality product
- Supplied complete with wall bracket
- Brass valve assembly
- Coated steel levers
- Polyester external coating
- High Tensile Steel body
- Approved to the Pressure Equipment Directive
- Inclusive of pressure release valve
- 5 year warranty

| Type | $CO_2$ Steel | $CO_2$ Steel |
|---|---|---|
| Capacity (ltr) | 2 | 5 |
| Fire Rating | 34B | 70B |
| Height (mm) | 595 | 770 |
| Cylinder Diameter (mm) | 103.5 | 136 |
| Overall Width (mm) | 155 | 180 |
| Filled Weight (kg) | 6.3 | 14.2 |
| Range of Throw (m) | >4 | >4 |
| Duration of Discharge (secs) | >6 | >9 |
| Working Pressure (at 20°C) | 65 bar | 65 bar |
| Temperature Range (°C) | -30 to +60 | -30 to +60 |
| BS EN3 Approved | YES | YES |
| MED Approved | YES | YES |
| 35kv Conductivity Discharge Test | N/A | N/A |
| Pressure Release Valve | YES | YES |
| Low Freeze Additive | N/A | N/A |
| Part Number | 81/02906 | 81/02907 |
| Model Number | K2 | K5 |

# PowerX

## WET CHEMICAL -
Stored Pressure

- Kitemarked to BS EN3
- High quality product
- Squeeze grip operation
- Fully refillable
- Controlled discharge
- Specifically designed for use on cooking oil fires
- Solution reacts with oil to prevent re-ignition
- Complete with wall bracket
- 5 year warranty

| Type | Wet Chemical Spray SP | Wet Chemical Spray SP |
|---|---|---|
| Capacity (ltr) | 2 | 6 |
| Fire Rating | 8A 40F | 13A 75F |
| Height (mm) | 405 | 550 |
| Cylinder Diameter (mm) | 110 | 162 |
| Overall Width (mm) | 130 | 225 |
| Filled Weight (kg) | 4.5 | 11.23 |
| Range of Throw (m) | >2 | >2 |
| Duration of Discharge (secs) | >9 | >9 |
| Working Pressure (at 20°C) | 7 bar | 7 bar |
| Temperature Range (°C) | +5 to +60 | +5 to +60 |
| BS EN3 Approved | YES | YES |
| MED Approved | N/A | N/A |
| 35kv Conductivity Discharge Test | YES | YES |
| Pressure Release Valve | YES | YES |
| Low Freeze Additive | NO | NO |
| Part Number | 81/03409 | 81/03408 |
| Model Number | W2F | W6F |

# FirePower

Manufactured in Europe

5 year warranty

BS EN3 Kitemarked

**Exinguisher Range Includes:**

Cartridge Operated Water, Foam & Powder

Alcohol Resistant Foam

Monnex & Lithium

Non Magnetic CO2

Polished Extinguishers





**tel** 01254 295000 **web** www.tgproducts.co.uk **email** tgsales@tgproducts.co.uk

FirePower

## WATER EXTINGUISHERS WITH ADDITIVE -
Stored Pressure

- Kitemarked to BS EN3
- Special additive gives improved fire ratings
- Squeeze grip operation
- Corrosion resistant finish
- Internal polyethylene lining
- Protective plastic base
- Complete with wall bracket
- Carry a 5 year manufacturers warranty if serviced in accordance with BS5306 Part 3

| Type | WATER ADDITIVE SP | WATER ADDITIVE SP |
|---|---|---|
| Capacity (ltr) | 3 | 6 |
| Fire Rating | 13A | 21A |
| Height (mm) | 426 | 560 |
| Cylinder Diameter (mm) | 130 | 150 |
| Weight Full (kg) | 5.6 | 9.80 |
| Weight Empty (kg) | 2.2 | 3.3 |
| Overall Width (mm) | 280 | 280 |
| Range of Throw (m) | >3 | >3 |
| Discharge Time at 20°C (secs) | 25 | 60 |
| Test Pressure (bar) | 33 | 33 |
| Working Pressure at 20°C (bar) | 15 | 15 |
| Temperature Range (°C) | 0 to +60°C | 0 to +60°C |
| Pressure Release Valve | NO | NO |
| KVA Testing | YES | YES |
| BS EN3 Approved | YES | YES |
| MED Approved | NO | NO |
| Part Number | 9911/00 | 9912/00 |
| Model Number | FPRWA3 | FPRWA6 |
| Rating Symbol | A | A |

FirePower

## WATER EXTINGUISHERS -
Stored Pressure/Cartridge Operated

- Kitemarked to BS EN3
- Squeeze grip operation
- Corrosion resistant finish
- Internal polyethylene lining
- Protective plastic base
- Complete with wall bracket
- Carry a 5 year manufacturers warranty if serviced in accordance with BS5306 Part 3

| Type | WATER C/O | WATER JET SP | WATER SPRAY SP |
|---|---|---|---|
| Capacity (ltr) | 9 | 9 | 6 |
| Fire Rating | 21A | 21A | 13A |
| Fire Rating when LFA included | N/A | 13A* | 13A** |
| Height (mm) | 620 | 522 | 560 |
| Cylinder Diameter (mm) | 190 | 190 | 150 |
| Weight Full (kg) | 14.9 | 13.29 | 9.52 |
| Weight Empty (kg) | 5.9 | 4.265 | 3.33 |
| Overall Width (mm) | 290 | 320 | 280 |
| Range of Throw (m) | >10 | >10 | >3 |
| Discharge Time at 20°C (secs) | 60 | 60 | 50 |
| Test Pressure (bar) | 33 | 33 | 33 |
| Working Pressure at 20°C (bar) | 15 | 15 | 15 |
| Temperature Range (°C) | +5 to +60°C | +5 to +60°C | +5 to +60°C |
| Pressure Release Valve | NO | NO | NO |
| KVA Testing | NO | NO | YES |
| BS EN3 Approved | YES | YES | YES |
| MED Approved | YES | YES | NO |
| Part Number | 9908/00 | 9909/00 | 9910/00 |
| Model Number | FPRW9C | FPRW9 | FPRWS6 |
| Rating Symbol | A | A | A |

** note - when a 9ltr water has LFA included, the A rating drops to 13A and this has been formally tested
** note - when a 6ltr water spray has LFA included, the A rating remains at 13A and this has been formally tested

FirePower

## FOAM EXTINGUISHERS - Stored Pressure

- Kitemarked to BS EN3
- Spray nozzle
- Squeeze grip operation
- Corrosion resistant finish
- Internal polyethylene lining
- Protective plastic base*
- Complete with wall bracket
- Carry a 5 year manufacturers warranty if serviced in accordance with BS5306 Part 3

**Excludes 2ltr model*

| Type | AFFF FOAM SP | AFFF FOAM SP | AFFF FOAM SP | AFFF FOAM SP |
|---|---|---|---|---|
| Capacity (ltr) | 2 | 3 | 6 | 9 |
| Fire Rating | 8A 55B | 13A 89B | 21A 144B | 27A 183B |
| Fire Rating when LFA included | 5A | N/A | 13A | 13A |
| Height (mm) | 395 | 426 | 560 | 522 |
| Cylinder Diameter (mm) | 112 | 130 | 150 | 190 |
| Weight Full (kg) | 3.81 | 5.3 | 9.65 | 13.24 |
| Weight Empty (kg) | 1.71 | 2.2 | 3.38 | 4.27 |
| Overall Width (mm) | 150 | 300 | 300 | 340 |
| Range of Throw (m) | >2 | >4 | >4 | >4 |
| Discharge Time at 20°C (secs) | 12 | 18 | 30 | 50 |
| Test Pressure (bar) | 33 | 33 | 33 | 33 |
| Working Pressure at 20°C (bar) | 15 | 15 | 15 | 15 |
| Temperature Range (°C) | +5 to +60°C | +5 to +60°C | +5 to +60°C | +5 to +60°C |
| Pressure Release Valve | NO | NO | NO | NO |
| KVA Testing | YES | YES | YES | YES |
| BS EN3 Approved | YES | YES | YES | YES |
| MED Approved | NO | NO | NO | YES |
| Part Number | 9204/00 | 9233/00 | 9234/00 | 9235/00 |
| Model Number | FPF2 | FPRF3 | FPRF6 | FPRF9 |
| Rating Symbol | A B | A B | A B | A B |

FirePower

## FOAM EXTINGUISHERS - Cartridge Operated

- Kitemarked to BS EN3
- Spray nozzle
- Squeeze grip operation
- Corrosion resistant finish
- Internal polyethylene lining
- Protective plastic base
- Complete with wall bracket
- Carry a 5 year manufacturers warranty if serviced in accordance with BS5306 Part 3

| Type | AFFF FOAM C/O | AFFF FOAM C/O | AR FOAM C/O |
|---|---|---|---|
| Capacity (ltr) | 6 | 9 | 6 |
| Fire Rating | 21A 183B | 27A 233B | 13A 113B |
| Height (mm) | 600 | 620 | 600 |
| Cylinder Diameter (mm) | 150 | 190 | 150 |
| Weight Full (kg) | 10.6 | 15.7 | 10.6 |
| Weight Empty (kg) | 4.5 | 6.6 | 4.5 |
| Overall Width (mm) | 310 | 290 | 310 |
| Range of Throw (m) | >5 | >5 | >5 |
| Discharge Time at 20°C (secs) | 30 | 40 | 30 |
| Test Pressure (bar) | 33 | 33 | 33 |
| Working Pressure at 20°C (bar) | 15 | 15 | 15 |
| Temperature Range (°C) | +5 to +60°C | +5 to +60°C | +5 to +60°C |
| Pressure Release Valve | NO | NO | NO |
| KVA Testing | YES | YES | YES |
| BS EN3 Approved | YES | YES | YES |
| MED Approved | NO | YES | NO |
| Part Number | 9230/00 | 9231/00 | 9232/00 |
| Model Number | FPRF6C | FPRF9C | FPRFAR6C |
| Rating Symbol | A B | A B | A B |

FirePower

## POWDER EXTINGUISHERS - Stored Pressure

- Kitemarked to BS EN3
- Multi-purpose application
- Squeeze grip operation
- Corrosion resistant finish
- Protective plastic base*
- Complete with wall bracket
- Carry a 5 year manufacturers warranty if serviced in accordance with BS5306 Part 3

**Excludes 1kg and 2kg models*

| Type | ABC POWDER SP | ABC POWDER SP | ABC POWDER SP | ABC POWDER SP | ABC POWDER SP | MONNEX POWDER SP |
|---|---|---|---|---|---|---|
| Capacity (ltr) | 1 | 2 | 4 | 6 | 9 | 9 |
| Fire Rating | 8A 55B | 13A 70B | 21A 113B | 34A 233B | 43A 233B | 233B |
| Height (mm) | 340 | 370 | 420 | 503 | 588 | 620 |
| Cylinder Diameter (mm) | 80 | 112 | 150 | 150 | 170 | 190 |
| Weight Full (kg) | 1.67 | 3.62 | 6.4 | 8.94 | 12.98 | 14.4 |
| Weight Empty (kg) | 0.67 | 1.62 | 2.39 | 2.94 | 3.97 | 8.4 |
| Overall Width (mm) | 135 | 150 | 293 | 260 | 317 | 310 |
| Range of Throw (m) | >2 | >2 | >6 | >6 | >7 | >7 |
| Discharge Time at 20°C (secs) | 9 | 10 | 16 | 20 | 20 | 20 |
| Test Pressure (bar) | 33 | 33 | 33 | 33 | 33 | 33 |
| Working Pressure at 20°C (bar) | 15 | 15 | 15 | 15 | 15 | 15 |
| Temperature Range (°C) | -30 to +60°C | -30 to +60°C | -30 to +60°C | -30 to +60°C | -30 to +60°C | -20 to +60°C |
| Pressure Release Valve | NO | NO | NO | NO | NO | YES |
| KVA Testing | N/A | N/A | N/A | N/A | N/A | N/A |
| BS EN3 Approved | YES | YES | YES | YES | YES | YES |
| MED Approved | NO | NO | NO | YES | YES | NO |
| Part Number | 9315/00 | 9307/00 | 9318/00 | 9319/00 | 9320/00 | 9324/00 |
| Model Number | FPP1 | FPP2 | FPRP4 | FPRP6 | FPRP9 | FPRP9M |
| Rating Symbol | A B C E | A B C E | A B C E | A B C E | A B C E | B C E |

FirePower

## POWDER EXTINGUISHERS - Cartridge Operated

- Kitemarked to BS EN3
- Squeeze grip operation
- Controlled discharge
- Multi-purpose application
- Complete with wall bracket
- Strong protective base
- Robust discharge hose
- Carry a 5 year manufacturers warranty if serviced in accordance with BS5306 Part 3

| Type | ABC POWDER C/O | ABC POWDER C/O |
|---|---|---|
| Capacity (ltr) | 6 | 9 |
| Fire Rating | 34A 233B | 43A 233B |
| Height (mm) | 550 | 595 |
| Cylinder Diameter (mm) | 150 | 170 |
| Weight Full (kg) | 10.1 | 14 |
| Weight Empty (kg) | 4.1 | 5 |
| Overall Width (mm) | 280 | 300 |
| Range of Throw (m) | >6 | >7 |
| Discharge Time at 20°C (secs) | 18 | 20 |
| Test Pressure (bar) | 33 | 33 |
| Working Pressure at 20°C (bar) | 15 | 15 |
| Temperature Range (°C) | -30 to +60°C | -30 to +60°C |
| Pressure Release Valve | NO | NO |
| KVA Testing | N/A | N/A |
| BS EN3 Approved | YES | YES |
| MED Approved | YES | YES |
| Part Number | 9321/00 | 9322/00 |
| Model Number | FPRP6C | FPRP9C |
| Rating Symbol | A B C E | A B C E |

FirePower

## $CO_2$ EXTINGUISHERS

- Kitemarked to BS EN3
- Squeeze grip operation
- Corrosion resistant finish
- Harmless to machinery
- 2kg model supplied with frost free horn as standard
- Complete with wall bracket (non-magnetic $CO_2$ wall bracket is non-magnetic)
- Carry a 5 year manufacturers warranty if serviced in accordance with BS5306 Part 3

| Type | $CO_2$ ALUMINIUM | $CO_2$ ALUMINIUM | $CO_2$ ALUMINIUM NON-MAGNETIC |
|---|---|---|---|
| Capacity (ltr) | 2 | 5 | 2 |
| Fire Rating | 34B | 70B | 34B |
| Height (mm) | 507 | 750 | 507 |
| Cylinder Diameter (mm) | 117 | 152 | 117 |
| Weight Full (kg) | 5.4 | 11.43 | 5.4 |
| Weight Empty (kg) | 2.91 | 6.43 | 2.91 |
| Overall Width (mm) | 180 | 310 | 180 |
| Range of Throw (m) | >4 | >4 | >4 |
| Discharge Time at 20°C (secs) | 8 | 14 | 8 |
| Test Pressure (bar) | 212 | 212 | 212 |
| Working Pressure at 20°C (bar) | 56 | 56 | 56 |
| Temperature Range (°C) | -30 to +60°C | -30 to +60°C | -30 to +60°C |
| Pressure Release Valve | YES | YES | YES |
| KVA Testing | N/A | N/A | N/A |
| BS EN3 Approved | YES | YES | NO |
| MED Approved | NO | YES | NO |
| Part Number | 9705/00 | 9706/00 | 9705/65 |
| Model Number | FPC2SC | FPC5C | FPC2SC |
| Rating Symbol | B E | B E | B E |

FirePower

## SPECIALIST EXTINGUISHER - Stored Pressure

- Corrosion resistant high grade valve
- Seize and squeeze for maximum control
- Unique lance applicator designed to allow the powder to fall gently over the fire
- Colour coded zone for easy identification
- Highly effective against metal fires, including Lithium when in the form of powder or swarf (will control any metal fire ending in 'ium')
- Carry a 5 year manufacturers warranty if serviced in accordance with BS5306 Part 3

| Type | LITHIUM L2 POWDER SP |
|---|---|
| Capacity (ltr) | 9 |
| Fire Rating | N/A |
| Height (mm) | 620 |
| Cylinder Diameter (mm) | 190 |
| Weight Full (kg) | 15.08 |
| Weight Empty (kg) | 6.08 |
| Overall Width (mm) | 500 |
| Range of Throw (m) | N/A |
| Discharge Time at 20°C (secs) | 30 |
| Test Pressure (bar) | 33 |
| Working Pressure at 20°C (bar) | 15 |
| Temperature Range (°C) | -20 to +60°C |
| Pressure Release Valve | YES |
| KVA Testing | N/A |
| BS EN3 Approved | NO |
| MED Approved | NO |
| Part Number | 9325/00 |
| Model Number | FPRP9L |
| Rating Symbol | D |

D METAL

FirePower

## WET CHEMICAL -
Stored Pressure

- Kitemarked to BS EN3
- Capable of extinguishing a cooking oil or fat fire of up to 75 litres in size
- 13A fire rating for all round safety
- EN3 red with official canary yellow colour coding
- User friendly 6 litre size – supplied factory filled
- Wet chemical process seals the surface of burning oil to prevent re-ignition
- Carry a 5 year manufacturers warranty if serviced in accordance with BS5306 Part 3

| Type | WET CHEMICAL SPRAY SP |
|---|---|
| Capacity (ltr) | 6 |
| Fire Rating | 13A 113B 75F |
| Height (mm) | 662 |
| Cylinder Diameter (mm) | 170 |
| Weight Full (kg) | 12.13 |
| Weight Empty (kg) | 7.1 |
| Overall Width (mm) | 310 |
| Range of Throw (m) | >4 |
| Discharge Time at 20°C (secs) | 30 |
| Test Pressure (bar) | 33 |
| Working Pressure at 20°C (bar) | 7 |
| Temperature Range (°C) | -10 to +60°C |
| Pressure Release Valve | YES |
| KVA Testing | YES |
| BS EN3 Approved | YES |
| MED Approved | YES |
| Part Number | 9503/00 |
| Model Number | FPRWC6 |
| Rating Symbol | A B F |

FirePower

## POLISHED EXTINGUISHERS -
Stored Pressure

- Ideal for environments where hygiene is paramount and when considering architecture
- Highly polished surface finish
- Corrosion resistant construction
- Simple 'seize and squeeze' operation
- Controllable discharge assures efficient use of contents and minimises clean-up
- All extinguishers are re-chargeable
- Carry a 5 year manufacturers warranty if serviced in accordance with BS5306 Part 3

| TYPE | WATER SP | WATER SP | AFFF FOAM SP | AFFF FOAM SP | $CO_2$ POLISHED ALUMINIUM |
|---|---|---|---|---|---|
| Capacity (ltr) | 6 | 9 | 6 | 9 | 2 |
| Fire Rating | 13A | 13A | 13A 144B | 21A 183B | 34B |
| Height (mm) | 550 | 620 | 550 | 620 | 507 |
| Cylinder Diameter (mm) | 162 | 184 | 162 | 184 | 117 |
| Overall Width (mm) | 225 | 240 | 225 | 240 | 180 |
| Filled Weight (kg) | 8.5 | 13.9 | 9.7 | 13.9 | 5.4 |
| Range of Throw (m) | >6 | >2 | >4 | >4 | >4 |
| Duration of Discharge (secs) | >9 | >9 | >15 | >15 | >8 |
| Working Pressure (at 20°C) | 12 bar | 12 bar | 12 bar | 12 bar | 56 bar |
| Temperature Range (°C) | +5 to +60 | +5 to +60 | 0 to +60 | 0 to +60 | -30 to +60 |
| BS EN3 Approved | NO | NO | NO | NO | NO |
| MED Approved | NO | NO | NO | NO | NO |
| 35kv Conductivity Discharge Test | YES | YES | YES | YES | N/A |
| Pressure Release Valve | YES | YES | YES | YES | YES |
| Low Freeze Additive | NO | NO | NO | NO | N/A |
| Part Number | 9913/00 | 9914/00 | 9221/00 | 9222/00 | 9705/06 |
| Model Number | FPW6S | FPW9S | FPF6S | FPF9S | FPC2SC |
| Rating Symbol | A B | A B | A | A | B E |

GLORIA®

Manufactured in Europe

5 year warranty

BS EN3 Kitemarked

Includes Cartridge Operated range





**tel** 01254 295000 **web** www.tgproducts.co.uk **email** tgsales@tgproducts.co.uk

GLORIA®

## WATER EXTINGUISHERS -
Stored Pressure / Cartridge Operated

- Kitemarked to BS EN3
- Squeeze grip operation
- Fully refillable
- Controlled discharge
- Internal polyethylene lining
- Complete with wall bracket
- Strong protective base
- Robust discharge hose
- Jet nozzle

| Type | Water SP | Water CO |
|---|---|---|
| Capacity (ltr/kg) | 9 | 9 |
| Fire Rating | 13 A | 21 A |
| Height | 613 | 620 |
| Cylinder Diameter (mm) | 190 | 190 |
| Overall Width (mm) | 280 | 290 |
| Filled Weight (kg) | 15.37 | 15.2 |
| Range of Throw (m) | 4 | 4 |
| Duration of Discharge (secs) | 60 | 97 |
| Working Pressure (at 20°C) | 7 bar nitrogen | 14 bar nitrogen |
| Temperature Range (°C) | +5°C to +60°C | +5°C to +60°C |
| BS EN3 Approved | YES | YES |
| MED Approved | YES | YES |
| 35kv Conductivity Discharge Test | YES | YES |
| Pressure Relief Valve | NO | NO |
| Low Freeze Additive | NO | NO |
| Part Number | 4908/207 | 4907/207 |
| Model Number | W9DN | W19DB/W9E |

5 YEAR WARRANTY

FIRE FIGHTING EQUIPMENT

GLORIA®

## FOAM EXTINGUISHERS - Stored Pressure

- Kitemarked to BS EN3
- Squeeze grip operation
- Fully refillable
- Controlled discharge
- Internal polyethylene lining
- Complete with wall bracket
- Strong protective base*
- Robust discharge hose
- Spray nozzle

*Excludes 2ltr model
2ltr shrouded head has unique push button operation and supplied with wire transport bracket and strap

| Type | Foam SP (shrouded head) | Foam SP | Foam SP |
|---|---|---|---|
| Capacity (ltr/kg) | 2 | 6 | 9 |
| Fire Rating | 5 A 55 B | 21 A 183 B | 27 A 233 B |
| Height | 365 | 557 | 522 |
| Cylinder Diameter (mm) | 108 | 150 | 190 |
| Overall Width (mm) | 110 | 162 | 202 |
| Filled Weight (kg) | 3.1 | 9.6 | 14.2 |
| Range of Throw (m) | 4 | 4 | 4 |
| Duration of Discharge (secs) | 25 | 34 | 55 |
| Working Pressure (at 20°C) | 15 bar nitrogen | 15 bar nitrogen | 15 bar nitrogen |
| Temperature Range (°C) | 0°C to +60°C | 0°C to +60°C | 0°C to +60°C |
| BS EN3 Approved | YES | YES | YES |
| MED Approved | NO | YES | YES |
| 35kv Conductivity Discharge Test | YES | YES | YES |
| Pressure Relief Valve | NO | NO | NO |
| Low Freeze Additive | NO | NO | NO |
| Part Number | 4256/207 | 4264/207 | 4265/207 |
| Model Number | S2LW | S6DLWB/SD6 | S9DLWB/SD9 |

GLORIA®

## FOAM EXTINGUISHERS - Cartridge Operated

- Kitemarked to BS EN3
- Squeeze grip operation
- Fully refillable
- Internal polyethylene lining
- Complete with wall bracket
- Strong protective base
- Robust discharge hose
- Spray nozzle
- Supplied empty with foam refill

| Type | AFFF CO | AFFF CO |
|---|---|---|
| Capacity (ltr/kg) | 6 | 9 |
| Fire Rating | 21 A 183 B | 27 A 233 B |
| Height | 600 | 620 |
| Cylinder Diameter (mm) | 150 | 190 |
| Overall Width (mm) | 310 | 290 |
| Filled Weight (kg) | 9.8 | 15.2 |
| Range of Throw (m) | 5 | 5 |
| Duration of Discharge (secs) | 68 | 87 |
| Working Pressure (at 20°C) | Cartridge operated 35g $CO_2$ | Cartridge operated 75g $CO_2$ |
| Temperature Range (°C) | +5°C to +60°C | +5°C to +60°C |
| BS EN3 Approved | YES | YES |
| MED Approved | YES | YES |
| 35kv Conductivity Discharge Test | YES | YES |
| Pressure Relief Valve | NO | NO |
| Low Freeze Additive | NO | NO |
| Part Number | 4262/207 | 4263/207 |
| Model Number | SI6DB/S6E | SI9DB/S9E |

GLORIA®

## POWDER EXTINGUISHERS -
Stored Pressure

- Kitemarked to BS EN3
- Squeeze grip operation
- Fully refillable
- Controlled discharge
- Multi-purpose application
- 1 & 2kg c/w wire transport bracket and securing strap
- 6,9 & 12kg c/w wall mounting bracket
- Strong protective base*
- Robust discharge hose (4,6,9 & 12kg)
- 1kg and 2kg shrouded head models have unique push button operation and supplied with wire transport bracket and strap

**Excludes 1kg and 2kg models*

| Type | Powder SP | Powder SP | Powder SP | Powder SP | Powder SP | Powder SP | Powder SP SH | Powder SP SH |
|---|---|---|---|---|---|---|---|---|
| Capacity (ltr/kg) | 1 | 2 | 4 | 6 | 9 | 12 | 1 | 2 |
| Fire Rating | 8 A 34 B C | 13 A 89 B C | 21 A 89 B C | 34 A 233B C | 43 A 233 B C | 55 A 233 B C | 8 A 34 B C | 13 A 89 B C |
| Height | 280 | 327 | 410 | 500 | 610 | 590 | 180 | 322 |
| Cylinder Diameter (mm) | 90 | 110 | 150 | 150 | 170 | 170 | 90 | 110 |
| Overall Width (mm) | 93 | 144 | 300 | 270 | 265 | 265 | 123.5 | 145 |
| Filled Weight (kg) | 2.1 | 3.8 | 6.7 | 9.1 | 13.7 | 17.3 | 2.2 | 3.5 |
| Range of Throw (m) | 4 | 4 | 6 | 6 | 7 | 7 | 4 | 4 |
| Duration of Discharge (secs) | 8 | 9 | 13 | 20 | 17 | 21 | 8 | 13 |
| Working Pressure (at 20°C) | 15 bar nitrogen | 15 bar nitrogen | 15 bar nitrogen | 15 bar nitrogen | 15 bar nitrogen | 15 bar nitrogen | 15 bar nitrogen | 15 bar nitrogen |
| Temperature Range (°C) | – 30°C to + 60°C | -30°C to +60°C | – 30°C to + 60°C | – 30°C to + 60°C | – 30°C to + 60°C | – 30°C to + 60°C | -30°C to +60°C | – 30°C to + 60°C |
| BS EN3 Approved | YES | YES | YES | YES | YES | YES | YES | YES |
| MED Approved | NO | YES | NO | YES | YES | YES | NO | YES |
| 35kv Conductivity Discharge Test | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Pressure Relief Valve | NO | NO | NO | NO | NO | NO | NO | NO |
| Low Freeze Additive | NO | NO | NO | NO | NO | NO | NO | NO |
| Part Number | 4358/207 | 4352/207 | 4354/207 | 4356/207 | 4359/207 | 4366/207 | 4351/207 | 4362/207 |
| Model Number | PD1GA | PD2G | PD4GA | PD6GA | PD9GA | PD12GA | P1GM | P2GM |

GLORIA®

## POWDER EXTINGUISHERS -
Cartridge Operated

- Squeeze grip operation
- Fully refillable
- Controlled discharge
- Multi-purpose application
- Heavy duty brass head assembly
- Complete with wall bracket
- Strong protective base
- Robust discharge hose

| Type | Powder CO | Powder CO |
|---|---|---|
| Capacity (ltr/kg) | 6 | 12 |
| Fire Rating | 34 A 183B C | 55 A 233 B C |
| Height | 538 | 637 |
| Cylinder Diameter (mm) | 150 | 190 |
| Overall Width (mm) | 226 | 246 |
| Filled Weight (kg) | 11.2 | 20.7 |
| Range of Throw (m) | 6 | 7 |
| Duration of Discharge (secs) | 22 | 32 |
| Working Pressure (at 20°C) | Cartridge Operated 140g $CO_2$ | Cartridge Operated 280g $CO_2$ |
| Temperature Range (°C) | – 30°C to + 60°C | – 30°C to + 60°C |
| BS EN3 Approved | YES | YES |
| MED Approved | YES | YES |
| 35kv Conductivity Discharge Test | N/A | N/A |
| Pressure Relief Valve | NO | NO |
| Low Freeze Additive | NO | NO |
| Part Number | 4360/207 | 4368/207 |
| Model Number | PEP6GA | PEP12GA |

GLORIA®

## F CLASS STORED PRESSURE

- Kitemarked to BS EN3
- Squeeze grip operation
- Fully refillable
- Controlled discharge
- Lance applicator
- Specifically designed for use on cooking oil fires
- Solution reacts with oil to prevent re-ignition
- Complete with wall bracket

| Type | F-Class SP | F-Class SP |
|---|---|---|
| Capacity (ltr/kg) | 3 | 6 |
| Fire Rating | 8 A 55 B 75 F | 13 A 113 B 75 F |
| Height | 434 | 675 |
| Cylinder Diameter (mm) | 150 | 170 |
| Overall Width (mm) | 141 | 305 |
| Filled Weight (kg) | 7 | 13 |
| Range of Throw (m) | 3 | 4 |
| Duration of Discharge (secs) | 18 | 30 |
| Working Pressure (at 20°C) | 7 bar nitrogen | 7 bar nitrogen |
| Temperature Range (°C) | – 30°C to + 60°C | – 10°C to + 60°C |
| BS EN3 Approved | YES | YES |
| MED Approved | NO | NO |
| 35kv Conductivity Discharge Test | YES | YES |
| Pressure Relief Valve | NO | NO |
| Low Freeze Additive | NO | NO |
| Part Number | 201F4503/207 | 201F4502/207 |
| Model Number | W3DFC/FBDP3 | W6DRC/FBDP6 |

3 Ltr: A B F

6 Ltr: A F

3ltr model has additional B rating

# Hose Reels & Spares

Automatic & Manual versions

Accommodates 19mm or 25mm hose

Manufactured from Zinc Plated Steel with Polyester Powder Coating

Full Manufacturer Spares List





**tel** 01254 295000 **web** www.tgproducts.co.uk **email** tgsales@tgproducts.co.uk

## FIXED, SWINGING AND RECESSED

A range of slimline manual and automatic hosereels

- All reels are supplied without hose to aid installation
- Automatic or manual operation
- Easy to install and maintain and simple to operate
- Accommodates 30m of 25mm or 19mm bore hose
- Manufactured from zinc plated steel and epoxy polyester powder coated
- Jet spray nozzle included with all models
- Beaded hose guides on fixed reels allows hose to be drawn out easily in any direction (included on all models)
- Gate valves and Flexible Water Inlet supplied separately
- Current range reels require the 25ml flexible water inlet pipe
- Swinging Hose Reels - swing both ways

## FIXED HOSE REEL

| Part No. | Description |
|---|---|
| 43/51231 | Hose reel 19mm Manual |
| 43/51236 | Hose reel 25mm Manual |
| 43/51232 | Hose reel 19mm Automatic |
| 43/51237 | Hose reel 25mm Automatic |

## SWINGING HOSE REEL

| Part No. | Description |
|---|---|
| 43/51233 | Hose reel 19mm Manual |
| 43/51235 | Hose reel 25mm Manual |
| 43/51234 | Hose reel 19mm Automatic |
| 43/51238 | Hose reel 25mm Automatic |

## HOSE REEL SPARES

| Part No. | Description |
|---|---|
| 43/01057 | 19mm nozzle - TG **(A)** |
| 43/01058 | 25mm nozzle - TG **(A)** |
| 46/57489 | 19mm nozzle - Chrome plated **(B)** |
| 43/50310 | 25mm nozzle - Chrome plated **(B)** |
| 43/01006 | Gate valve - 19mm **(C)** |
| 43/01007 | Gate valve - 25mm **(C)** |
| 43/50307 | Budget hose guide **(D)** |
| 43/01015 | Noha hose guide **(D)** |
| 60/70072 | Jubilee clip - 19mm **(E)** |
| 60/70073 | Jubilee clip - 25mm **(E)** |
| 43/01054 | Flexible water inlet pipe 3/4" thread fits Noha fixed auto reel **(F)** |
| 43/01056 | Flexible water inlet pipe 1" BSP thread fits Noha 25ml & Delta 19ml and 25ml reels **(F)** |
| 81/02827 | Swan neck coupling - 19mm |
| 81/02828 | Swan neck coupling - 25mm |
| 81/02983 | Blanking off plug - 19mm |
| 81/02984 | Blanking off plug - 25mm |



## HOSE REEL PEDESTAL

- Manufactured from 5mm thick steel plate
- Epoxy polyester powder stove paint post office red
- Will accommodate fixed, swinging or recessed hose reels

| Part No. | Description |
|---|---|
| 81/02401 | Pedestal (NOHA manufactured hose reel) |

## HOSE REEL TUBING
EN 694 Approved

- High-quality hose reel tubing approved to EN 694.
- Thermoplastic covered hose reel tubing for use on hose reels in fixed installations
- Working pressure 12 bar
- Temperature Range: -20° to +60°C

| Part No. | Description |
|---|---|
| 3645/04 | 19mm x 30m **(A)** |
| 3645/06 | 19mm x 45m **(A)** |
| 3645/11 | 25mm x 30m **(B)** |



# Wheeled Extinguishers & Spares

Manufactured in Europe

2 year warranty

Body Internal

Polyester Coating External

Highly Manoeuvrable

Full Manufacturer Spares List

MED Approved

## WHEELED POWDER EXTINGUISHERS MED & NON MED VERSIONS -
External Cartridge

- Highly effective with a fast flame knockdown
- Highly manoeuvrable
- Supplied filled
- Available in 25kg, 50kg and 100kg
- Steel body internal and external polyester coating
- MED Approved

| Type | ABC Powder CO | ABC Powder CO | ABC Powder CO |
|---|---|---|---|
| Capacity (kg) | 25 | 50 | 100 |
| Cartridge $CO_2$ Fill (kg) | 2 | 2 | 4 |
| Hose Length (m) | 5 | 5 | 5 |
| Height (mm) | 1020 | 1050 | 1290 |
| Cylinder Diameter (mm) | 245 | 300 | 360 |
| Overall Width (mm) | 400 | 440 | 540 |
| Filled Weight (kg) | 60 | 84 | 120 |
| Range of Throw (m) | 11 | 12 | 12 |
| Duration of Discharge (secs) | 25 | 40 | 80 |
| Working Pressure (bar) | 14 | 14 | 14 |
| Temperature Range (˚C) | -30 to 60˚C | -30 to 60˚C | -30 to 60˚C |
| BS EN1866 Approved | YES | YES | YES |
| **Part Number** | **81/18131** | **81/18161** | **81/18166** |

## WHEELED $CO_2$ EXTINGUISHERS MED & NON MED VERSIONS

- Ideal for protecting large electrical risks
- Supplied filled
- Rapid fire control with minimum clean up
- Available in 10kg and 20kg
- Steel body external polyester coating
- MED Approved

| Type | $CO_2$ Steel | $CO_2$ Steel |
|---|---|---|
| Capacity (kg) | 10 | 20 |
| Cartridge (kg) | N/A | N/A |
| Hose Length (m) | 5 | 5 |
| Height (mm) | 900 | 965 |
| Cylinder Diameter (mm) | 154 | 230 |
| Overall Width (mm) | 350 | 410 |
| Filled Weight (kg) | 38 | 68 |
| Range of Throw (m) | 4 | 4 |
| Duration of Discharge (secs) | 17 | 32 |
| Working Pressure (bar) | 60 | 60 |
| Temperature Range (˚C) | -30 to 60˚C | -30 to 60˚C |
| BS EN1866 Approved | YES | YES |
| **Part Number** | **81/18311** | **81/18321** |

## WHEELED FOAM EXTINGUISHERS MED & NON MED VERSIONS - External Cartridge

- Highly effective Aqueous Film Forming Foam (AFFF)
- Supplied empty with a separate foam charge
- Available in 50 litres and 100 litres
- Stainless steel body external epoxy polyester coating
- MED Approved

| Type | Foam Wheeled | Foam Wheeled |
|---|---|---|
| Capacity (kg) | 50 | 100 |
| Cartridge $CO_2$ fill (kg) | 1.3 | 3 |
| Hose Length (m) | 5 | 5 |
| Height (mm) | 1145 | 1335 |
| Cylinder Diameter (mm) | 315 | 400 |
| Overall Width (mm) | 455 | 550 |
| Filled Weight (kg) | 84 | 150 |
| Range of Throw (m) | 8 | 8 |
| Duration of Discharge (secs) | 46 | 99 |
| Working Pressure (bar) | 13 | 14 |
| Temperature Range (˚C) | 0 to 60˚C | 0 to 60˚C |
| BS EN1866 Approved | YES | YES |
| **Part number** | **81/18258** | **81/03594** |

## WHEELED EXTINGUISHER SPARES

A range of spares for TG Wheeled Extinguishers

| TG Part No. | ABS Part No. | Description | 10kg $CO_2$ | 20kg $CO_2$ | 25kg Powder | 50kg Powder | 100kg Powder | 50l Foam | 100l Foam |
|---|---|---|---|---|---|---|---|---|---|
| 81/03442 | 20007 | Adaptor for $CO_2$ C36 Cylinder | | | | x | x | x | x |
| 81/03443 | 20021 | Washer Ring 3/4" | | | x | x | x | x | |
| 81/03444 | 20022 | Washer Black Rubber 2" | | | x | | | | |
| 81/03445 | 20024 | Coupling | | | | | | x | x |
| 81/03446 | 20059 | Adaptor for N2 Cylinder | | | x | | | | |
| 81/03042 | 20204 | 5.4ltr $CO_2$ Cylinder 4kg Fill | | | | | x | | |
| 81/03202 | 20302 | 3ltr $CO_2$ Cylinder 2kg fill | | | | x | | | x |
| 81/03447 | 20516 | Manometer 1/8" | | | | x | x | x | x |
| 81/02557 - Picture C | 20640 | Discharge Hose 5m | | | x | | | | |
| 81/03086 | 20649 | Discharge Hose 5m | | | | x | x | | |
| 81/03078 | 20652 | Discharge Hose | x | x | | | | | |
| 81/03082 - Picture A | 20656 | Discharge Hose 5m | | | | | | x | x |
| 81/03448 | 20831 | Handwheel Valve | | | | x | x | x | x |
| 81/03449 | 21006/21007 | Foam Nozzle Light Alloy | | | | | | x | x |
| 81/03450 | 21010 | Check Valve Shroeder Type | | | | x | x | x | x |
| 81/03451 | 21017 | Protection Cap | x | x | | | | | |
| 81/03452 | 21018 | Safety Pin | | | x | | | | |
| 81/03453 | 21020 | Safety Disc | x | x | | | | | |
| 81/03454 | 21021 | Gasket for Discharge Hose | | | | | | | x |
| 81/03455 | 21028 | M30 x 1.5 Safety Valve | | | | x | x | | |
| 81/02558 - Picture B | 21035 | Plastic Discharge Pistol | | | x | | | | |
| 81/03007 | 21036 | Washer Ring Fibre | x | x | | x | x | | |
| 81/03456 | 21038 | Plastic discharge Horn | | | | x | | | |
| 81/03085 | 21039 | Plastic discharge Horn | | | | | x | | |
| 81/03087 | 21041 | Washer Black Rubber 4" | | | | x | x | | |
| 81/03457 | 21042 | Cap G | | | | x | x | | |
| 81/03458 | 21055 | O'Ring | | | x | | | | |
| 81/03065 | 21093 | Sealfire 2l - 3% concentrate | | | | | | | x |
| 81/03459 | 21119 | Trolley Frame | | | | | | x | |
| 81/03460 | 21127 | Discharge Apparatus | x | x | | | | | |
| 81/03461 | 21144 | Cap G.4" | | | | | | x | x |
| 81/03462 | 21706 | Siphon Tube | | | | | | x | x |
| 81/03463 | 21742 | Siphon Tube | x | | | | | | |
| 81/03464 | 21802 | 3/4" Handwheel Valve | x | x | | | | | |
| 81/03079 | 21931 | Wheel | x | x | x | x | | x | x |
| 81/03465 | 21941 | 400m Wheels Plastic and Rubber | | | | | x | | |
| 81/03466 | 28004 | Safety Seal | x | x | | x | x | | |
| 81/03467 | 28024 | Safety Valve 1/4" | | | x | | | x | x |
| 81/03468 | 31209 | Powder BC Karate | | | x | | | | |
| 81/03469 | 31230 | Powder ABC MAP 30% | | | | x | x | | |
| 81/03064 | 33395 | Sealfire 1l - 3% concentrate | | | | | | x | |
| 81/03470 | 66030 | Turning Valve Brass 3/4" | | | | x | x | x | x |
| 81/03471 | 83011 | 3/4 Filter | | | | | | x | x |
| 81/03041 | ??? | 3ltr $CO_2$ Cylinder 1.3kg fill | | | x | | | x | |
| 81/03472 | 20021_1 | Washer Ring Teflon 11 x 19 x 2 | | | x | | | | |
| 81/03473 | 20033_1 | $CO_2$ Frame for Trolley | x | | | | | | |
| 81/03474 | 20209_1 | 14ltr Cylinder | x | | | | | | |
| 81/03475 | 20640_1 | Discharge Hose 10m | | | x | | | | |
| 81/03476 | 20640_15 | Discharge Hose 15m | | | x | | | | |
| 81/03477 | 20649_10 | Discharge Hose 10m | | | | x | x | | |
| 81/03478 | 20656_1 | Discharge Hose 10m | | | | | | x | x |
| 81/03479 | 21013_1 | $CO_2$ Frame for Trolley | | x | | | | | |
| 81/03480 | 21034_1 | Brass Cap 2" | | | x | | | | |
| 81/03481 | 21330_1 | 27ltr Cylinder | | x | | | | | |
| 81/03482 | 21704_1 | Siphon Tube | | x | | | | | |
| 81/03483 | 21818_1 | Handwheel Valve | | | x | | | | |
| 81/03484 | 41231_3 | Spare Charged Cartridge 2l - 140 Bar | | | x | | | | |
| 81/02611 | | Wheeled Extinguisher Cover | | | | | x | | x |
| 47/95115 | | Wheeled Extinguisher Cover | x | | | | | | |

A

B

C

# Fire Blankets & Aerosol/Automatic Extinguishers

## FIRE BLANKETS

Approved To BSEN 1869: 1997

- CS06 rating
- All blankets comply with BS EN 1869:1997 and are kitemarked
- A range of top quality slim fire blankets with flush end caps for easy cleaning
- 12 month warranty/7 year life expectancy
- 300g/m² +/20g 200 gram cloth ensures flexibility and drapability
- Satin weave
- Warp 950/Weft 420
- Silicone coating on either side of blanket
- 0.25mm +/- 0.03mm thickness

CARRIAGE PAID ON ORDERS UNDER £50

| Part No. | Description |
|---|---|
| 81/03543 | 1.1m x 1.1m slim pack - red |
| 81/03544 | 1.2m x 1.2m slim pack - red |
| 81/03545 | 1.8m x 1.2m slim pack - red |

## AEROSOL EXTINGUISHERS

- BSI certified to BS6165 : 2002
- Manufactured in the UK under ISO 9001:2002 quality management system
- Aluminium lightweight body and polypropylene headcap with controlled discharge
- 600GM BC Dry Powder Fire Extinguisher fire rating 21B
- 950GM BC Dry Powder Fire Extinguisher fire rating 34B
- Disposable product not refillable

| Part No. | Description |
|---|---|
| 81/02561 | 600GM BC Dry Powder Fire Extinguisher |
| 81/02562 | 950GM BC Dry Powder Fire Extinguisher |

## AUTOMATIC EXTINGUISHERS
### Clean Agent

- Compact and economical automatic extinguisher
- FE-36 Clean Agent (Halon replacement) with zero ozone depletion
- Used to protect plant or machinery in an enclosed space
- Only one unit should be installed in each compartment

**Unit required is determined by gross volume of compartment:**

- 1kg provides protection for maximun enclosed volume of 1.7m³
- 1.5kg provides protection for maximun enclosed volume of 2.5m³
- 2kg provides protection for maximun enclosed volume of 3.4m³

| Part No. | Description |
|---|---|
| 81/02563 | 1kg Automatic Clean Agent Fire Extinguisher |
| 81/02564 | 1.5kg Automatic Clean Agent Fire Extinguisher |
| 81/02565 | 2kg Automatic Clean Agent Fire Extinguisher |
| 81/03685 | 4kg Automatic Clean Agent Fire Extinguisher |
| 81/03682 | 6kg Automatic Clean Agent Fire Extinguisher |

## AUTOMATIC EXTINGUISHERS
### Dry Powder

- Compact and economical automatic extinguisher
- Used to protect plant or machinery in an enclosed space
- Only one unit should be installed in each compartment
- Unit required is determined by the floor area of compartment:
- 1kg provides protection for maximun enclosed volume of 1m²
- 2kg provides protection for maximun enclosed volume of 2m²

| Part No. | Description |
|---|---|
| 81/02566 | 1kg Automatic ABC Dry Powder Fire Extinguisher |
| 81/02567 | 2kg Automatic ABC Dry Powder Fire Extinguisher |
| 81/03686 | 4kg ABC Dry Powder Fire Extinguisher |
| 81/03681 | 6kg ABC Dry Powder Fire Extinguisher |

100 YEARS SERVICE TO THE FIRE TRADE

# 2

# Extinguisher Spares



PowerX Range
37 - 40

Firepower 2013
(current range)
41 - 47

Firepower Pre 2013
(previous range)
48 - 53

Gloria (previous &
current range)
54 - 60

Chubb (FX range)
61 - 63

Chubb (Euro range)
64 - 66

Home/Car Guard Extinguisher
67 - 68





**tel** 01254 295000 **web** www.tgproducts.co.uk **email** tgsales@tgproducts.co.uk

# PowerX Range

# PowerX



Generic line image for illustration purposes only

## WATER ADDITIVE / WATER SPRAY - Stored Pressure

(6ltr-EXWA6 / 6ltr-EXWS6)

| Part No. | Description |
|---|---|
| 81/04048 | Valve assembly complete - inc gauge, handles |
| 81/02914 | Neck O ring seal (pack 50) |
| 81/02915 | Safety pin (pack 50) |
| 81/02928 | Discharge tube assembly inc adaptor 6ltr water spray |
| 81/03689 | Discharge tube assembly inc adaptor 3ltr water additive |
| 81/03649 | Discharge tube assembly inc adaptor 6ltr water additive |
| 81/04051 | Hose O ring seal (pack 25) |
| 81/02933 | Wall bracket |
| 81/02936 | Skirt black - 6ltr Water Spray |
| 3101/17 | Additive refill 600ml - 6ltr EXWA6 |
| 81/03607 | O Ring Nozzle end |
| 81/03648 | Skirt black - 6ltr water additive |
| 3100/17 | Additive Refill - 3ltr water additive |

# PowerX



Generic line image for illustration purposes only

## WATER / FOAM AFFF - Stored Pressure

(2ltr-EXF2 / 3ltr-EXF3 / 6ltr-EXF6 / 9ltr-EXF9 / 9ltr-EXW9)

| Part No. | Description |
|---|---|
| 81/02910 | Valve assembly complete - inc gauge, handles - 2ltr |
| 81/04048 | Valve assembly complete - inc gauge, handles - 3ltr |
| 81/04053 | Valve assembly complete - inc gauge, handles - 6/9ltr |
| 81/02913 | Neck O ring seal - 2ltr (pack 50) |
| 81/02914 | Neck O ring seal - 3/6/9ltr (pack 50) |
| 81/04054 | Safety pin - 2ltr (pack 50) |
| 81/02915 | Safety pin - 3/6/9ltr (pack 50) |
| 81/04055 | Discharge tube assembly inc adaptor - 2ltr |
| 81/04049 | Discharge tube assembly inc adaptor - 3ltr |
| 81/02921 | Discharge tube assembly inc adaptor - 6ltr |
| 81/02922 | Discharge tube assembly inc adaptor - 9ltr |
| 81/04050 | Hose assembly - 3ltr |
| 81/02928 | Hose assembly - 6ltr |
| 81/02929 | Hose assembly - 9ltr |
| 81/04051 | Hose O ring seal (pack 25) |
| 81/04056 | Nozzle - 2ltr foam |
| 81/03580 | Foam refill 180ml - 6ltr EXF6 |
| 81/03581 | Foam refill 570ml - 9ltr EXF9 |
| 3220/17 | Foam refill 3ltr multi use foam |
| 81/02931 | Wire bracket - 2ltr |
| 81/02933 | Wall bracket - 3/6/9ltr |
| 81/04052 | Skirt black - 3ltr |
| 81/02936 | Skirt black - 6ltr |
| 81/02937 | Skirt black - 9ltr |
| 81/03607 | O Ring Nozzle end |

# PowerX



Generic line image for illustration purposes only

## POWDER - STORED PRESSURE

(1kg-EXP1 / 2kg-EXP2 / 3kg-EXP3)

| Part No. | Description |
|---|---|
| 81/04057 | Valve assembly complete - inc gauge, handles - 1kg |
| 81/02911 | Valve assembly complete - inc gauge, handles - 2kg |
| 81/02912 | Valve assembly complete - inc gauge, handles - 23kg |
| 81/02913 | Neck O ring seal (pack 50) |
| 81/02914 | Neck O ring 3kg (Pack of 50) |
| 81/04058 | Safety pin - 1kg (pack 50) |
| 81/04054 | Safety pin - 2kg (pack 50) |
| 81/02916 | Discharge tube assembly - 1kg |
| 81/02917 | Discharge tube assembly - 2kg |
| 81/02918 | Discharge tube assembly - 3kg |
| 81/02923 | Nozzle - 1kg |
| 81/02924 | Nozzle - 2kg |
| 81/02905 | Nozzle - 3kg |
| 81/04059 | Multipack powder for 1kg - ABC40 (pack 12) |
| 81/04060 | Multipack powder for 2kg - ABC40 (pack 6) |
| 3196/00 | Powder Refill Pack - 3kg ABC20 |
| 81/02930 | Wire bracket - 1kg |
| 81/02931 | Wire bracket - 2kg |
| 81/02932 | Wire bracket - 3kg |
| 10/50511 | Strap for bracket 81/02931 |
| 81/03659 | trap - Stainless Steel Powerx 3kg |

# PowerX



Generic line image for illustration purposes only

## POWDER - STORED PRESSURE

(4kg-EXP4 / 6kg-EXP6 / 9kg-EXP9)

| Part No. | Description |
|---|---|
| 81/02912 | Valve assembly complete - inc gauge, handles - 4/6/9kg |
| 81/02914 | Neck O ring seal (pack 50) |
| 81/02915 | Safety pin - 4/6/9kg (pack 50) |
| 81/04061 | Discharge tube assembly inc adaptor - 4kg |
| 81/02919 | Discharge tube assembly inc adaptor - 6kg |
| 81/02920 | Discharge tube assembly inc adaptor - 9kg |
| 81/04062 | Hose assembly - 4kg |
| 81/02926 | Hose assembly - 6kg |
| 81/02927 | Hose assembly - 9kg |
| 81/04051 | Hose O ring seal (pack 25) |
| 81/02279 | Multipack powder for 4kg - ABC40 (pack 4) |
| 81/02280 | Multipack powder for 6kg - ABC40 (pack 2) |
| 81/02281 | Multipack powder for 9kg - ABC40 (pack 2) |
| 81/02933 | Wall bracket |
| 81/04066 | Skirt black - 4kg |
| 81/02934 | Skirt black - 6kg |
| 81/02935 | Skirt black - 9kg |

# PowerX



Generic line image for illustration purposes only

## $CO_2$ - (STEEL)

(2kg-EXC2 / 5kg-EXC5)

| Part No. | Description |
|---|---|
| 81/04067 | Valve assembly complete - 2kg/5kg steel |
| 81/04068 | Neck O ring seal - 2kg/5kg steel (pack 50) |
| 81/04069 | Safety pin (pack 50) |
| 81/04070 | Discharge tube assembly - 2kg steel |
| 81/04071 | Discharge tube assembly - 5kg steel |
| 81/04072 | Swivel horn - 2kg steel |
| 81/04073 | Swivel horn O ring seal - 2kg Steel |
| 47/95116 | Hose and horn assembly - 5kg steel |
| 81/04075 | Hose and horn sealing washer - 5kg steel (pack 50) |
| 81/04076 | Wall bracket - 2kg steel $CO_2$ |
| 81/04077 | Wall bracket - 5kg steel $CO_2$ |

# PowerX

## POWERX F CLASS STORED PRESSURE

(2ltr/6ltr)

| Part No. | Description |
|---|---|
| 81/03565 | Valve Assembly 2ltr |
| 81/03564 | Valve Assembly 6ltr |
| 81/02928 | Hose assembly |
| 81/03563 | Dip Tube (without adaptor) 2ltr |
| 81/03562 | Dip Tube (without adaptor) 6ltr |
| 81/03561 | Neck O ring Seal 2ltr & 6ltr |
| 81/04051 | Hose O ring seal |
| 81/03607 | Hose O ring seal (pack of 25) - Nozzle end |
| 81/02915 | Safety pin |
| 81/03515 | 2ltr Wet Chemical Refill |
| 81/03549 | 6ltr Wet Chemical Refill (1 x 6ltr pack) |
| 81/02936 | Skirt 6ltr - Black |
| 81/02933 | Wall bracket |

# FirePower

FirePower 2013 (current range)

FirePower




## WATER ADDITIVE / WATER SPRAY - Stored Pressure

(3ltr-FPRWA3 / 6ltr-FPRWA6 / 6ltr-FPRWS6)

| Part No. | Description |
|---|---|
| 19/51049 | Valve assembly less safety pin - 3ltr/6ltr |
| 23/52590 | Neck O ring seal (pack of 50) |
| 23/52855 | Safety pin (pack of 50) |
| 19/90630 | Discharge tube assembly inc adaptor - 3ltr |
| 19/90631 | Discharge tube assembly inc adaptor - 6ltr |
| 19/90633 | Hose assembly 3ltr |
| 19/90634 | Hose assembly 6ltr |
| 12/50607 | Hose O ring seal (pack of 25) |
| 10/50433 | Wall bracket |
| 19/51050 | Skirt 3ltr - red |
| 23/53056 | Skirt 6ltr - red |
| 3100/17 | Additive refill 300ml - 3ltr FPRWA3 |
| 3101/17 | Additive refill 600ml - 6ltr FPRWA6 |

FirePower

## WATER Cartridge Operated

(9ltr-FPRW9C)

| Part No. | Description |
|---|---|
| 19/51063 | Headcap assembly c/w discharge tube - 9ltr |
| UOR00008 | Headcap O ring seal (pack of 50) |
| 19/51061 | Safety pin (pack of 50) |
| 19/51054 | Dart for safety pin (pack of 50) |
| 19/90636 | Hose assembly |
| 3208/00 | $CO_2$ 75grm Cartridge |
| 47/53049 | Cartridge O ring seal (pack of 50) |
| 19/51060 | Wall bracket - Y type |
| 23/53073 | Skirt 9ltr - black |
| 19/51055 | Spindle |
| 19/51056 | Spring |
| 19/51057 | Steel washer for spring (pack of 25) |
| 19/51058 | Cartridge plastic adaptor inc seal (pack of 10) |
| 19/51059 | Seal plug - red (pack of 50) |
| 23/53082 | Seal label - Gassing tube/valve collar (pack of 100) |

FirePower




## WATER / FOAM AFFF - Stored Pressure

(2ltr-FPF2 / 3ltr-FPRF3 / 6ltr-FPRF6 / 9ltr-FPRF9 / 9ltr-FPRW9)

| Part No. | Description |
|---|---|
| 23/52679 | Valve assembly - 2ltr foam |
| 22/50527 | Valve assembly less safety pin - 3ltr/6ltr/9ltr |
| 23/52590 | Neck O ring seal - (pack of 50) |
| 23/52855 | Safety pin (pack of 50) |
| 22/90670 | Hose assembly - 3ltr foam |
| 22/90671 | Hose assembly - 6ltr/9ltr foam |
| 19/90635 | Hose assembly - 9ltr water |
| 12/50607 | Hose O ring seal (pack of 25) |
| 22/90588 | Discharge tube assembly - 2ltr |
| 19/90630 | Discharge tube assembly - 3ltr |
| 19/90631 | Discharge tube assembly - 6ltr |
| 19/90632 | Discharge tube assembly - 9ltr |
| 22/50448 | Nozzle - 2ltr foam |
| 22/55262 | Impeller - 3ltr/6ltr/9ltr (pack of 10) |
| 22/55264 | O Seal for 5 hole spray nozzle - 3ltr/6ltr/9ltr (pack of 25) |
| 3212/17 | Foam refill 300ml - 3ltr |
| 3202/17 | Foam refill 120ml - 6ltr |
| 3203/17 | Foam refill 270ml - 9ltr |
| 3200/17 | Foam refill compatible with LFA - 6ltr |
| 3201/17 | Foam refill compatible with LFA - 9ltr |
| 10/50517 | Wire bracket - 2ltr |
| 10/50433 | Wall bracket - 3ltr/6ltr/9ltr |
| 22/50520 | Skirt 3ltr - red foam |
| 22/50521 | Skirt 6ltr - red foam |
| 19/51051 | Skirt 9ltr foam - red |
| 22/50528 | Skirt 9ltr water - red |

FirePower

## FOAM - Cartridge Operated

(AFFF 6ltr-FPRF6C / AR 6ltr-FPRFAR6C / AFFF 9ltr-FPRF9C)

| Part No. | Description |
|---|---|
| 19/51053 | Headcap assembly c/w discharge tube, blanking cap, connect tube & safety pin - 6ltr |
| 19/51062 | Headcap assembly c/w discharge tube, blanking cap, connect tube & safety pin - 9ltr |
| UOR00008 | Headcap O ring seal (pack of 50) |
| 19/51061 | Safety pin (pack of 50) |
| 19/51054 | Dart for safety pin (pack of 50) |
| 22/90675 | Hose assembly - 6ltr /9ltr |
| 22/55029 | Nozzle |
| 22/55030 | Nozzle O ring (pack of 25) |
| 3207/00 | $CO_2$ Cartridge 45grm - 6ltr |
| 3208/00 | $CO_2$ Cartridge 75grm - 9ltr |
| 47/53049 | Cartridge O ring seal (pack of 50) |
| 3209/17 | Foam charge AFFF 120ml - 6ltr spray |
| 3204/17 | Foam charge AR 270ml - 6ltr |
| 19/51060 | Wall bracket - Y type |
| 23/53063 | Skirt 6ltr - black |
| 23/53065 | Skirt 9ltr - black |
| 19/51055 | Spindle- plastic |
| 19/51056 | Spring |
| 19/51057 | Steel washer for spring (pack of 25) |
| 19/51058 | Cartridge plastic adaptor inc seal (pack of 10) |
| 19/51059 | Seal plug - red (pack of 50) |
| 22/50522 | Foam charge connection tube - 6ltr |
| 22/50524 | Foam charge connection tube - 9ltr |
| 22/50525 | Securing tape |
| 23/53082 | Seal label - Gassing tube/valve collar (pack of 100) |

FirePower

## POWDER - Stored Pressure

(1kg-FPP10 / 2kg-FPP2)

| Part No. | Description |
|---|---|
| 23/97252 | Valve assembly - 1kg |
| 23/52679 | Valve assembly - 2kg |
| 23/57197 | Neck O ring seal - 1kg (pack of 50) |
| 23/52589 | Neck O ring seal - 2kg (pack of 50) |
| 23/52855 | Safety pin (pack of 50) |
| 23/57182 | Discharge tube assembly - 1kg |
| 23/97222 | Discharge tube assembly - 2kg |
| 23/57118 | Nozzle - 1kg |
| 23/52688 | Nozzle - 2kg |
| 3056/00 | Single pack powder for 2kg - ABC40 |
| 23/97251 | Wire bracket - 1kg |
| 10/50456 | Wire bracket - 2kg |

FirePower




## POWDER - Stored Pressure

(4kg-FPRP4 / 6kg-FPRP6 / 9kg-FPRP9)

| Part No. | Description |
|---|---|
| 23/53055 | Valve assembly less safety pin- 4kg/6kg/9kg |
| 23/52590 | Neck O ring seal - 4kg/6kg/9kg (pack of 50) |
| 23/52855 | Safety pin (pack of 50) |
| 23/91184 | Hose assembly - 4kg |
| 23/91185 | Hose assembly - 6kg |
| 23/91186 | Hose assembly - 9kg |
| 12/50607 | Hose O ring seal (pack of 25) |
| 23/91181 | Discharge tube assembly inc adaptor - 4kg |
| 23/91182 | Discharge tube assembly inc adaptor - 6kg |
| 23/91183 | Discharge tube assembly inc adaptor - 9kg |
| 3205/00 | Multipack powder for 4kg - ABC20 (4 pack) |
| 3211/00 | Multipack powder for 6kg - ABC20 (2 pack) |
| 3199/00 | single pack powder for 9kg - ABC20 |
| 10/50433 | Wall bracket - 4kg/6kg/9kg |
| 23/53056 | Skirt 4kg/6kg - red |
| 23/53057 | Skirt 9kg - red |

FirePower

## POWDER - Cartridge Operated

(6kg-FPRP6C / 9kg-FPRP9C)

| Part No. | Description |
|---|---|
| 23/53080 | Headcap assembly c/w discharge tube - 6kg |
| 23/53081 | Headcap assembly c/w discharge tube - 9kg |
| UOR00008 | Headcap O ring seal - 6kg/9kg (pack of 50) |
| 19/51061 | Safety pin less tie (pack of 50) |
| 19/51054 | Dart for safety pin (pack of 50) |
| 23/91188 | Hose assembly - 6kg |
| 23/91189 | Hose assembly - 9kg |
| 3215/00 | $CO_2$ Cartridge 140grm - 6kg |
| 3214/00 | $CO_2$ Cartridge 210grm - 9kg |
| 47/53049 | Cartridge O ring seal (pack of 50) |
| 3211/00 | Multipack powder for 6kg - ABC20 (2 pack) |
| 3199/00 | Single pack powder for 9kg - ABC20 |
| 19/51060 | Wall bracket - 6kg/9kg |
| 23/53064 | Skirt 6kg - black |
| 23/53066 | Skirt 9kg - black |
| 19/51055 | Spindle |
| 19/51056 | Spring |
| 19/51057 | Steel washer for spring (pack of 25) |
| 19/51058 | Cartridge plastic adaptor (pack of 10) |
| 23/53058 | Gassing tube inc Adaptor - 6kg |
| 23/53059 | Gassing tube inc Adaptor - 9kg |
| 23/53082 | Seal label - Gassing tube/valve collar (pack of 100) |

FirePower




## $CO_2$ - (Aluminium)

(2kg-FPC2SC / 5kg-FPC5C / 2kg-FPC2SC Polished /2kg-FPC2SC Non-Magnetic)

| Part No. | Description |
|---|---|
| 47/51734 | Valve assembly - 2kg/5kg aluminium 200 Bar Cylinder |
| 47/51711 | Valve assembly - 2kg/5kg aluminium 212 Bar Cylinder |
| 47/51716 | Valve assembly - 2kg/5kg aluminium non-magnetic |
| 23/52855 | Safety pin less tie non-magnetic (pack of 50) |
| 47/95109 | Swivel horn - 2kg (Frost Free) |
| 47/95110 | Swivel horn - 2kg non-magnetic |
| 47/95116 | Hose and horn assembly - 5kg aluminium |
| 47/51750 | Discharge tube assembly - 2kg aluminium |
| 47/51751 | Discharge tube assembly - 5kg aluminium |
| 47/50928B | Neck O ring seal - 2kg/5kg aluminium (pack of 1000) |
| 47/51203 | Swivel horn O ring seal - 2kg (pack of 100) |
| 81/04075 | Hose and horn sealing washer (white) - 5kg aluminium (pack of 50) |
| 47/51512 | Hose and horn sealing washer (clear) - 5kg aluminium (pack of 100) |
| 47/55165 | Wall bracket - 2kg aluminium |
| 47/55166 | Wall bracket - 5kg aluminium |

FirePower

## WET CHEMICAL - Stored Pressure

(6ltr-FPRWC6)

| Part No. | Description |
|---|---|
| 22/55260 | Valve assembly |
| 19/51061 | Safety pin (pack of 50) |
| 19/51054 | Dart for safety pin (pack of 50) |
| 22/90676 | Lance assembly |
| 22/55261 | Discharge tube inc adaptor |
| 3213/17 | 6ltr Wet Chemical premix Refill |
| 23/53085 | Neck O ring seal (pack of 50) |
| 12/50607 | Hose O ring seal (pack of 25) |
| 22/55262 | Impeller (pack of 10) |
| 22/55264 | O Seal for 5 hole spray nozzle (pack of 25) |
| 10/50433 | Wall bracket |
| 22/55265 | Skirt - black |

FirePower

## SPECIALIST POWDER - Stored Pressure

MONNEX (9kg-FPRP9M) LITHIUM L2 (9kg-FPRP9L)

| Part No. | Description |
|---|---|
| 23/53083 | Valve assembly |
| 19/51061 | Safety pin (pack of 50) |
| 19/51054 | Dart for safety pin (pack of 50) |
| 23/91190 | Hose assembly - Monnex only |
| 23/91191 | Low velocity applicator inc hose - L2 only |
| 23/53084 | Discharge tube inc adaptor |
| 2993/00 | Monnex powder - 9kg refill |
| 2810/09 | L2 powder - 9kg refill |
| 23/53085 | Neck O ring seal (pack of 50) |
| 12/50607 | Hose O ring seal (pack of 25) |
| 10/50433 | Wall bracket |
| 23/53066 | Skirt 9kg - black |

FirePower




## STAINLESS STEEL - Stored Pressure

WATER (6ltr-FPW6S / 9ltr-FPW9S) FOAM (6ltr-FPF6S / 9ltr-FPF9S)

| Part No. | Description |
|---|---|
| 81/04053 | Valve assembly complete - inc gauge, handles - 6/9ltr |
| 81/02914 | Neck O ring seal - 6/9ltr (pack 50) |
| 81/02915 | Safety pin - 6/9ltr (pack 50) |
| 81/02921 | Discharge tube assembly inc adaptor - 6ltr |
| 81/02922 | Discharge tube assembly inc adaptor - 9ltr |
| 81/02928 | Hose assembly - 6ltr |
| 81/02929 | Hose assembly - 9ltr |
| 81/04051 | Hose O ring seal (pack 25) |
| 81/03580 | Foam re ll 180ml - 6ltr |
| 81/03581 | Foam re ll 570ml - 9ltr |
| 81/02933 | Wall bracket 6/9ltr |
| 81/02936 | Skirt black - 6ltr |
| 81/02937 | Skirt black - 9ltr |
| 81/03607 | O Ring Nozzle end |

# FirePower

FirePower Pre 2013 (previous range)





**tel** 01254 295000 **web** www.tgproducts.co.uk **email** tgsales@tgproducts.co.uk

FirePower

## WATER ADDITIVE - STORED PRESSURE

(3ltr/6ltr)

| Part No | Description |
|---|---|
| 23/57178 | Valve Assembly |
| 23/52700 | Pressure Gauge |
| 22/90589 | Discharge tube assembly - 3ltr |
| 19/97074 | Discharge tube assembly - 6ltr |
| 22/90499 | Hose assembly 3ltr |
| 22/90496 | Hose assembly 6ltr |
| 23/52590 | Neck O ring seal (pack of 50) |
| 12/50607 | Hose O ring seal (pack of 25) |
| 10/50433 | Wall bracket |
| 23/52599 | Skirt 3ltr - black |
| 23/52702 | Skirt 6ltr - red |
| 3100/17 | Additive Refill 300ml - 3ltr |
| 3101/17 | Additive Refill 600ml - 6ltr |
| 47/51210 | Safety Pin & Plastic Link (Pre 2013 Firepower) |

FirePower

## WATER EXTINGUISHER - Cartridge Operated

(9ltr)

| Part No. | Description |
|---|---|
| 22/55242 | Headcap assembly |
| 19/90561 | Hose assembly |
| 19/90578 | Siphon tube assembly |
| 3144/00 | $CO_2$ Cartridge 55grm PVC |
| 23/52588 | Neck O ring seal (pack of 50) |
| 12/50607 | Hose O ring seal (pack of 25) |
| 10/50433 | Wall bracket |
| 23/52703 | Skirt - 9ltr |
| 47/51210 | Safety pin and plastic link |

FirePower

## WATER / FOAM AFFF EXTINGUISHER - Stored Pressure

(2ltr/3ltr/6ltr/9ltr)

| Part No. | Description |
|---|---|
| 23/52679 | Valve assembly - 2ltr foam |
| 23/52675 | Valve assembly - 3ltr/6ltr/9ltr |
| 23/52855 | Safety pin less tie (pack of 50) |
| 22/90499 | Hose assembly - 3ltr foam |
| 22/90496 | Hose assembly - 6ltr foam |
| 22/90497 | Hose assembly - 9ltr foam |
| 19/90561 | Hose assembly - 9ltr water |
| 22/90588 | Discharge tube assembly - 2ltr |
| 22/90589 | Discharge tube assembly - 3ltr |
| 22/90590 | Discharge tube assembly - 6ltr |
| 22/90587 | Discharge tube assembly - 9ltr |
| 22/50448 | Nozzle - 2ltr foam |
| 3073/00 | Foam Refill - (2ltr) |
| 4008/17 | Foam Refill 280ml - (3ltr) |
| 3216/17 | Foam Refill 560ml - (6ltr) |
| 3217/17 | Foam Refill 840ml - (9ltr) |
| 23/52590 | Neck O ring seal - (pack of 50) |
| 12/50607 | Hose O ring seal (pack of 25) |
| 10/50517 | Wire bracket - 2ltr |
| 10/50433 | Wall bracket - 3ltr/6ltr/9ltr |
| 23/52701 | Skirt - 3ltr |
| 23/52702 | Skirt - 6ltr |
| 23/52703 | Skirt - 9ltr |

FirePower

## FOAM EXTINGUISHER - Cartridge Operated

AFFF (6ltr/9ltr Spray) - FFFP AR (9ltr Branchpipe)

| Part No. | Description |
|---|---|
| 22/55242 | Headcap assembly |
| 22/90496 | Hose assembly - 6ltr spray |
| 22/90497 | Hose assembly - 9ltr spray |
| 22/90519 | Hose assembly - 9ltr branchpipe |
| 19/90579 | Siphon tube assembly - 6ltr |
| 19/90578 | Siphon tube assembly - 9ltr |
| 3144/00 | $CO_2$ Cartridge 55grm PVC - 6ltr |
| 3150/00 | $CO_2$ Cartridge 75grm PVC - 9ltr spray |
| 3190/00 | $CO_2$ Cartridge 90grm PVC - 9ltr branchpipe |
| 3216/17 | Foam Refill AFFF 560ml - (6ltr) |
| 3217/17 | Foam Refill AFFF 840ml - (9ltr spray) |
| 23/52588 | Neck O ring seal (pack of 50) |
| 12/50607 | Hose O ring seal (pack of 25) |
| 10/50433 | Wall bracket |
| 23/52702 | Skirt - 6ltr |
| 23/52703 | Skirt - 9ltr |
| 47/51210 | Safety pin and plastic link |

FirePower

## POWDER EXTINGUISHER - Stored Pressure

(1kg/2kg/4kg/6kg/9kg)

| Part No. | Description |
|---|---|
| 23/97252 | Valve assembly - 1kg FPP10 |
| 23/52679 | Valve assembly - 1kg FPP1 & 2kg |
| 23/52675 | Valve assembly - 4kg/6kg/9kg |
| 23/52855 | Safety pin less tie (pack of 50) |
| 23/90951 | Hose assembly - 4kg |
| 23/90953 | Hose assembly - 6kg |
| 23/90954 | Hose assembly - 9kg |
| 23/57182 | Discharge tube assembly - 1kg FPP10 |
| 23/91137 | Discharge tube assembly - 1kg FPP1 |
| 23/97222 | Discharge tube assembly - 2kg |
| 23/97223 | Discharge tube assembly - 4kg |
| 23/97224 | Discharge tube assembly - 6kg |
| 23/91138 | Discharge tube assembly - 9kg |
| 23/57118 | Nozzle - 1kg |
| 23/52688 | Nozzle - 2kg |
| 23/57197 | Neck O ring seal - 1kg FPP10 (pack of 50) |
| 23/52589 | Neck O ring seal - 1kg FPP1 & 2kg (pack of 50) |
| 23/52590 | Neck O ring seal - 4kg/6kg/9kg (pack of 50) |
| 12/50607 | Hose O ring seal (pack of 25) |
| 23/97251 | Wire bracket - 1kg FPP10 |
| 10/50513 | Wire bracket - 1kg FPP1 |
| 10/50456 | Wire bracket - 2kg |
| 10/50433 | Wall bracket - 4kg/6kg/9kg |
| 23/52702 | Skirt - 4kg/6kg |
| 23/52703 | Skirt - 9kg |
| 81/04059 | Multipack powder for 1kg ABC40 - (12 pack) |
| 81/04060 | Multipack powder for 2kg ABC40 - (6 pack) |
| 81/02279 | Multipack powder for 4kg ABC40 - (4 pack) |
| 81/02280 | Multipack powder for 6kg ABC40 - (2 pack) |
| 81/02281 | Multipack powder for 9kg ABC40 - (2 pack) |

FirePower

## $CO_2$ EXTINGUISHER - (Aluminium)

(2kg/5kg/2kg Polished/2kg Non-Magnetic)

| Part No. | Description |
|---|---|
| 47/51734 | Valve assembly - 2kg/5kg aluminium 200 Bar Cylinder |
| 47/51711 | Valve assembly - 2kg/5kg aluminium 212 Bar Cylinder |
| 47/51716 | Valve assembly - 2kg/5kg aluminium non-magnetic - blue handles |
| 23/52855 | Safety pin less tie (non-magnetic) (pack of 50) |
| 47/95109 | Swivel horn - 2kg |
| 47/95110 | Swivel horn - 2kg non-magnetic |
| 47/95116 | Hose and horn assembly - 5kg aluminium |
| 47/51750 | Discharge tube assembly - 2kg aluminium |
| 47/51751 | Discharge tube assembly - 5kg aluminium |
| 47/50928B | Neck O ring seal - 2kg/5kg aluminium (pack of 1000) |
| 47/51203 | Swivel horn O ring seal - 2kg (pack of 100) |
| 81/04075 | Hose and horn sealing washer (white) - 5kg aluminium (pack of 50) |
| 47/51512 | Hose and horn sealing washer (clear) - 5kg aluminium (pack of 100) |
| 47/55165 | Wall bracket - 2kg aluminium |
| 47/55166 | Wall bracket - 5kg aluminium |

FirePower




## WET CHEMICAL EXTINGUISHER - Stored Pressure

(6ltr)

| Part No. | Description |
|---|---|
| 22/97199 | Valve assembly |
| 22/90539 | Lance assembly |
| 22/90537 | Discharge tube assembly |
| 3188/17 | 6ltr Wet Chemical Refill |
| 23/52590 | Neck O ring seal (pack of 50) |
| 12/50607 | Hose O ring seal (pack of 25) |
| 10/50433 | Wall bracket |
| 47/51210 | Safety pin & plastic link (pre 2013 Firepower) |

FirePower

## SPECIALIST POWDER EXTINGUISHER - Stored Pressure

Monnex (9kg) - Lithium L2 (9kg) - M28 (9kg)

| Part No. | Description |
|---|---|
| 23/52778 | Valve assembly |
| 23/90954 | Hose assembly - Monnex only |
| 23/91123 | Low velocity applicator - Lithium and M28 only |
| 23/90929 | Discharge tube assembly |
| 23/52588 | Neck O ring seal (pack of 50) |
| 12/50607 | Hose O ring seal (pack of 25) |
| 10/50433 | Wall bracket |
| 23/52601 | Skirt - 9kg |
| 2810/09 | L2 Powder for 9KG (single pack) |
| 2993/00 | Monnex Powder for 9kg (single pack) |
| 47/51210 | Safety Pin & Plastic Link (Pre 2013 Firepower) |

FirePower

## STAINLESS STEEL EXTINGUISHER

Water (6ltr/9ltr) - Foam (6ltr/9ltr)

| Part No. | Description |
|---|---|
| 22/50455 | Valve assembly |
| 23/52855 | Safety pin less tie (pack of 50) |
| 19/90609 | Hose assembly - 6ltr water |
| 19/90610 | Hose assembly - 9ltr water |
| 22/90593 | Hose assembly - 6ltr foam |
| 22/90594 | Hose assembly - 9ltr foam |
| 19/90608 | Discharge tube assembly - 6ltr water/foam |
| 19/90515 | Discharge tube assembly - 9ltr water/foam |
| 3216/17 | Foam Refill 560ml - (6ltr) |
| 3217/17 | Foam Refill 840ml - (9ltr) |
| 23/52590 | Neck O ring seal - 6ltr/9ltr (pack of 50) |
| 12/50607 | Hose O ring seal (pack of 25) |
| 10/50433 | Wall bracket - 6ltr/9ltr |

GLORIA®

Gloria (previous and current range)





**tel** 01254 295000 **web** www.tgproducts.co.uk **email** tgsales@tgproducts.co.uk

GLORIA®

## WATER ADDITIVE EXTINGUISHERS - Stored Pressure

(3ltr/6ltr)

| Part No. Pre 2013 | Part No. Current | Description |
|---|---|---|
| UVC00023 | N/A | Valve assembly c/w Discharge Tube - 3ltr |
| UVC00025 | 23/57245 | Valve assembly c/w Discharge Tube - 6ltr |
| UHS00013 | N/A | Hose assembly - 3ltr water |
| UHS00025 | 23/57243 | Hose assembly - 6ltr water |
| UDT00005 | N/A | Discharge tube assembly - 3ltr |
| UDT00006 | N/A | Discharge tube assembly - 6ltr |
| UPN00008 | 19/51061 | Safety pin - pack (50) |
| N/A | 19/51054 | Dart |
| UOR00004 | 23/53085 | Neck O ring seal - pack (100) |
| GNF63009 | GNF63009 | refill 0.6 litre for 3ltr |
| URE00001 | URE0001 | refill 1.2 litre for 6ltr |
| USK00004 | N/A | Skirt - 3ltr |
| USK00005 | 23/57250 | Skirt - 6ltr |
| GNB11114 | GNB40004 | Wall bracket - 'Y' type |
| N/A | 10/50433 | Wall bracket |
| N/A | GNB33334 | Wall bracket "straight" |

**3ltr Water Additive Extinguisher discontinued March 2016**
**6ltr Water Additive Extinguisher discontinued August 2018**

GLORIA®

## WATER EXTINGUISHERS - Stored Pressure

(9ltr)

| Part No. Pre 2019 | Part No. Current | Description |
|---|---|---|
| UVC00017 | N/A | Valve assembly c/w discharge tube - 9ltr |
| N/A | 23/57255 | Valve assembly (without discharge tube) |
| UPN00008 | 19/51061 | Safety pin - pack (50) |
| UHS00014 | 23/57257 | Hose assembly - 9ltr |
| UOR00004 | 23/57256 | Neck O ring seal - pack (100) |
| GNB33334 | GNB40004 | Wall bracket |
| USK00006 | 23/57259 | Skirt - 9ltr |
| N/A | 12/50607 | Hose O ring pack (25) |
| N/A | 23/57258 | Discharge tube assembly |
| N/A | 19/51054 | Dart for safety pin pack (50) |

GLORIA®

## WATER EXTINGUISHERS - Cartridge Operated

(9ltr)

| Part No. Pre 2013 | Part No. Current | Description |
|---|---|---|
| USP00012 | 23/57224 | Headcap Assembly c/w discharge tube |
| UHS00014 | 23/57241 | Hose Assembly |
| UDT00008 | N/A | Discharge tube assembly |
| 3144/00 | N/A | CO Cartridge 55g PVC |
| N/A | 3208/00 | CO Cartridge 75g PVC |
| UOR00008 | UOR00008 | Neck O ring seal (pack 50) |
| GNB11114 | GNB40004 | Wall Bracket 'Y' type |
| USK00006 | 23/57235 | Skirt |
| UPN00002 | N/A | Safety pin & OK seal blue (pack 25) |
| UPN00004 | N/A | Safety pin & OK seal orange (pack 25) |
| UPN00005 | N/A | Safety pin & OK seal red (pack 25) |
| UPN00006 | N/A | Safety pin & OK seal white (pack 25) |
| UPN00007 | N/A | Safety pin & OK seal yellow (pack 25) |

GLORIA®

## FOAM EXTINGUISHERS - Stored Pressure

(2ltr) Squeeze Grip/Shrouded Head

| Part No. | Description |
|---|---|
| UVC00024 | Valve assembly - 2ltr Squeeze Grip |
| UVC00022 | Valve assembly - 2ltr Shrouded Head |
| UPN00000 | Safety pin 2 ltr Squeeze Grip |
| UNZ00005 | Nozzle 2ltr Squeeze Grip |
| UNZ00004 | Nozzle 2ltr Shrouded Head |
| UOR00012 | Neck O ring seal 2 ltr Squeeze Grip/Shrouded Head |
| UBT00003 | Wall bracket 2lt |
| UBT00008 | Wall bracket 2lt Shrouded Head |
| URE00015 | Refill 2ltr (40ml) |

**2ltr Foam Squeeze Grip Extinguisher discontinued July 2016**

GLORIA®

## FOAM EXTINGUISHERS - Stored Pressure

(3ltr/6ltr/9ltr/6ltr Eco foam)

| Part No. Pre 2013 | Part No. Current | Description |
|---|---|---|
| UVC00023 | N/A | Valve assembly - 3ltr |
| UVC00025 | 23/57225 | Valve assembly c/w Discharge Tube - 6ltr |
| UVC00026 | N/A | Valve assembly c/w Discharge Tube - 6ltr Eco Foam |
| UVC00017 | 23/57225 | Valve assembly c/w Discharge Tube - 9ltr |
| UHS00026 | N/A | Hose assembly - 3ltr |
| GNH60004 | 23/57227 | Hose assembly - 6ltr |
| UHS00027 | N/A | Hose assembly - 6ltr Eco Foam |
| UHS00012 | 23/57227 | Hose assembly - 9ltr |
| UDT00005 | N/A | Discharge tube assembly - 3ltr |
| UDT00006 | N/A | Discharge tube assembly - 6ltr |
| UST00000 | N/A | Discharge tube assembly - 9ltr |
| UPN00008 | 19/51061 | Safety pin 3/6/9 ltr - pack (50) |
| N/A | 19/51054 | Dart |
| UOR00004 | 23/52590 | Neck O ring seal 3/6/9 ltr - pack (100) |
| URE00016 | N/A | refill 3ltr (45ml) |
| GNF63009 | N/A | refill 6ltr (90ml) |
| N/A | 3202/17 | refill 6ltr (120ml) |
| URE00018 | N/A | refill 6ltr Eco Foam |
| GNF63009 | N/A | refill 9ltr (135ml) |
| N/A | 3210/17 | refill 9ltr (180ml) |
| USK00002 | N/A | Skirt - 3ltr |
| USK00000 | 23/53069 | Skirt - 6ltr |
| USK00003 | 23/53070 | Skirt - 9ltr |
| GNB11114 | GNB40004 | Wall bracket 3lt/6lt eco- 'Y' type |
| GNB33334 | GNB33334 | Wall bracket 6lt - 'J' type |
| GNB11114 | GNB40004 | Wall bracket 9lt - 'Y' type |

**3ltr Foam SP Extinguisher discontinued July 2016**
**6ltr Eco Foam SP Extinguisher discontinued in 2015**

GLORIA®

## FOAM EXTINGUISHERS - Cartridge Operated

(6ltr/9ltr)

| Part No. Pre 2013 | Part No. Current | Description |
|---|---|---|
| USP00014 | 23/57223 | Headcap assembly 6ltr |
| USP00012 | 23/57224 | Headcap assembly 9ltr |
| GNH60004 | 23/57230 | Hose assembly 6lt |
| UHS00024 | 23/57230 | Hose assembly 9lt |
| UDT00007 | N/A | Discharge tube assembly - 6ltr |
| UDT00008 | N/A | Discharge tube assembly - 9ltr |
| UCA00000 | N/A | $CO_2$ Cartridge 55grm PVC 6/9ltr |
| N/A | 3207/00 | $CO_2$ Cartridge 45grm PVC 6ltr |
| N/A | 3208/00 | $CO_2$ Cartridge 75grm PVC 9ltr |
| N/A | 47/53049 | Cartridge O'Ring Seal |
| UOR00008 | 19/51052 | Neck O ring seal - pack (50) |
| GNS10002 | N/A | Pin & triangle OK disc (white) |
| N/A | 19/51014 | Dart |
| GNF63006 | N/A | refill 6ltr (90ml) |
| N/A | 3209/17 | refill 6ltr (120ml) |
| GNF63009 | N/A | refill 9ltr (135ml) |
| N/A | 3210/17 | refill 9ltr (180ml) |
| USK00000 | 23/57231 | Skirt - 6ltr |
| USK00003 | 23/57232 | Skirt - 9ltr |
| GNB11114 | GNB40004 | Wall bracket - 'Y' type |
| UPN00002 | N/A | Safety pin & OK seal blue (pack 25) |
| UPN00004 | N/A | Safety pin & OK seal orange (pack 25) |
| UPN00005 | N/A | Safety pin & OK seal red (pack 25) |
| UPN00006 | N/A | Safety pin & OK seal white (pack 25) |
| UPN00007 | N/A | Safety pin & OK seal yellow (pack 25) |

GLORIA®

## POWDER EXTINGUISHERS - Stored Pressure

(4kg/6kg/9kg/12kg)

| Part No. | Description |
|---|---|
| UVC00007 | Valve assembly c/w discharge tube - 4kg |
| UVC00008 | Valve assembly c/w discharge tube - 6kg |
| UVC00009 | Valve assembly c/w discharge tube - 9/12kg |
| UPN00008 | Safety pin 4/6/9/12kg - pack (50) |
| 81/03557 | Bursting Disc 6kg/12kg |
| 81/03558 | Green Cap 6kg/12kg |
| UHS00021 | Hose assembly - 4kg powder |
| UHS00022 | Hose assembly (plastic connector) - 6kg powder |
| UHS00023 | Hose assembly - 9kg powder |
| UHS00020 | Hose assembly - 12kg powder |
| UDT00000 | Discharge tube assembly - 4kg |
| UDT00001 | Discharge tube assembly - 6kg |
| UDT00002 | Discharge tube assembly - 9kg/12kg |
| UOR00005 | Neck O ring seal 4kg/6kg/9kg/12kg (pack 100) |
| GNB33334 | Wall bracket - 4kg/6kg/9kg/12kg |
| UBM00002 | 6kg powder Ttansport bracket |
| USK00001 | Skirt - 4kg/6kg |
| USK00005 | Skirt - 9kg |
| USK00007 | Skirt - 12kg |
| URE00014 | Adex powder packed in 25kg bag (pre 2013) |
| 3211/00 | Multipack Powder for 6kg ABC20 (2 pack) |
| 3206/00 | Multipack Powder for 9kg ABC20 (2 pack) |
| 3199/00 | Single Pack Powder for 9kg ABC20 |

GLORIA®

## POWDER EXTINGUISHERS - Stored Pressure

(1kg/2kg) Squeeze Grip/Shrouded Head

| Part No. | Description |
|---|---|
| UVC00005 | Valve assembly - 1kg PD1GA (for the aluminium body) |
| UVC00006 | Valve assembly - 2kg PD2G (M30) valve red lever/black handle |
| UVC00020 | Valve assembly - 1kg PDE1 (for the steel body) |
| UVC00021 | Valve assembly - 2kg PDE2 (M24) valve red lever/black handle |
| UVC00003 | Valve assembly - 1kg Shrouded Head |
| UVC00004 | Valve assembly - 2kg Shrouded Head |
| UPN00000 | Safety pin 1/2kg Squeeze Grip |
| UNZ00002 | Nozzle - 1kg PD1GA/PDE1 |
| UNZ00003 | Nozzle - 2kg PD2G/PDE2 |
| UOR00012 | Neck O ring seal 1kg PD1GA/P1GM (pack of100) |
| UOR00011 | Neck O ring seal 1kg PDE1 (pack of100) |
| UOR00002 | Neck O ring seal 2kg - PD2G/PDE2/P2GM (pack of100) |
| UBT00014 | Bracket Wire - 1kg PD1GA |
| UBT00012 | Bracket Plastic - 1kg PD1GA/P1GM/2kg PDE2/PD2G |
| UBT00009 | Bracket Plastic- 1kg PDE1 |
| UBT00010 | Bracket Wire - 2kg PD2G/PDE2 |
| UBT00011 | Bracket - 2kg Shrouded Head |
| UBS00001 | Strap for Bracket UBT00014 |
| UBS00002 | Strap for Bracket UBT00010 |

GLORIA®



## POWDER EXTINGUISHERS - Cartridge Operated

(6kg/12kg)

| Part No. Pre 2019 | Part No. Current | Description |
|---|---|---|
| USP00016 | N/A | Headcap assembly PEP 6 |
| USP00015 | N/A | Headcap assembly PEP 12 |
| N/A | 23/57260 | Headcap assembly (with discharge tube) |
| N/A | 23/57261 | Headcap assembly (with discharge tube) |
| UHS00016 | 23/57262 | Hose assembly 6kg |
| UHS00009 | 23/57263 | Hose assembly 12kg |
| UDT00004 | N/A | Discharge tube assembly - 6kg |
| UDT00003 | N/A | Discharge tube assembly - 12kg |
| **from 2013 inc current range range)** | | $CO_2$ Cartridge 140grm PVC - 6kg (current |
| 3162/00 | N/A | $CO_2$ Cartridge 150g PVC - 6kg (Pre 2013) |
| UCA00003 | 3221/17 | $CO_2$ Cartridge 280grm PVC - 12kg |
| UOR00008 | UOR00008 | Neck O ring seal - pack (50) |
| GNB11114 | GNB11114 | Wall bracket - 'Y' type |
| USK00001 | 23/57264 | Skirt - 6kg |
| USK00007 | 23/57265 | Skirt - 12kg |
| UPN00008 | 19/51061 | Safety pin - pack (50) |
| URE00014 | URE00014 | Adex powder packed in 25kg bag (pre 2013) |
| 3211/00 | URE00010 | Multipack powder for 6kg ABC20 (2 pack) |
| 3206/00 | N/A | Multipack powder for 9kg ABC20 (2 pack) |
| 3199/00 | N/A | Single pack powder for 9kg ABC 20 |
| N/A | 19/51054 | Dart for safety pin pack (50) |
| N/A | 23/53082 | Seal label pack (35) - Yellow |

GLORIA®

## $CO_2$ EXTINGUISHERS

(2kg/5kg/2kg Polished)

| Part No. | Description |
|---|---|
| 47/51734 | Valve assembly - 2kg/5kg aluminium 200 Bar Cylinder (Pre 2004) |
| 81/51711 | Valve assembly - 2kg/5kg aluminium 212 Bar Cylinder (Current Range) |
| 23/52855 | Safety pin less tie (pack of 50) |
| 47/95109 | Swivel horn - 2kg |
| 47/95116 | Hose and horn assembly - 5kg aluminium |
| 47/51750 | Discharge tube assembly - 2kg aluminium |
| 47/51751 | Discharge tube assembly - 5kg aluminium |
| 47/50928 | Neck O ring seal - 2kg/5kg aluminium (pack of 25) |
| 47/51203 | Swivel horn O ring seal - 2kg (pack of 100) |
| 81/04075 | Hose and horn sealing washer (white) - 5kg aluminium (pack of 50) |
| 47/55165 | Wall bracket - 2kg aluminium |
| 47/55166 | Wall bracket - 5kg aluminium |

**2kg $CO_2$ Polished Extinguisher discontinued March 2016**

GLORIA®

## F CLASS STORED PRESSURE

(3ltr/6ltr)

| Part No. Pre 2013 | Part No. Current | Description |
|---|---|---|
| UVC00027 | 23/57243 | Valve assembly - 3lt F class |
| UVC00015 | 23/57251 | Valve assembly - 6lt F class |
| UHS00026 | 23/57242 | Hose assembly 3ltr. |
| N/A | 22/90676 | Lance assembly 6ltr. |
| UHS00019 | N/A | Hose and lance assembly 6ltr. |
| UDT00005 | N/A | Discharge tube assembly 3ltr |
| UDT00006 | N/A | Discharge tube assembly 6ltr |
| UOR00004 | 23/53085 | Neck O ring seal - pack (100) |
| UPN00008 | 19/51061 | Safety pin - pack (50) |
| N/A | 23/57247 | Safety pin link |
| N/A | 19/51054 | Dart |
| URE00019 | URE00019 | Refill 3ltr Class F |
| URE00006 | URE00006 | Refill 6ltr Class F |
| USK00002 | 23/57240 | Skirt - 3ltr |
| USK00000 | 23/57239 | Skirt - 6ltr |
| GNB11114 | GNB40004 | Wall bracket - 'Y' type |
| N/A | 10/50433 | Wall bracket |
| N/A | GNB33334 | Wall bracket "straight" |

GLORIA®

## STAINLESS STEEL EXTINGUISHERS Water/Foam

(6ltr/9ltr)

| Part No. | Description |
|---|---|
| 22/50455 | Valve assembly - 6ltr/9ltr |
| 23/52855 | Safety pin less tie (pack of 50) |
| 19/51014 | Red Dart |
| 19/90609 | Hose assembly - 6ltr water |
| 19/90561 | Hose assembly - 9ltr water |
| 22/90593 | Hose assembly - 6ltr AFFF |
| 22/90594 | Hose assembly - 9ltr AFFF |
| 19/90608 | Discharge tube assembly - 6ltr water/6ltr AFFF |
| 19/90515 | Discharge tube assembly - 9ltr water/9ltr AFFF |
| 23/52590 | Neck O ring seal (pack of 50) |
| 12/50607 | Hose O ring seal (pack of 25) |
| 10/50433 | Wall bracket 6lt/9ltr |
| 3216/17 | Foam Refill 560ml - 6ltr |
| 3217/17 | Foam Refill 840ml - 9ltr |

# FX

Chubb FX Range

FX

## HYDROSPRAY - Stored Pressure

(3ltr-HY3 / 6ltr-HY6)

| Part No. | Description |
|---|---|
| 19/95347 | Valve/Syphon tube assembly - 3ltr |
| 19/95348 | Valve/Syphon tube assembly - 6ltr |
| 23/52590 | Neck O ring seal (pack of 50) |
| 22/50515 | OK Indicator - green |
| 22/50516 | OK Indicator - yellow |
| 22/50517 | OK Indicator - blue |
| 22/50518 | OK Indicator - orange |
| 22/50519 | Safety Clip - yellow |
| 22/50526 | Schrader valve Dust Cap - nickel (hexagonal) |
| 19/90628 | Hose assembly - 3ltr |
| 19/90629 | Hose assembly - 6ltr |
| 22/55263 | Door |
| 10/50433 | Wall bracket |
| 10/90117 | Transport bracket - Heavy duty - 3ltr |
| 10/90118 | Transport bracket - Heavy duty - 6ltr |
| 23/53067 | Skirt - 3ltr |
| 23/53068 | Skirt - 6ltr |
| 3100/00 | Additive refill 300ml - 3ltr |
| 3101/00 | Additive refill 600ml - 6ltr |

FX

## WATER - Cartridge Operated

(9ltr-CWA9)

| Part No. | Description |
|---|---|
| 19/51063 | Headcap assembly c/w discharge tube - 9ltr |
| UOR00008 | Headcap O ring seal (pack of 50) |
| 19/51061 | Safety pin (pack of 50) |
| 19/51054 | Dart for safety pin (pack of 50) |
| 19/51055 | Spindle |
| 19/51056 | Spring |
| 22/90674 | Syphon tube assembly |
| 19/90636 | Hose assembly |
| 3208/00 | $CO_2$ 75grm Cartridge |
| 47/53049 | Cartridge O ring seal (pack of 50) |
| 19/51057 | Steel washer for spring (pack of 25) |
| 19/51058 | Cartridge plastic adaptor inc seal (pack of 10) |
| 19/51059 | Seal plug - red (pack of 50) |
| 23/53082 | Seal label - Gassing tube/valve collar (pack of 100) |
| 19/51060 | Wall bracket - Y type |
| 10/90114 | Transport bracket - Heavy duty |
| 23/53073 | Skirt 9ltr - black |
| 3082/00 | Low freeze Charge |

FX

## WATER / FOAM - Stored Pressure

(9ltr-WA9 / 6ltr-FO6 / 9ltr-FO9 / 6ltr ECO-PF6 / 9ltr ECO-PF9)

| Part No. | Description |
|---|---|
| 22/90666 | Valve/Syphon tube assembly - 6ltr |
| 22/90667 | Valve/Syphon tube assembly - 9ltr |
| 23/52590 | Neck O ring seal (pack of 50) |
| 22/50515 | OK Indicator - green |
| 22/50516 | OK Indicator - yellow |
| 22/50517 | OK Indicator - blue |
| 22/50518 | OK Indicator - orange |
| 22/50519 | Safety Clip - yellow |
| 22/50526 | Schrader valve Dust Cap - nickel (hexagonal) |
| 19/90627 | Hose assembly - 9ltr Water |
| 22/90668 | Hose assembly - 6ltr/9ltr Foam |
| 22/55263 | Door |
| 10/50433 | Wall bracket |
| 22/55262 | Impeller - 6ltr/9ltr (pack of 10) |
| 22/55264 | O Seal for 5 hole spray nozzle - 6ltr/9ltr (pack of 25) |
| 10/90118 | Transport bracket - Heavy duty - 6ltr |
| 10/90119 | Transport bracket - Heavy duty - 9ltr |
| 23/53069 | Skirt - 6ltr Foam |
| 23/53070 | Skirt - 9ltr Foam |
| 23/53072 | Skirt - 9ltr Water |
| 3081/00 | Low freeze Charge - FO6 |
| 3082/00 | Low freeze Charge - WA9/FO9 |
| 3200/00 | Foam Refill 120ml - Glorilight Plus - FO6. Includes LFA |
| 3201/00 | Foam Refill 180ml - Glorilight Plus - FO9. Includes LFA |
| 3202/00 | Foam Refill 180ml - PF6 Eco Foam |
| 3203/00 | Foam Refill 270ml - PF9 Eco Foam |

FX

## FOAM AFFF - Cartridge Operated

(6ltr-CFO6 / 9ltr-CFO9 / 6ltr-CFAR6)

| Part No. | Description |
|---|---|
| 19/51053 | Headcap assembly c/w discharge tube, blanking cap, connect tube & safety pin - 6ltr |
| 19/51062 | Headcap assembly c/w discharge tube, blanking cap, connect tube & safety pin - 9ltr |
| UOR00008 | Headcap O ring seal (pack of 50) |
| 19/51061 | Safety pin (pack of 50) |
| 19/51054 | Dart for safety pin (pack of 50) |
| 19/51055 | Spindle |
| 19/51056 | Spring |
| 22/90673 | Syphon tube assembly - 6ltr |
| 22/90674 | Syphon tube assembly - 9ltr |
| 22/90675 | Hose assembly - 6ltr /9ltr |
| 3207/00 | $CO_2$ Cartridge 45grm - 6ltr |
| 3208/00 | $CO_2$ 75grm Cartridge |
| 47/53049 | Cartridge O ring seal (pack of 50) |
| 19/51057 | Steel washer for spring (pack of 25) |
| 19/51058 | Cartridge plastic adaptor inc seal (pack of 10) |
| 19/51059 | Seal plug - red (pack of 50) |
| 23/53082 | Seal label - Gassing tube/valve collar (pack of 100) |
| 22/50522 | Foam charge connection tube - 6ltr |
| 22/50524 | Foam charge connection tube - 9ltr |
| 22/50525 | Securing tape |
| 22/55029 | Nozzle |
| 22/55030 | Nozzle O ring (pack of 25) |
| 19/51060 | Wall bracket - Y type |
| 10/90114 | Transport bracket - Heavy duty - 9ltr |
| 23/53063 | Skirt 6ltr - black |
| 23/53065 | Skirt 9ltr - black |
| 3081/00 | Low freeze Charge - 6ltr |
| 3082/00 | Low freeze Charge - 9ltr |
| 3204/00 | Foam Charge 270ml - CFAR6 |
| 3209/00 | Foam Charge 120ml - CFO6 |
| 3210/00 | Foam Charge 180ml - CFO9 |

FX

## POWDER - Stored Pressure

(3kg-PO3 / 6kg-PO6 / 9kg-PO9)

| Part No. | Description |
|---|---|
| 23/91175 | Valve/Syphon tube assembly - 3kg |
| 23/91176 | Valve/Syphon tube assembly - 6kg |
| 23/91177 | Valve/Syphon tube assembly - 9kg |
| 23/52590 | Neck O ring seal (pack of 50) |
| 22/50515 | OK Indicator - green |
| 22/50516 | OK Indicator - yellow |
| 22/50517 | OK Indicator - blue |
| 22/50518 | OK Indicator - orange |
| 22/50519 | Safety Clip - yellow |
| 22/50526 | Schrader valve Dust Cap - nickel (hexagonal) |
| 23/91178 | Hose assembly - 3kg |
| 23/91179 | Hose assembly - 6kg |
| 23/91180 | Hose assembly - 9kg |
| 22/55263 | Door |
| 10/50433 | Wall bracket |
| 10/90117 | Transport bracket - Heavy duty - 3kg |
| 10/90121 | Transport bracket - Heavy duty - 6kg |
| 10/90122 | Transport bracket - Heavy duty - 9kg |
| 23/53067 | Skirt - 3kg |
| 23/53068 | Skirt - 6kg |
| 23/53071 | Skirt - 9kg |
| 3196/00 | Powder Refill Pack - 3kg Adex K |
| 3211/00 | Powder Refill Pack - 6kg ABC20 (Pack 2) |
| 3206/00 | Powder Refill Pack - 9kg ABC20 (Pack 2) |
| 3199/00 | Powder Refill Pack - 9kg ABC20 (single pack) |

# Chubb

United Technologies

Chubb Euro Range





**tel** 01254 295000 **web** www.tgproducts.co.uk **email** tgsales@tgproducts.co.uk

Chubb
United Technologies

## EURO RANGE WATER/FOAM EXTINGUISHER - Cartridge Operated

(6ltr/9ltr)

| Part No. | Description |
|---|---|
| 19/90454 | Safety pin and ok indicator (pack of 25) |
| 10/50433 | Wall bracket |
| 23/52596 | Headcap assembly |
| 23/52588 | Neck O ring seal (pack of 50) |
| 19/90578 | Discharge tube assembly - 9ltr water/9ltr foam |
| 19/90579 | Discharge tube assembly - 6ltr foam |
| 19/90561 | Hose assembly - 9ltr water |
| 22/90496 | Hose assembly - 6ltr foam |
| 22/90497 | Hose assembly - 9ltr foam |
| 12/50607 | Hose O ring seal (pack of 25) |
| 23/52601 | Skirt - 9ltr water/9ltr foam |
| 23/52600 | Skirt - 6ltr foam |
| 3144/00 | $CO_2$ Cartridge 55grm PVC - 6ltr |
| 2840/00 | $CO_2$ Cartridge 71grm PVC - 9ltr |
| 3216/00 | Foam Refill AFFF - 6ltr |
| 3217/00 | Foam Refill AFFF - 9ltr |

Chubb
United Technologies

## EURO RANGE WATER/FOAM EXTINGUISHER - Stored Pressure

(6ltr/9ltr)

| Part No. | Description |
|---|---|
| 19/90454 | Safety pin and ok indicator (pack of 25) |
| 10/50433 | Wall bracket |
| 23/52693 | Valve assembly |
| 23/52588 | Neck O ring seal (pack of 50) |
| 22/90509 | Discharge tube assembly - 9ltr water/9ltr foam |
| 22/90508 | Discharge tube assembly - 6ltr foam |
| 19/90561 | Hose assembly - 9ltr water |
| 22/90496 | Hose assembly - 6ltr foam |
| 22/90497 | Hose assembly - 9ltr foam |
| 12/50607 | Hose O ring seal (pack of 25) |
| 23/52601 | Skirt - 9ltr water/9ltr foam |
| 23/52600 | Skirt - 6ltr foam |
| 3216/00 | Foam Refill AFFF - 6ltr |
| 3217/00 | Foam Refill AFFF - 9ltr |

Chubb
United Technologies

## EURO RANGE POWDER EXTINGUISHER - Stored Pressure

(3kg/6kg/9kg)

| Part No. | Description |
|---|---|
| 19/90454 | Safety pin and ok indicator (pack of 25) |
| 10/50433 | Wall bracket |
| 23/52693 | Valve assembly |
| 23/52588 | Neck O ring seal (pack of 50) |
| 23/90991 | Discharge tube assembly - 3kg |
| 23/90928 | Discharge tube assembly - 6kg |
| 23/90929 | Discharge tube assembly - 9kg |
| 23/90951 | Hose assembly - 3kg |
| 23/90953 | Hose assembly - 6kg |
| 23/90954 | Hose assembly - 9kg |
| 12/50607 | Hose O ring seal (pack of 25) |
| 23/52599 | Skirt - 3kg |
| 23/52600 | Skirt - 6kg |
| 23/52601 | Skirt - 9kg |
| 81/04059 | Multipack powder for 1kg ABC40 - (12 pack) |
| 81/04060 | Multipack powder for 2kg ABC40 - (6 pack) |
| 3196/00 | Single Pack powder for 3kg ABC40 |
| 81/02279 | Multipack powder for 4kg ABC40 - (4 pack) |
| 81/02280 | Multipack powder for 6kg ABC40 - (2 pack) |
| 81/02281 | Multipack powder for 9kg ABC40 - (2 pack) |

Chubb
United Technologies



## EURO RANGE $CO_2$ EXTINGUISHER - (Aluminium)

(2kg/5kg)

| Part No. | Description |
|---|---|
| 47/51186 | Valve assembly (parallel|) for aluminium body - 2kg/5kg aluminium 200 Bar Cylinder |
| 81/02449 | Valve assembly - 2kg/5kg aluminium 212 Bar Cylinder |
| 19/90454 | Safety pin and ok indicator (pack of 25) |
| 47/50928 | Valve O ring seal (pack of 25) |
| 47/51153 | Discharge tube - 2kg aluminium |
| 47/51152 | Discharge tube - 5kg aluminium |
| 47/95109 | Swivel horn |
| 47/95116 | Hose and horn assembly |
| 47/51525 | Swivel horn seal (pack of 50) |
| 81/04075 | Hose and horn sealing washer (white) - 5kg CO2 aluminium (pack of 50) |
| 47/90492 | Bracket - 2kg |
| 47/90493 | Bracket - 5kg |

# Home/Car Guard Extinguisher

## HOME/CAR GUARD POWDER EXTINGUISHER - Stored Pressure

(1kg/2kg)

| Part No. | Description |
|---|---|
| 81/02910 | Valve Assembly 1kg SP Powder |
| 81/02911 | Valve Assembly 2kg SP Powder |
| 81/02913 | Neck O Ring 1kg/2kg (Pack 50) |
| 81/02915 | Safety Pin 1kg/2kg (Pack 25) |
| 81/02916 | Discharge tube 1kg |
| 81/02917 | Discharge tube 2kg |
| 81/02923 | Nozzle 1kg |
| 81/02924 | Nozzle 2kg |
| 81/02930 | Wire Bracket 1kg |
| 81/02931 | Wire Bracket 2kg |

**1kg & 2kg Home/Car Guard Extinguisher discontinued 2015**

# 3

# Service Spares, Refills & Tools

Service Spares, Refills & Tools



CO2 Spares
71

Cartridge Refills
72

Pull Tite Seals
72

Safety Pins & Clips
73

Extinguisher Fixing Brackets
74

Foam & Low Freeze Additive Refills
75

Water Additive Refills
76

Powder Refills
77

Wet Chemical Refills
77

Pressurex Unit
78

Extinguisher Refill Tools
78

Charging Adaptors & Spanners
78

Service Labels & Gauge Dots
79



Engineer Tools
80 - 84






**tel** 01254 295000 **web** www.tgproducts.co.uk **email** tgsales@tgproducts.co.uk

## $CO_2$ VALVES - SQUEEZE GRIP

A range of $CO_2$ valves supplied with taper and parallel threads to fit the majority of $CO_2$ extinguishers

- Valve assemblies are supplied with an accreditation certificate

| Part No. | Description |
|---|---|
| 47/51713 | Taper thread valve assembly (taper thread W28.8 x 1/14) |
| 47/51734 | Parallel thread valve assembly (M25 x 2mm) for 200 bar cylinders (Pre PED) **(A)** |
| 47/51711 | Parallel thread valve assembly (M25 x 2mm) for 212 bar cylinders (Post PED) **(B)** |
| 47/50928B | Valve Assembly O Ring (for all above) **(C)** |

A



B



C

A

B

## $CO_2$ VALVES - LEVER/WHEELED

A range of $CO_2$ valves supplied with taper threads suitable for larger $CO_2$ cylinders

| Part No. | Description |
|---|---|
| 46/32641 | Knuckle valve assembly (taper thread W28.8 x 1/14) **(A)** |
| 47/53000 | Screw down valve assembly (taper thread W28.8 x 1/14) **(B)** |
| 23/52700 | Pressure Gauge - 15 bar (Firepower pre 2013) |

## $CO_2$ SWIVEL HORNS, HOSE AND HORNS

A range of outlet horns for portable and wheeled $CO_2$ extinguishers

| Part No. | Description |
|---|---|
| 81/03078 | $CO_2$ hose and horn assembly (6m hose) **(A)** |
| 47/95109 | TG Frost Free Swivel black horn/red elbow Gloria/ Firepower/Chubb **(B)** |
| 47/95116 | 5KG hose and horn Gloria/Firepower/Chubb/Powerx **(C)** |
| 48/90048 | $CO_2$ Telescopic applicator - (extends to 12ft) **(D)** |
| 81/02200 | Universal Storex Swivel horn |
| 47/95110 | TG Frost Free Swivel horn (Non Magnetic) |
| 81/95134 | TG Frost Free Swivel horn Firepower Stainless (black horn/black elbow) |
| 81/04072 | TG Frost Free Swivel horn Powerx 2kg Steel |
| 47/59554 | Firepower & Powerx 2kg FF horn |

A

B

C

D

## CARTRIDGE REFILLS

| Part No. | Description | Firepower Pre 2013 | Firepower Current Range | Gloria Pre 2013 | 2013 - June 2019 | Gloria Current Range | Chubb Pre 2013 | Chubb FX |
|---|---|---|---|---|---|---|---|---|
| 3208/00 | 75grm 9 litre Water & 9 litre Foam CO | | ✓ | | | ✓ | | ✓ |
| 3150/00 | 75grm 9 Litre Foam C | ✓ | | | | | | |
| 3207/00 | 45grm 6 litre Foam CO | | ✓ | | | ✓ | | ✓ |
| 3215/00 | 140grm 6 kg Powder CO | | ✓ | | | ✓ | | |
| 3214/00 | 210grm 9 kg Powder CO | | ✓ | | | | | |
| 3144/00 | 55grm 6 litre Water & 9 litre Foam & Water CO | ✓ | | ✓ | | | | |
| 3144/00 | 55grm 6 litre Water & 6 litre Foam CO | | | | | | ✓ | |
| 3190/00 | 90grm 9 litre Branchpipe CO | ✓ | | | | | | |
| UCA00006 | 140grm 6 kg Powder CO | | | ✓ | | | | |
| UCA00003 | 280grm 12 kg Powder CO | | | ✓ | ✓ | | | |
| 3221/17 | 280grm 12 kg Powder CO | | | | | ✓ | | |

## GENERAL CARTRIDGES

| Part No. | Description |
|---|---|
| 3168/00 | 190grm |
| 3156/00 | 90grm |
| 3140/00 | 35grm |
| 3162/00 | 150grm |
| 3150/00 | 75 grm |

email ORDERING

## Pull-Tite Seals

### TG RANGE

Quality range of fire extinguisher seals
Supplied in packs of 500

| Part No. | Description |
|---|---|
| 45/61354 | Plastic Pull tite seals - grey (pack of 500) |
| 45/60153 | Plastic Pull tite seals - black (pack of 500) |
| 19/50797 | Plastic Pull tite seals - green (pack of 500) |
| 81/00159 | Plastic Pull tite seal - red (pack of 500) |
| 47/60541 | Plastic Pull tite seals - blue (pack of 500) |
| 19/51017 | Plastic Pull tite seals - orange (pack of 500) |
| 45/34668 | Plastic Pull tite seals - white (pack of 500) |
| 42/51014 | Plastic Pull tite seals - yellow (pack of 500) |



### BROOKS RANGE

Premium quality range of fire extinguisher seals
Supplied in packs of 500

| Part No. | Description |
|---|---|
| 45/34668B | Plastic Pull tite seals - white (pack of 500) Brooks |
| 47/60541B | Plastic Pull tite seals - blue (pack of 500) Brooks |
| 19/50797B | Plastic Pull tite seals - green (pack of 500) Brooks |
| 42/51014B | Plastic Pull tite seals - yellow (pack of 500) Brooks |
| 81/00159B | Plastic Pull tite seal - red (pack of 500) Brooks |
| 45/60153B | Plastic Pull tite seals - black (pack of 500) Brooks |
| 19/51017B | Plastic Pull tite seals - orange (pack of 500) Brooks |

## UNIVERSAL SAFETY PINS

- A range of universal fire extinguisher pins
- Mild steel zinc plated
- Supplied in packs of 100

| Part No. | Description |
|---|---|
| 81/02362 | Pin 32mm straight x 2mm dia (pack of 100) |
| 81/02363 | Pin 32mm straight x 2.5mm dia (pack of 100) |
| 81/02364 | Pin 38mm straight x 3mm dia (pack of 100) |




## MANUFACTURERS PINS AND SAFETY CLIPS

| Part No. | Description |
|---|---|
| 81/95008 | Safety pin and used indicator (pack of 50) - Allied/Gloria **(A)** |
| 47/51210 | Safety Pin & Plastic Link (Pre 2013 Firepower) |

## CHUBB EURO RANGE

| | |
|---|---|
| 19/90622 | Chubb Safety pin - yellow (pack of 50) **(B)** |
| 19/90621 | Chubb OK indicator - green (pack of 50) **(C)** |
| 19/90620 | Chubb OK indicator - blue (pack of 50) **(C)** |
| 19/90618 | Chubb OK indicator - orange (pack of 50) **(C)** |
| 19/90619 | Chubb OK indicator - yellow (pack of 50) **(C)** |
| 19/90454 | Chubb pin and ok indicator green (pack of 25) |

## CHUBB *FX↗* RANGE

| | |
|---|---|
| 22/50515 | Chubb ***FX↗*** OK indicator - green (each) **(E)** |
| 22/50516 | Chubb ***FX↗*** OK indicator - yellow (each) |
| 22/50517 | Chubb ***FX↗*** OK indicator - blue (each) |
| 22/50518 | Chubb ***FX↗*** OK indicator - orange (each) |
| 22/50519 | Chubb ***FX↗*** Safety Clip - yellow (each) **(F)** |

## FIREPOWER RANGE

| | |
|---|---|
| 23/52855 | Safety pin less tie (SP) (pack 50) **(D)** |
| 19/51061 | Safety Clip (CO) (pack 50) |
| 19/51054 | Dart (pack 50) |

## POWERX RANGE

| | |
|---|---|
| 81/03613 | Safety Pin "Sleeve" - Orange (pack 100) |
| 81/03614 | Safety Pin "Sleeve" - Yellow (pack 100) |
| 81/03615 | Safety Pin "Sleeve" - Green (pack 100) |
| 81/03616 | Safety Pin "Sleeve" - Blue (pack 100) **(G)** |
| 81/04069 | Safety Pin $CO_2$ (pack 50) **(H)** |
| 81/02915 | Safety Pin Water/Foam/Powder (pack 50) **(I)** |
| 81/04058 | Safety Pin 1kg Powder (pack 50) |
| 81/04054 | Safety Pin 2kg Powder (pack 50) |

A, B, C, D

E F

## TG TRANSPORT / MARINE BRACKETS

A range of high quality transport brackets for TG range of extinguishers

### ☐ Pre 2013 Firepower & Optimax Extinguishers

| Part No. | Description |
|---|---|
| 10/50463 | Bracket c/w strap - 3ltr Foam / 3kg Powder - For models: FPF3 - FPP3 **(A)** |
| 10/50519 | Bracket c/w strap - 4kg Powder - For models: FPP4 - OPP4 **(B)** |
| 10/50464 | Bracket c/w strap - 6ltr Foam / 6kg Powder - For models: FPF6 - FPP6 - OPF6 - OPF6C - OPP6 **(C)** |
| 10/50465 | Bracket c/w strap - 9ltr Foam / 9kg Powder / 9ltr Water - For models: FPW9 - FPW9C - FPF9 - FPF9C - FPFBC - FPP9 - OPP9 - OPP9M - OPP9M28 - OPP9L - OPW9 - OPW9C **(D)** |
| 1023/00 | Bracket c/w strap - 2kg $C0_2$ Aluminium 111&117mm Cyls - For models: FPC2SC - OPC2SC - Chubb & Gloria |
| 10/50471 | Bracket c/w strap - 5kg $C0_2$ 152mm Cyls - For models: FPC5SC - OPC5SC |
| 10/50456 | Bracket - 2kg Powder - Steel body - (use with strap 10/50535) - For models: FPP2 - OPP2 **(E)** |
| 10/50517 | Bracket - 2ltr Foam/2kg Homeguard Powder - Steel body - (use with strap 10/50535) - For models: FPF2 - OPF2 - 2kg Homeguard |

### ☐ Firepower & PowerX Extinguishers

| Part No. | Description |
|---|---|
| 46/33088 | Strap - Stainless Steel - 1kg Firepower & PowerX |
| 10/50535 | Strap - Stainless Steel - 2 Ltr Foam & 2kg Powder - Firepower & Powerx |
| 10/90117 | Transport bracket Heavy duty - 3ltr Stored Pressure Water/Foam |
| 10/90118 | Transport bracket Heavy duty - 6ltr Stored Pressure Water/Foam |
| 10/90119 | Transport bracket Heavy duty - 9ltr Stored Pressure Water/Foam |
| 10/90120 | Transport bracket Heavy duty - 4kg Stored Pressure ABC Powder |
| 10/90121 | Transport bracket Heavy duty - 6kg Stored Pressure ABC Powder |
| 10/90122 | Transport bracket Heavy duty - 9kg Stored Pressure ABC Powder |
| 10/90114 | Transport bracket Heavy duty - 9kg Stored Pressure L2/Monnex Powder |
| 10/90114 | Transport bracket Heavy duty - 9ltr Cartridge Operated Water/Foam |
| 10/90115 | Transport Bracket Heavy Duty - 6kg Cartridge Operated Powder |
| 10/90116 | Transport Bracket Heavy Duty - 9kg Cartridge Operated Powder |
| 81/02931 | Wire Bracket - 2kg Powder PowerX |

100 YEARS SERVICE TO THE FIRE TRADE

## TG UNIVERSAL BRACKETS

| Part No. | Description |
|---|---|
| 46/60802 | Bracket - universal transport - water/foam/powder -120mm to 190mm dia body **(A)** |
| 46/60801 | Bracket - universal transport - Powerx, Firepower & Gloria - 2kg $CO_2$ - 88mm to 150mm dia body **(B)** |
| 46/32099 | Bracket - $CO_2$ steel 5kg **(C)** |
| 46/57052 | Bracket - $CO_2$ welded 2kg 'T' type **(D)** |
| 19/99023 | Bracket - 'J ' type **(E)** |
| 46/32947 | Bracket - $CO_2$ steel 2kg (slimline only) **(F)** |
| 47/55165 | Bracket - $CO_2$ steel 2kg (squat) **(G)** |
| 47/55166 | Bracket - $CO_2$ steel 5kg |

A B C D

E F G

## FOAM & LOW FREEZE ADDITIVE REFILLS

| Part No. | Description | Firepower Pre 2013 | Firepower Current Range | PowerX | Gloria Pre 2013 | Gloria Current Range | Chubb Pre 2013 | Chubb *FX↗* |
|---|---|---|---|---|---|---|---|---|
| 3073/00 | 2 litre Foam SP refill | x | | | | | | |
| URE00015 | 2 litre Foam SP refill | | | | x | x | | |
| 3212/17 | 3 litre Foam SP refill | | x | | | | | |
| 4008/17 | 3 litre Foam SP refill | x | | | | | | |
| URE00016 | 3 litre Foam SP refill | | | | x | x | | |
| 3220/17 | 3litre Multi Use Foam SP refill (Powerx) | | | | | | | |
| 3202/17 | 6 litre Foam SP refill | | x | | | x | | |
| 3203/17 | 9 litre Foam SP refill | | x | | | | | |
| GNF63006 | 6 litre Foam SP & 6 litre Foam CO refill | | | | x | | | |
| URE00018 | 6 litre Eco Foam SP refill | | | | x | | | |
| 3202/00 | 6 litre Eco Foam SP refill | | | | | | | x |
| GNF63009 | 9 litre Foam SP & 9 litre Foam CO refill | | | | x | | | |
| 3210/17 | 9 litre Foam SP refill | | | | | x | | |
| 3203/00 | 9 litre Eco Foam SP refill | | | | | | | x |
| 3209/17 | 6 litre Foam CO refill | | x | | | x | | |
| 3210/17 | 9 litre Foam CO refill | | x | | | x | | |
| 3209/00 | 6 litre Foam CO refill | | | | | | | x |
| 3210/00 | 9 litre Foam CO refill | | | | | | | x |
| 3200/17 | 6 litre Foam SP refill (will accept LFA) | | x | | | | | |
| 3201/17 | 9 litre Foam SP refill (will accept LFA) | | x | | | | | |
| 3200/00 | 6 litre Foam SP refill | | | | | | | x |
| 3201/00 | 9 litre Foam SP refill | | | | | | | x |
| 3204/00 | 6 litre Foam CO refill AR | | | | | | | x |
| 3204/17 | 6 litre Foam CO refill AR | | x | | | | | |
| 3216/17 | 6 litre Foam SP & CO refill | x | | | | | | |
| 3217/17 | 9 litre Foam SP & CO refill | x | | | | | | |
| 81/03580 | 6 litre Foam SP refill | | | x | | | | |
| 81/03581 | 9 litre Foam SP refill | | | x | | | | |
| 3216/00 | 6 litre Foam SP & CO refill | | | | | | x | |
| 3217/00 | 9 litre Foam SP & CO refill | | | | | | x | |
| 3081/00 | 6ltr Foam SP & CO LFA only | | | | | | x | x |
| 3082/00 | 9ltr Foam SP & CO LFA only | | | | | | x | x |
| 4011/17 | 20 litre Foam Refill Drum - 111 refills @ 3% concentrate | | x | | | x | | |
| 4015/17 | 20 litre Foam Refill Drum - 33 refills @ 10% concentrate | x | | | | | | |
| 81/03586 | 20 litre Foam Refill Drum - 111 refills @ 3% concentrate | | | x | | | | |
| URE00000 | 5 litre Foam Refill Drum - 83 refills @ 1% concentrate | | | | | | | |
| 46/54759 | 25 litre Ethylene Glycol Drum (LFA) | x | x | N/A | | | x | x |

All number of refills quoted above are based on a 6ltr capacity

## WATER ADDITIVE REFILLS

| Part No. | Description | Firepower Pre 2013 | Firepower Current Range | PowerX | Gloria Pre 2013 | Gloria Current Range | Chubb Pre 2013 | Chubb FX |
|---|---|---|---|---|---|---|---|---|
| 3100/17 | 3 litre Water Additive Refill | x | x | x | | | | |
| 3101/17 | 6 litre Water Additive Refill | x | x | x | | | | |
| GNF63009 | 3 litre Water Additive refill | | | | x | x | | |
| URE00001 | 6 litre Water Additive Refill | | | | x | x | | |
| 3100/00 | 3 litre Water Additive Refill | | | | | | x | x |
| 3101/00 | 6 litre Water Additive Refill | | | | | | x | x |
| 4012/17 | 25 litre Water Additive Refill Drum | | x | | | | | |

## POWDER REFILLS

| Part No. | Description | Firepower Pre 2013 | Firepower Current Range | PowerX | Gloria Pre 2013 | Gloria Current Range | Chubb Euro Range | Chubb *FX↗* |
|---|---|---|---|---|---|---|---|---|
| 3056/00 | 2kg SP Powder ABC40 (single pack) | | x | | | | | |
| 3196/00 | 3kg SP Powder ABC20 (single pack) | | | x | | | | x |
| 3205/00 | 4kg SP Multipack Powder ABC20 (pack 4) | | x | | | | | |
| 3211/00 | 6kg SP & Multipack Powder ABC20 (pack 2) | | x | | x | x | | x |
| 3206/00 | 9kg SP & Multipack Powder ABC20 (pack 2) | | x | | x | x | | x |
| 3199/00 | 9kg SP & CO Powder ABC20 (single pack) | | x | | | | | x |
| 2993/00 | 9kg Monnex Powder | x | x | | | | | x |
| 2810/09 | 9kg L2 Powder | x | | | | | | x |
| URE00014 | 25kg SP & CO Powder ABC20 (single pack) | | | | x | x | | |
| 81/04059 | 1kg SP Multipack Powder ABC40 (pack 12) | x | | x | | | x | |
| 81/04060 | 2kg SP Multipack Powder ABC40 (pack 6) | x | | x | | | x | |
| 81/02279 | 4kg SP Multipack Powder ABC40 (pack 4) | x | | x | | | x | |
| 81/02280 | 6kg SP Multipack Powder ABC40 (pack 2) | x | | x | | | x | |
| 81/02281 | 9kg SP Multipack Powder ABC40 (pack 2) | x | | x | | | x | |
| URE00010 | 6kg CO Powder ABC20 (Single Pack) | | | | | x | | |

## GENERAL POWDER REFILLS

| Part No. | Description |
|---|---|
| 81/02282 | 25kg Powder ABC40 (single pack) |
| 81/02458 | 4kg Multipack Powder BC (pack 4) |
| 81/02461 | 9kg Multipack Powder BC (pack 2) |
| 81/02462 | 25kg Powder BC (single pack) |
| 2873/00 | 25kg Powder Monnex (single pack) |
| 81/02856 | 25kg Purple Powder (single pack) |
| 81/02283 | 1kg SP Multipack Powder ABC70 (pack 12) |
| 81/02284 | 2kg SP Multipack Powder ABC70 (pack 6) |
| 81/02285 | 4kg SP Multipack Powder ABC70 (pack 4) |
| 81/02287 | 6kg SP Multipack Powder ABC70 (pack 2) |
| 81/02288 | 9kg SP Multipack Powder ABC70 (pack 2) |

## WET CHEMICAL REFILLS

| Part No. | Description | Firepower Pre 2013 | Firepower Current Range | PowerX | Gloria Pre 2013 | Gloria Current Range | Chubb Pre 2013 | Chubb *FX↗* |
|---|---|---|---|---|---|---|---|---|
| 3213/17 | 6 litre Wet Chemical refill | | x | | | | | |
| 3213/00 | 6 litre Wet Chemical refill | | | | | | | x |
| 3188/17 | 6 litre Wet Chemical refill | x | | | | | | |
| 3189/00 | 6 litre Wet Chemical refill | | | | | | x | |
| 81/03515 | 2 litre Wet Chemical refill | | | x | | | | |
| 81/03549 | 6 litre Wet Chemical refill | | | x | | | | |
| URE00019 | 3 litre Wet Chemical refill | | | | x | x | | |
| URE00006 | 6 litre Wet Chemical refill | | | | x | x | | |

## ☐ Extinguisher Service Tools & Equipment

### PRESSUREX UNITS

- These units are self contained supply of compressed air for recharging stored pressure fire extinguishers
- Supplied with regulator and 2 metre charging hose
- Can be used with compressed air or nitrogen

| Part No. | Description |
|---|---|
| 42/51001 | Pressurex Unit 15bar Full Set **(A)** |
| 42/51020 | Pressurex Unit 20bar Full Set |
| 42/51709 | Pressurex Bracket |
| 42/62002 | Pressurex Adaptor/Nut |
| 42/53005N | Pressurex Cylinder 15 & 20bar |
| 81/00733 | Pressurex Hose & Lance (push on version) **(B)** |
| 81/02207 | Labels |
| 74262 | Packing Box |
| 81/03636 | Pressurex Cylinder only 20 bar |

A

B



### SERVICE TOOLS

| Part No. | Description |
|---|---|
| 81/00479 | 1/4" BSP 'T' bar for Chubb, Optimax, Firepower Pre 2013 and PowerX range |
| 19/90453 | Chubb C spanner double ended (1991 - 1994 range - external M42 & M60 metal collar) |
| 19/59286 | Head Collar Spanner for current firepower/Chubb FX Range wet chemical/L2/Monnex |
| 23/52483 | Schrader valve assembly 10 mil |
| UTL00000 | Chubb ***FX↗*** 3kg/litre - 9kg/litre Filler bar |
| UTL00001 | Chubb ***FX↗*** 1kg/litre - 2kg/litre Filler bar |
| UTL00002 | Firepower 2013 CO/Gloria 'C' Spanner |
| UTL00003 | Firepower 2013 SP/Gloria filling set small (includes UTL00001 & 23/52483) |
| UTL00004 | Firepower 2013 SP/Gloria filing set large (includes UTL00000 & 23/52483) |
| 81/03698 | Firepower 2013 SP filing adaptor 3ltr/kg to 9ltr/kg |
| UTL00007 | Firepower 2013 SP filing adaptor (includes 81/03698 & 23/52483) |

A

### SERVICE TOOLS

| Part No. | Description |
|---|---|
| 19/99039 | Gauge tester mija gauge (pump action) |
| 81/03636 | Pressure regulator - 20 bar **(A)** |

### CHARGING ADAPTORS

| Part No. | Description |
|---|---|
| 23/90830 | Adaptor for new Chubb range (pre 2013) |
| 19/90489 | Adaptor for Firepower (pre 2013) and PowerX |
| 19/99033 | Adaptor conversion for TG valves - stored pressure |
| 42/51000 | Stored pressure filling adaptor kit (whole set) |

email ORDERING



## SERVICE LABELS & GAUGE PATCHES

| Part No. | Description |
|---|---|
| 81/03611 | Gauge Labels Box (1000) Black on White Year (19) **(A)** |
| 81/03692 | Gauge Label Box (1000) Black on White Year (20) |
| 81/03658 | Gauge Labels Box (1000) Black on Clear Year (19) |
| 81/03691 | Gauge Label Box (1000) Black on Clear Year (20) |
| 81/03603 | Blue Gauge Dot (not dated) **(B)** |
| 81/03604 | Orange Gauge Dot (not dated) **(B)** |
| 81/03605 | Yellow Gauge Dot (not dated) **(B)** |
| 81/03606 | Green Gauge Dot (not dated) **(B)** |
| 47/60287 | LFA included **(C)** |
| 81/03593 | Change in Media **(D)** |
| 81/03665 | Corrective Action Required (roll of 100) **(E)** |
| 90/58588 | UNI044 Green Diamond |

A

B

C

D




E

## BRITANNIA HEADCAP SPANNER

| Part No. | Description |
|---|---|
| 46/57585 | Britannia headcap spanner |

## STRAP WRENCH - BOA CONSTRICTOR

- Strap wrench tool to assist headcap removal
- Upto 10" dia cylinder
- Will not scratch paint
- Fits Firepower 9ltr Water extinguisher

| Part No. | Description |
|---|---|
| 81/02510 | Strap Wrench - Boa Constrictor |

## EXTINGUISHER ENGINEER SERVICE TOOLS

A range of high quality extinguisher engineer service tools

| Part No. | Description |
|---|---|
| 81/02512 | Bradawl |
| 81/00149 | Wire Brush Small |
| 81/00148 | Plastic Bucket 3 - Gallon |
| 81/00162 | Masonry Drill Bit 5.5mm |
| 81/02246 | Masonry Drill Bit 6mm |
| 81/02986 | Drill Bit Cobalt 3mm For Dorgard |
| 81/00145 | Funnel for filling Water and Foam extinguishers |
| 81/00172 | Petroleum Jelly tub 500gm |
| 81/03160 | Allen Key 3/32" |
| 81/03159 | Allen Key 2.5mm |
| 9001 | Permanent Marker fine tip |
| 81/00978 | 10" Pliers |
| 81/00602 | Screwdriver 6" flat end |
| 81/02132 | Screwdriver No2 150mm Pozidrive |
| 81/00140 | 10" Adjustable Spanner |
| 81/00948 | Tape Measure |
| 81/02502 | Kneeling Pad |

## ENGINEERS TORCH

- Hi Intensity LED bulbs
- Shock resistant aluminium body
- One handed On/Off switch
- Supplied complete with batteries and belt pouch

| Part No. | Description |
|---|---|
| 81/00176 | Engineers Torch |

LARGEST UK WAREHOUSE

## RCD ADAPTOR

- RCD adaptor cuts the power very quickly, reducing the risk of electrocution
- Portable unit for on site installations
- Low 10MA cut off for user safety

| Part No. | Description |
|---|---|
| F852104N | Rcd 10 MA Adaptor |

## RUBBER MALLET

- 12 ounce head
- Solid hardwood handle

| Part No. | Description |
|---|---|
| 81/00132 | Mallet, Rubber |

## FIRE BEATER

- Solid hardwood handle
- Industrial grade rubber beater for fast knockdown
- Heavy duty galvanised steel bracket

| Part No. | Description |
|---|---|
| 81/02728 | Fire Beater |

## SILICON SIGN ADHESIVE

- Ideal for fixing rigid safety signs to most surfaces
- Low modulus silicon adhesive
- Applicator gun supplied separately

| Part No. | Description |
|---|---|
| 81/00775 | Silicon sign adhesive |
| 81/00774 | Applicator Gun For Silicon |

## MECHANICAL WEIGHING DEVICES

### Samson Spring Balance

- Ideal weighing tool for fire engineers
- Hand-held, light weighing device with overload protection and tare mechanism
- Dual marked (kg/lb)
- Reliable and simple to use

| Part No. | Description |
|---|---|
| 46/54870 | Spring Balance 1kg calibrated at 5g - glass filled nylon body |
| 46/54871 | Spring Balance 2kg calibrated at 10g - glass filled nylon body |
| 46/54872 | Spring Balance 25kg calibrated at 200g - glass filled nylon body |

## DIGITAL WEIGHING DEVICES

### Digital Samson Scale

- A modern scale offering all features of a traditional balance with the accuracy of digital operation
- Large easy to read LCD display
- A robust, compact and lightweight (430g) portable scale
- Supplied with carrying pouch, weighing handle and batteries
- 0 - 25kg capacity

| Part No. | Description |
|---|---|
| 81/02731 | Digital Samson Scale - 25kg |

### Samson Gp Scale

- This bench scale is portable and with a lightweight one piece design
- Built in carrying handle and supplied with 9 volt PP3 battery
- Can be mains powered adaptor supplied
- Generous steel platform size with a non slip base
- 0 - 45kg capacity

| Part No. | Description |
|---|---|
| 81/03338 | Samson Gp Scale 45kg |

### Samson Ws Scale

- A competitively priced bench scale incorporating four full load bridge load cells, with self-levelling feet
- Brushed stainless steel top and generous platform size with anti-slip rubber feet
- Mains or battery powered
- Bench or wall mounted display pod
- 0 - 60kg capacity
- 4 x 1.5 volt AAA batteries (not supplied )
  6 volt UK/EU power adaptor (supplied)

| Part No. | Description |
|---|---|
| 81/03340 | Samson Ws Scale 60kg |



LARGEST UK WAREHOUSE

## DURACELL PROCELL BATTERIES

- High quality alkaline batteries
- Manufactured for trade industrial use by Duracell

| Part No. | Description |
|---|---|
| 81/00177 | Duracell Batteries AA **(A)** |
| SNB00303 | Duracell Batteries AAA **(B)** |
| 81/00464 | Duracell Batteries 9V **(C)** |

A

B




C

## ☐ Tool Storage

### STANLEY 19" TOOLBOX

- Ideal for transporting and storing multiple tools
- 2 removable organisers for storing small parts
- Metal latches for secure locking of toolbox
- Removable tote tray

| Part No. | Description |
|---|---|
| 81/00914 | Stanley 19" Toolbox |

## COLLAPSIBLE TROLLEY

- Ideal for carrying fire extinguishers on site
- Handle folds away for easy storage

| Part No. | Description |
|---|---|
| 81/00954 | Collapsible Trolley |

CARRIAGE PAID ON ORDERS UNDER £50

# 4

# Equipment Protection

Extinguisher & Document Protection,
Mobile Fire Points and Stands

TG Range:
Stands
87 - 88

TG Range:
Cabinets
88

TG Range:
Tubed Range & Packages
89

TG Range:
Backboards
89

Jonesco Range:
Cabinets
90 - 91

Jonesco Range:
Firekart
92

Jonesco Range:
Stands
92 - 93

Mobile Fire Points/
Contractor Stand
94 - 95

Contractors Stand Package
95

Fire Buckets
95

Document Cabinets & Pouch
96

Fire Log Books & Holders
96

Theft Stoppers
96






**tel** 01254 295000 **web** www.tgproducts.co.uk **email** tgsales@tgproducts.co.uk

## EXTINGUISHER STANDS - ROTATIONALLY MOULDED

- Environmentally friendly-manufactured from recyclable or recycled materials
- Will not chip or crack
- Non slip design

| Part No. | Description |
|---|---|
| 81/03136 | TG single stand red rotationally moulded - H750 x W330 x D310mm |
| 81/03137 | TG double stand red rotationally moulded - H740 x W610 x D310mm |

## EXTINGUISHER STANDS - MOULDED PLASTIC

- Supplied in packs of 2 or single pack
- Will accommodate landscape or portrait ID signs
- High impact plastic material 3mm thick
- High gloss finish
- Protective film applied for shipping
- Recessed base to secure 2kg $CO_2$

| Part No. | Description |
|---|---|
| 81/02531 | Single stand red plastic (pack of 2) - H760 x W300 x D270mm |
| 81/02532 | Double stand red plastic (pack of 2) - H760 x W570 x D270mm |
| 81/02531N | Single stand red plastic (single pack) |
| 81/02532N | Double stand red plastic (single pack) |
| 81/03608 | Single stand grey plastic (single pack) - H760 x W300 x D270mm |
| 81/03609 | Double stand grey plastic (single pack) - H760 x W570 x D270mm |

## EXTINGUISHER FIRE POINTS

- High impact plastic material 3mm thick
- High gloss finish
- Protective film applied for shipping
- Recessed base to secure 2kg $CO_2$

| Part No. | Description |
|---|---|
| 81/02529 | Single fire point red plastic - H80 x W270 x D280mm |
| 81/02530 | Double fire point red plastic - H80 x W550 x D280mm |
| 81/03617 | Single fire point grey plastic - H80 x W270 x D280mm |
| 81/03618 | Double fire point grey plastic - H80 x W550 x D280mm |

## HINGED DOOR CABINETS - ROTATIONALLY MOULDED

- Environmentally friendly-manufactured from recyclable or recycled materials
- Will not chip or crack
- Toggle clamp closure method
- Higher impact strength than GRP
- Suitable for wall or post mounting
- Internal securing strap

OWN FLEET OF TRANSPORT

| Part No. | Description |
|---|---|
| 81/03138 | TG single cabinet rotationally moulded (up to 9kg/9ltr capacity) - H713 x W328 x D266mm |
| 81/03139 | TG double cabinet rotationally moulded (up to 9kg/9ltr capacity) - H713 x W583 x D232mm |
| 81/03140 | TG single cabinet extended rotationally moulded (5kg CO2) - H825 x W328 x D266mm |
| 81/03326 | Single cabinet spare glass (fits 81/03138) |
| 81/03327 | Double cabinet spare glass (fits 81/03139) |
| 81/03328 | Extended cabinet spare glass (fits 81/03140) |
| 81/03680 | Spare latch |
| 81/03555 | Spare fastening clip |
| 81/03696 | Spare restraining strap |

## EXTINGUISHER STANDS - TUBED RANGE

- Chrome version comes with high quality chrome plated finish
- 25mm diameter tubing
- Single supplied with 1 x $CO_2$ bracket and 1 x J bracket
- Double supplied with 1 x $CO_2$ bracket and 2 x J brackets
- Black plastic feet fitted to protect stand

| Part No. | Description |
|---|---|
| 81/03007 | Single chrome - H740 x W320 x D275mm |
| 81/03008 | Double chrome - H740 x W526 x D275mm |
| 81/03508 | Treble chrome - H740 x W706 x D300mm |
| 31/03502 | Single black - H740 x W320 x D275mm |
| 31/03503 | Double black - H740 x W526 x D275mm |
| 31/03513 | Single red - H740 x W320 x D275mm |
| 31/03514 | Double red - H740 x W526 x D275mm |

## FIXINGS FOR TUBED STANDS

| Part No. | Description |
|---|---|
| 81/03169 | Signage clip |
| 81/03506 | Signage bracket |

## BRUSHED CHROME LOOK ID SIGNS

| Part No. | Description |
|---|---|
| 81/03566 | Brushed chrome look ID sign - Foam - H150 x W100mm **(A)** |
| 81/03567 | Brushed chrome look ID sign - Water - H150 x W100mm |
| 81/03568 | Brushed chrome look ID sign - $CO_2$ - H150 x W100mm |

A

B

C

## PACKAGE OFFERS

| Part No. | Description |
|---|---|
| 81/03600 | Double chrome stand, 2kg $CO_2$ Extinguisher, 6ltr Foam Extinguisher, 2 x signage brackets, 1 x Foam & 1 x $CO_2$ brushed chrome ID sign **(B)** |
| 81/03601 | Double chrome stand, 2kg $CO_2$ Extinguisher, 6ltr Water Extinguisher, 2 x signage brackets, 1 x Water & 1 x $CO_2$ brushed chrome ID sign **(C)** |

## EXTINGUISHER BACKBOARDS

- Softwood backboards for wall mounting fire extinguishers

| Part No. | Description |
|---|---|
| 45/57346 | Single Back Board Unvarnished (single pack) |
| 201F31221.01 | Single Back Board White (single pack) - W200 x L710 x D12mm |
| 201F31222.01 | Double Back Board White (single pack) - W482.5 x L710 x D12mm |

## JONESCO SINGLE EXTINGUISHER CABINET

- Truck or wall mounting
- Rubber seal & polycarbonate windows
- Buckle web strap

| Part No. | Description |
|---|---|
| 81/03316 | 6kg single cabinet - H700 x W320 x D255mm (Model number JBWE70) |
| 81/03318 | 9/12kg single cabinet - H830 x W330 x D330mm (Model number JBXE83) |
| 81/03317 | Single cabinet extended for 5kg $CO_2$ - H950 x W445 x D280mm (Model number JBWE95) |
| 81/02961 | 6kg single cabinet with keylock - H700 x W320 x D255mm (Model number JBKE70) |
| 81/02713 | Alarmed single cabinet rotationally moulded - H713 x W328 x D266mm |

## JONESCO DOUBLE EXTINGUISHER CABINET

- Suitable for 2 extinguishers up to 12kg
- Truck or wall mountable
- 100% PE
- Rubber seal & polycarbonate windows
- Buckle web strap to secure extinguisher

| Part No. | Description |
|---|---|
| 81/03311 | 6kg double cabinet - H720 x W585 x D270mm (Model number JBDE72) |
| 81/03312 | 9/12kg double cabinet - H850 x W565 x D375mm (Model number JBDE85) |
| 81/02962 | 6kg double cabinet with keylock - H720 x W585 x D270mm (Model number JBKE72) |
| 81/02947 | Alarmed double cabinet rotationally moulded - H713 x W583 x D232mm |

## SPARES FOR ABOVE CABINETS

| Part No. | Description |
|---|---|
| 81/02960 | Spare breakglass |
| 81/03542 | Spare latch (pack of 2) |
| 81/03073 | Spare key |

## JONESCO ALL PURPOSE CABINET

- For storage of extinguisher, fire hose reels breathing apparatus, spill kits
- Wall mountable or free standing
- Plastics locks and key compartment with break-glass facility
- Rubber seal and polycarbonate windows

| Part No. | Description |
|---|---|
| 81/02975 | All purpose cabinet - H900 x W930 x D420mm (Model number JBKE90) |

## JONESCO LAYFLAT HOSE CABINET

- Suitable for indoor/outdoor storage of hose reel and nozzle
- Ideal for marine layflat hose
- Woven strap to secure contents
- Water resistant seal (can also be used as key cabinet)
- Emergency plan storage box or first aid kit box

| Part No. | Description |
|---|---|
| 81/03548 | Layflat hose cabinet (Model number Series 56) |



## JONESCO VEHICLE EXTINGUISHER CABINETS

- Strong durable and lightweight
- Truck and trailer mounting
- Internal tension strap to prevent extinguisher from moving
- Flat back for easy mounting

| Part No. | Description |
|---|---|
| 81/03313 | 6kg cabinet top loading - H640 x W250 x D250mm (Model number JBFR64) - Series 64 |
| 81/00792 | 6kg cabinet top loading - H650 x W260 x D275mm (Model number JBFR65) - Series 65 |
| 81/00870 | 9/12kg cabinet top loading - H750 x W300 x D300mm (Model number JBFR75) - Series 75 |
| 81/02053 | 30/60° angled bracket - KIT 55 **(A)** |
| 81/02327 | Horizontal bracket - KIT 56 **(B)** |







## JONESCO VEHICLE EXTINGUISHER CABINETS

- Truck or wall mounting
- Neoprene seal
- Detachable lid
- Buckle web strap

| Part No. | Description |
|---|---|
| 81/03315 | 6kg cabinet c/w detachable lid - H680 x W260 x D260mm (Model number JBTE68) |

## JONESCO VEHICLE EXTINGUISHER CABINET

- Ideal for use in truck cabs, houses, mobile homes etc.
- Detachable lid to immediate access
- Internal sizes H405 x W185mm dia

| Part No. | Description |
|---|---|
| 81/03319 | Single cabinet for 2kg Powder - H415 x W210 x D145mm (Model number JFEX03) |

## JONESCO FIREKART

- Max combined weight of extinguishers: 30kg
- Made from non-corroding, scratch resistant, UV stable PE - 100% recyclable
- Ideal for petrol forecourts, garages, construction sites, indoor/outdoor festivals, harbours, campsites, etc.
- Extinguisher cradles for stable transport
- Fixing slots to accommodate multiple extinguishers and bracket types, hooks supplied (KIT109)
- Allows for highly visible alarm fitment of various shapes and sizes to the front of the unit
- Base with drainage slot, designed for various fire bucket sizes & shapes
- Solid rubber wheels (Ø 200 mm)
- Optimised centre of gravity - easy to move, pull or push
- Rear design allows to slide unit up/down a step smoothly
- Signage/label area at the top.

| Part No. | Description |
|---|---|
| 81/03255 | FireKart mobile trolley 2 exts 1 bucket |

## JONESCO FIRE POINTS

- Suitable for all portable extinguishers
- No corroding parts
- ideal for public buildings, offices, hotels etc.
- Non-slip design
- Recessed top to accommodate extinguisher



| Part No. | Description |
|---|---|
| 81/03320 | Single stand - H200 x W345 x D345mm (Model number JFP1) |
| 81/03321 | Double stand - H150 x W645 x D320mm (Model number JFP2) |

## JONESCO EXTINGUISHER STANDS

- Suitable for all portable extinguishers
- No corroding parts
- Ideal for public buildings, offices, hotels, etc.
- Non-slip design
- Recessed top to accommodate extinguisher




| Part No. | Description |
|---|---|
| 81/03322 | Single red fire point stand with back - H750 x W320 x D300mm (Model number JFP3) |
| 81/03323 | Double red fire point stand with back - H750 x W620 x D300mm (Model number JFP4) **(B)** |
| 81/03620 | Single grey fire point stand with back - H750 x W320 x D300mm |
| 81/03619 | Double grey fire point stand with back - H750 x W620 x D300mm **(D)** |
| 81/03250 | Single red extinguisher stand - flat pack - H645 x W290 x D300mm (Model number JFP9) **(C)** |
| 81/03251 | Double red extinguisher stand - flat pack - H645 x W500 x D300mm (Model number JFP10) **(A)** |
| 81/03254 | $CO_2$ extinguisher strap |



## JONESCO FIRE POINTS WITH BACK

- Suitable for 6-9kg Extinguishers (Powder, Foam etc.)
- JFP7 suitable for 2kg $CO_2$ Extinguishers

| Part No. | Description |
|---|---|
| 81/03325 | Single fire point stand with back - H620 x W310 x D265mm (Model number JFP8) |
| 81/03324 | Double fire point stand suitable for 6ltr & 2kg $CO_2$ - H620 x W480 x D265mm (Model number JFP7) |
| 81/03535 | Jonesco insert (JFPINSERT) **(A)** |
| 81/03440 | Flat disc insert **(B)** |

A

B

## COVERS

- Manufactured from PVC
- Clear viewing port for extinguisher identification
- Designed for rapid removal

| Part No. | Description |
|---|---|
| 81/00106 | Red 52cm x 36cm extinguisher cover - Small (3ltr/3kg or smaller) |
| 81/00107 | Red 58cm x 34cm extinguisher cover - Medium |
| 81/00108 | Red 62cm x 36cm extinguisher cover - Large |
| 81/02393 | Red 65cm x 45cm extinguisher cover - XLarge (5kg $CO_2$) |

## HOSE REEL FLEXIBLE COVERS

- Designed to fit most 19mm and 25mm fire hose reels
- Manufactured from strengthened PVC
- Ideal protection in harsh environments
- Easy to fit and rapid removal design

| Part No. | Description |
|---|---|
| 46/57354 | Hose reel cover red flexible |

## HOSE REEL & LAYFLAT HOSE (UP TO 23M) CRADLE GRP

- Strong GRP construction
- High gloss finish
- Can be mounted in cabinets or to walls (fixings not supplied)
- Will Fit a Layflat Hose

| Part No. | Description |
|---|---|
| 46/54225 | Hose cradle - H260 x W415 x D175mm |

email ORDERING

## MOBILE FIRE POINTS

- Ideal for moving fire fighting equipment close to the source of a fire
- Chassis fabricated from mild steel tube
- Epoxy polyester powder paint finish in red
- Nylon wheels with rubber tread for ease of movement
- Ideal for petrol station forecourts

| Part No. | Description |
|---|---|
| 81/00212 | To hold two fire extinguishers and one fire bucket - H1190 x W600 x D420mm. Weight 9.5kg **(A)** |
| 46/57049 | To hold three fire extinguishers and two fire buckets - H1220 x W740 x D300mm. Weight 4.6kg **(B)** |
| 46/57815 | To hold two fire extinguishers complete with bell - H1190 x W600 x D460mm. Weight 13.5kg **(C)** |
| 81/03512 | To hold two fire extinguishers complete with evacuator site alarm **(D)** |

A

C

B

D

## FIRE BUCKETS
Metal and plastic

- Suitable for garage forecourt protection
- Galvanised metal buckets are epoxy polyester powder painted in red
- Fire label supplied loose with metal bucket
- Red plastic bucket with the word 'FIRE' printed on bucket
- Lids for both buckets are supplied separately
- Wall-mounting bracket suitable for metal and plastic buckets

| Part No. | Description |
|---|---|
| 3745/00 | Metal flat bottom **(A)** |
| 3747/00 | Metal lid for 3745/00 **(B)** |
| 3745/01 | Plastic 2 gallon (10ltr) 'D' type **(C)** |
| 3747/01 | Plastic lid for 3745/01 **(D)** |
| 3749/00 | Wall mounting bracket |
| 81/02709 | Sand for bucket 20kg bag (capacity to fill 2 x buckets) |

## WHEELED CONTRACTORS MOBILE FIRE POINT

- Chassis fabricated from mild steel round tube
- Epoxy polyester powder coated in red
- Plastic wheels with nylon tyres
- Will accommodate 3 extinguishers, safety signs and manual alarm (not supplied)
- Floor standing with rear wheels for easy moving

| Part No. | Description |
|---|---|
| 81/02875 | Wheeled contractors mobile fire point (kit form) |
| 81/03697 | Contractors Stand 'Cover' |

## PACKAGE OFFER

| Part No. | Description |
|---|---|
| 81/03633 | Contractors Stand, PowerX 6ltr Foam & 6kg Powder Extinguisher, Firepower 2kg $CO_2$, Powder/Foam/$CO_2$ ID Sign, Evacuator Alarm (push button), Fire Action Notice, 11-20 People First Aid Kit |

## METAL FIRE DOCUMENT CABINET

| Part No. | Description |
|---|---|
| 81/03587 | Premium Kentec document box (A4 binder) - includes 2 keys. H310 x W385 x D90mm **(C)** |
| F850227N | Spare key for Kentec document cabinet (pack of 2) |
| 81/03588 | Red metal fire document cabinet with key lock - includes 2 keys. H370 x W300 x D140mm **(B)** |
| 81/03589 | White metal fire document cabinet with key lock - includes 2 keys. H370 x W300 x D140mm |
| 81/03591 | Spare key for red/white document cabinet (pack of 2) |
| K81/03675 | White slimline document cabinet with clipboard inside - includes 2 keys. H390 x W245 x D52mm **(A)** |
| 81/03629 | Red Slimline document Cabinet with clipboard inside - includes 2 keys. H390 x W245 x D52mm **(E)** |
| 81/03592 | Spare key for thin document cabinet (pack of 2) |
| 81/03635 | Red material document pouch - H335 x W270mm **(G)** |
| 81/03264 | Budget fire log book unbranded A4 **(D)** |
| 81/03634 | Premium fire log book unbranded A4 binder **(F)** |
| K81/03654 | Document Pouch & Budget Log Book Package |

A

B

C

D

E

F

G

## THEFT STOPPER

- Highly visible 'stop sign' design discourages wrongful use of extinguisher
- Sounds a powerful 95 0r 105 Db when activated
- Self contained 9 V DC alkaline power source is provided
- Tough polycarbonate housing
- Deactivation cable is provided for service by authorised personnel
- Compact design - 136mm H x 50mm D x 136mm W
- 3 year guarantee-polycarbonate
- 1 year gauarantee-all other components

| Part No. | Description |
|---|---|
| 81/00534 | Theft stopper |
| 81/00573 | Replacement cable for theft stopper (KIT-18015RC) |

## MINI THEFT STOPPER

For Free Standing and Cabinet Housed Extinguishers

- Highly visible 'stop sign' design discourages wrongful use of extinguisher
- Sounds a powerful 95 or 105 Db when activated
- Self contained 9 V DC alkaline power source is provided
- Uses magnetic reed switch activation for cabinets and display cases
- Or unique steel contact clip activation for fire extinguisher pins and other free-standing equipment
- Deactivation pin provided for service by authorised personnel
- Tough ABS construction
- Compact design - 84mm H x 25mm D x 84mm W

| Part No. | Description |
|---|---|
| 81/60004 | Mini theft stopper (STI-6255) |

# 5

# Brigade Equipment

Mechanical System Equipment

**Wet & Dry Riser Spares**
99 - 101

**Standpipes & Spares**
101

**Hydrants & Spares**
101 - 102

**Lay Flat Hose**
103

**Couplings**
103

**Branchpipes & Nozzles**
104




**Tridol, Angus & FilmFoam**
105 - 106






**tel** 01254 295000 **web** www.tgproducts.co.uk **email** tgsales@tgproducts.co.uk

## Dry and Wet Riser Parts

### INLET BREECHINGS
Comply with BS 5041 Part 3

Dry riser inlet breechings are normally fitted in glass fronted cabinets on the outside walls of buildings and have either two or four inlet connections. They are used to feed water into the rising main through 2 1/2" fire hoses. A 100mm (4") rising main uses a two-way inlet breeching and a 150mm (6") main uses a four-way inlet breeching.

**Drain Valves to BS 5154**
Normally fitted to inlet breechings but can be supplied separately.

**Two-way Inlet Breechings**
4" BSTD, or 100mm NP16 – can be mounted either horizontally or vertically.

### INLET BREECHINGS

| Part No. | Description |
|---|---|
| 46/54189 | Inlet breeching two way flanged 4" BSTD. Includes blank cap and chain, drain valve and rubber cap |
| 46/54903 | Inlet breeching two way flanged 100mm. Includes blank cap and chain, drain valve and rubber cap |
| 46/57363 | Drain valve |
| 46/57364 | Blank cap and chain (for drain valve) |
| 46/57365 | Rubber cap female (2 1/2") |

### INLET AND OUTLET CABINETS
Comply with BS 5041 Part 3

- A range of inlet and outlet cabinets built to comply with BS5041: Part 5
- Designed to house inlet breechings and landing valves
- Georgian wired glass panel and spring cylinder lock with key
- Manufactured from zintec, epoxy polyester powder coated in red

| Cabinet sizes | | | |
|---|---|---|---|
| Type of cabinet | Width (mm) | Height (mm) | Depth (mm) |
| Two way vertical inlet | 395 | 595 | 295 |
| Two way horizontal inlet | 595 | 395 | 295 |
| Outlet | 460 | 630 | 275 |

NB: Please measure size of aperture before ordering.

| Part No. | Description |
|---|---|
| 43/01035 | Two way inlet vertical dry riser cabinet |
| 43/01036 | Two way inlet horizontal dry riser cabinet |
| 43/01034 | Dry riser Outlet cabinet - label 200 x 200mm |
| 81/02349 | Spare glass for vertical dry riser inlet cabinet - H505 x W260mm |
| 81/02350 | Spare glass for horizontal dry riser inlet cabinet - H310 x W450mm |
| 81/02351 | Spare glass for dry riser outlet cabinet - H495 x W330mm |

## WET RISER GLOBE OUTLET VALVES

- These screw-down stop valves are primarily used as hydrant outlets on wet rising mains, but are occasionally used on dry risers under special circumstances and after discussion with the fire brigade
- Gunmetal bodies, major working parts in manganese bronze. Comply with the requirements of BS 504: Part 1 and BS 5154
- Outlets are 2 1/2" instantaneous female to BS 336 and inlets flanged or screwed as required
- Accessories include blank caps and chain, straps and padlocks

Horizontal

Oblique

### Horizontal/Oblique

| Part No. | Description |
|---|---|
| 46/54088 | Flanged 2 1/2" BSTD horizontal |
| 46/54090 | Flanged 2 1/2" BSTD oblique |
| 46/54902 | Flanged 65mm NP16 oblique |

### Bib nose/Right angle

| Part No. | Description |
|---|---|
| 46/54516 | Flanged 2 1/2" BSTD bib nose |
| 46/54089 | Flanged 2 1/2" BSTD right angle |

Bib Nose

Right Angle

## DRY RISER GATE VALVES

- With 2 1/2" instantaneous female outlet to BS 336 supplied with blank cap and chain, strap and padlock
- Dry riser gate valves comply with the requirements of BS 5041:Part 2
- Valves can be mounted in boxes complying with BS 5041:Part 4
- Inlet flanged 2 1/2" BSP Table D or 65mm NP16 BS 4504 Table 16/21

| Part No. | Description |
|---|---|
| 46/54101 | Flanged 2 1/2" BSTD horizontal |
| 46/54897 | Flanged 65mm NP16 horizontal |
| 46/54923 | 2 1/2" BSP female inlet horizontal |

Female



Flanged

CARRIAGE PAID ON ORDERS UNDER £50

## VALVE ANCILLARIES

- The anti-tamper leather strap is for use with globe valves and can be fastened using the 3/4" brass padlock. Other accessories include a replacement washer and an air release valve for use at the top of a hydrant system.

**Air Release Valves**

- Air valves are fitted at the top of a riser to release air when the riser is charged with water or to admit air when draining off. Air release valve is 1" BSP male screwed.



| Part No. | Description |
|---|---|
| 46/54458 | Padlock brass 40mm (includes generic keys) |
| 46/54456 | Leather strap 1/2" x 13 3/4" Red |
| 46/54944 | Leather strap 1/2" x 22" Red |
| 46/54175 | Air release valve 1" bsp |
| 46/54470 | Washer 2 1/2" instantaneous |

# Hydrants and Spares

## STANDPIPE/ BARS/ KEYS

- Standpipes, keys and bars are used to obtain water from a pressurised mains supply via underground hydrants. The standard outlet for underground valves according to BS 750 is 2 1/2" BSRT male.
- Standpipes have as standard a 2 1/2" BSRT female inlet, which is compatible with our underground hydrants
- Standpipes are supplied either with single or double head outlets
- Outlets are 2 1/2" female instantaneous with single twist release (BS 336)
- The double-head type is supplied with one blank plug as standard
- Contractors' standpipes are supplied with a brass double check valve as standard

| Part No. | Description |
|---|---|
| 46/54988 | Standpipe double head alloy 2 1/2" BSRT female |
| 46/32575 | Standpipe single head alloy 2 1/2" BSRT female |
| 46/57604 | Contractors standpipe single tap c/w double check valve |
| 46/54177 | Hydrant bar and key alloy |
| 46/54178 | Hydrant bar and key steel |
| 46/57366 | Standpipe base washer |

## UNDERGROUND HYDRANTS

BS 750 Type II Hydrant

- Screw-down type, cast iron body with manganese bronze valve and forged bronze spindle
- Supplied with blank cap, chain and frost valve

| Part No. | Description |
|---|---|
| 46/57368 | Underground hydrant type 2 |
| 46/57382 | Plastic blank cap (Item A) |

## BLANK PLUGS

- Blank plugs are used to seal off water supplies and pre-vent dirt entering the valves or connectors. Blank plugs are 2 1/2" instantaneous male type. Gunmetal and aluminium blank plugs are pressure resist-ant; plastic and rubber blank caps act as dust cover only.

| Part No. | Description |
|---|---|
| 46/54322 | Male alloy- 2 1/2" instantaneous |
| 46/54330 | Male gunmetal - 2 1/2" instantaneous |
| 46/54324 | Male rubber - 2 1/2" instantaneous |
| 46/54325 | Male plastic - 2 1/2" instantaneous |

## DIVIDING BREECHING

- Unvalved inlet end 2 1/2" male instantaneous and two outlet ends each 2 1/2" female instantaneous with single twist release

| Part No. | Description |
|---|---|
| 46/57821 | Aluminium alloy (unvalved) - 2 1/2" instantaneous |

## Lay Flat Hose



### HOSE AND COUPLINGS

- General-purpose synthetic delivery hose cw light alloy couplings wired in
- Suitable for industrial and rural fire brigades as well as static building protection
- Lightweight and flexible
- Heat and cold resistant
- Anti-rot and anti-twist
- Type 2 version has a dirt-repellent, external elastomeric coating

| Part No. | Description |
|---|---|
| 46/57377 | 18.3m x 64mm type 2 c/w light alloy couplings - red |
| 46/54914 | 23.0m x 64mm type 2 c/w light alloy couplings - red |
| 46/57379 | 18.3m x 64mm type 1 c/w light alloy couplings - white |
| 46/57002 | 23.0m x 64mm type 1 c/w light alloy couplings - white |

### INSTANTANEOUS COUPLINGS
TO BS336

- A range of instantaneous couplings supplied in light alloy and gunmetal
- The instantaneous system is designated by BS 336 and is standard with British Fire services for delivery applications

| Part No. | Description |
|---|---|
| 46/32200 | 2 1/2" x 2 1/2" (64mm x 64mm) tail light alloy |
| 46/32190 | 2 1/2" x 2 1/2" (64mm x 64mm) tail gunmetal |
| 46/54470 | Washer 2 1/2" instantaneous |

## BRANCHPIPES AND NOZZLES

- Branchpipes provide an adjustable nozzle for altering the curtain of water from narrow to a wide spray
- Branchpipes are controlled from shut off through jet, spray and wide-angle curtain by rotating sleeve

| Part No. | Description |
|---|---|
| 46/54146 | 2 1/2" Instantaneous integral gunmetal |

email ORDERING

## TRIDOL, ANGUS & FILMFOAM

### TRIDOL FOAM - C6

TridolC6 C 6 &b C 3 is a cost-effective synthetic Aqueous Film-Forming Foam (AFFF) concentrate for extinguishing and securing flammable hydrocarbon liquid fires

- Film-forming for fast flame knockdown and extinguishment
- Burnback resistance and post-firesecurity
- Foam blanket reseals when ruptured by personnel or equipment

TridolC6 C 6 & C 3 is used in high risk situations where hydrocarbons (such as crude oil, gasoline, diesel fuel, and aviation kerosene) are stored, processed, or transported. Other applications include hydrocarbon storage tanks, process areas, warehouses, road/rail loading racks, power stations, marine terminals and offshore platforms.

TridolC6 C 6 & C 3 can be used with air aspirating discharge devices such as low expansion branchpipes, monitors, top pourer sets, rimseal foam pourers, foam/ water sprinklers, and base (sub-surface) injection systems.

TridolC6 C 6 & C 3 can be used with nonaspirating discharge devices such as spray/fog branchpipes and nozzles, monitors, and spray/fog sprinklers. However, non-aspirated application is not recommended as the primary method of attack for major fires where a stable foam cover is essential.

TridolC6 C 6 is intended for use at 6% (6 parts concentrate to 94 parts water).

TridolC6 C 3 is intended for use at 3% (3 parts concentrate to 97 parts water).

| Part No. | Description |
|---|---|
| 81/03664 | Tridol C - 6% AFFF 25 LTR Drum |
| 81/03661 | Tridol C - 3% AFFF 25 LTR Drum |

### TRIDOL C6 ATF

TridolC6 ATF C 3-6 is a competitive Alcohol Resistant Aqueous Film- Forming Foam (AR-AFFF) concentrate for extinguishing and securing flammable hydrocarbon and polar solvent liquid fires

- Cost-effective and highly versatile
- Film-forming on hydrocarbons for fast flame knockdown and extinguishmenty
- Burnback resistance and post-fire security

TridolC6 ATF C 3-6 is readily proportioned using portable and fixed (in-line) foam venturi proportioners, handline nozzles/branchpipes with pick-up tubes, balanced pressure variable flow proportioners, balanced pressure bladder tank proportioners and around-the-pump proportioners.

TridolC6 ATF C 3-6 can be used with air aspirating discharge devices like low expansion branchpipes, monitors, top pourer sets, rimseal foam pourers, foam/water sprinklers, base (subsurface) injection systems. It can be used with non-aspirating discharge devices such as spray/fog branchpipes and nozzles, monitors, and spray/fog sprinklers. Non-aspirated application is not recommended as the primary method of attack for major fires requires a stable foam blanket.

TridolC6 ATF C 3-6 is formulated for use at 3% (3 parts concentrate to 97 parts water) on hydrocarbons and 6% (6 parts concentrate to 94 parts water) on polar solvents.

| Part No. | Description |
|---|---|
| 81/03662 | Tridol ATF C 3-6% AR-AFFF 25 LTR Drum |

## ANGUS FOAM

FP350C6 is a cost-effective FluoroProtein (FP) fire fighting foam concentrate for extinguishing and securing flammable hydrocarbon liquid fires

- Highly fluid foam for rapid fire knockdown and extinguishment
- Cost-effective
- Detergent-free

FP350C6 is intended for use at 3% at low expansion. With medium expansion equipment it can be used at 3% too, but for optimal results a 6% induction rate is recommended.

It is readily proportioned using conventional foam proportioning equipment such as portable and fixed in-line foam venturi proportioners, handline nozzles/branchpipes with pickup tubes, balanced pressure variable flow proportioners, balanced pressure bladder tank proportioners, and around-the-pump proportioners.

FP350C6 should be used with air aspirating discharge devices such as low expansion branchpipes, monitors, top pourer sets, rimseal foam pourers, and foam/water sprinklers. It also produces top quality medium expansion foam when applied through medium expansion branchpipes and bund pourers.

As with any foam FP350C6 is best applied gently on to the burning liquid surface. However, its exceptional resistance to fuel contamination enables it to withstand vigorous mixing with fuel. This makes it ideal for forceful application on to storage tank fires from ground based mobile monitors

| Part No. | Description |
|---|---|
| 81/03663 | Angus FP350 3 % (FP) |

## FILMFOAM

Filmfoam 916 – AFFF/A736 AFF - **NOT SUITABLE FOR EXTINGUISHERS**

- A low-expansion foam suitable for hydrocarbon fuel.
- Filmfoam A736 – AFFF an alcohol resistant foam, suitable for polar solvent and hydrocarbon fuels

| Part No. | Description |
|---|---|
| 46/57664 | Filmfoam 916 AFFF 6% - 25ltr drum |
| 46/57668 | Filmfoam A736 AFFF alcohol resistant - 25ltr drum |

NEXT DAY
DELIVERY AT EXTRA COST

# 6

# Safety Signs

I D Signs
110

Fire Fighting Equipment
110 - 111

Projecting Sign
111

General Fire
111

Fire Action Notices
112

Emergency Escape
113

Mandatory
114

Prohibition
114




Silicon Adhesive & Applicator Gun
115

Safety Posters
116


SAFETY SIGNS

## Safety Signage - Introduction

### What the law says:

Currently the law for the installation of fire signage is clearly laid out in the Health and Safety (Safety Signs and Signals) Regulations 1996.

In the main this relates to Means of Escape, Fire Action Notices and Fire ID signage.

These regulations endorse the relevant parts of British Standard BS 5499 (Safety Signs).

The requirement for a building's signage should be included in their Fire Risk Assessment. If this is the case, then it is a legal requirement for the building's signage to duly comply.

### Viewing Distance

The viewing distance of a sign is the maximum distance from which the sign has to be comprehensible.

When calculating size, it should be from the perspective of someone using the primary escape route.

Note, the viewing distance is calculated by the height of the graphical symbol, not the overall height of the signboard itself.

The following guide can be used:




| Viewing Distance | Sign Size |
|---|---|
| Up to 12.7 metres | 300 x 100mm |
| Up to 20.4 metres | 450 x 150mm |
| Up to 25.5 metres | 600 x 200mm |

**How to order** — Choose Your Sign




**Choose Material Codes**

1 Rigid Plastic
2 Self Adhesive
3 Photoluminescent Rigid Plastic
*5 Miscellaneous Products
6 Aluminium
7 Polycarbonate

**Choose Size Codes**

| | | |
|---|---|---|
| A 100 x 75 mm | H 300 x 250 mm | Q 600 x 450 mm |
| B 80 x 80 mm | J 400 x 200 mm | R 178 x 203 mm |
| C 150 x 150 mm | K 400 x 300 mm | S 200 x 75 mm |
| D 100 x 150 mm | L 450 x 150 mm | T 210 x 210 mm |
| E 200 x 150 mm | M 600 x 200 mm | U 100 x 100 mm |
| F 200 x 200 mm | N 400 x 400 mm | V 300 x 150 mm |
| G 300 x 100 mm | P 600 x 400 mm | W 600 x 900 mm |
| | | X 200 x 100 mm |

*No size code is required when ordering miscellaneous products

## Extinguisher & Fire Blanket Identification Signage

CS11235D
CS31235D
CS21235D




CS11236D
CS31236D
CS21236D

CS11214S
CS31214S
CS21214S

CS11215S
CS31215S
CS21215S

CS11216S
CS31216S
CS21216S

CS11217S
CS31217S
CS21217S

CS11231S
CS31231S
CS21217S

CS11218S
CS31218S
CS21218S

CS11237D
CS31237D
CS21237D




CS11233D
CS31233D
CS21233D




CS11234D
CS31234D
CS21234D




CS11245D
CS31245D
CS21245D

### Deluxe Range

Aluminium 75mm x 200mm

CS59183

CS59184

CS59185

CS59186

## Fire Fighting Equipment

CS11007E
CS11007K

CS11010E
CS11010K

CS11011E
CS11011K

CS11013E
CS11013K

CS11014E
CS11014K

CS11017B CS31017C
CS11017C CS31017U
CS11017U

CS11018U
CS31018U




CS11226L

Self adhesive on face 300mm x 50mm

CS58060

## Projecting sign in rigid PVC 150mm x 200mm

CS58001

CS58002

CS58003

CS58004

## ☐ General Fire

CS11031X

CS11032E

CS11213E CS3121E

**How to order** | **Choose Your Sign**

1 1234 Ⓖ Ⓛ

Material | Sign | Size

**Choose Material Codes**

1 Rigid Plastic
2 Self Adhesive
3 Photoluminescent Rigid Plastic
*5 Miscellaneous Products
6 Aluminium
7 Polycarbonate

**Choose Size Codes**

| | | |
|---|---|---|
| Ⓐ 100 x 75 mm | Ⓗ 300 x 250 mm | Ⓠ 600 x 450 mm |
| Ⓑ 80 x 80 mm | Ⓙ 400 x 200 mm | Ⓡ 178 x 203 mm |
| Ⓒ 150 x 150 mm | Ⓚ 400 x 300 mm | Ⓢ 200 x 75 mm |
| Ⓓ 100 x 150 mm | Ⓛ 450 x 150 mm | Ⓣ 210 x 210 mm |
| Ⓔ 200 x 150 mm | Ⓜ 600 x 200 mm | Ⓤ 100 x 100 mm |
| Ⓕ 200 x 200 mm | Ⓝ 400 x 400 mm | Ⓥ 300 x 150 mm |
| Ⓖ 300 x 100 mm | Ⓟ 600 x 400 mm | Ⓦ 600 x 900 mm |
| | | Ⓧ 200 x 100 mm |

*No size code is required when ordering miscellaneous products

## Fire Action Notices

CS11405E CS31405E

CS11419E CS31419E

CS11420E CS31420E

CS11428E CS31428E

CS11429E CS31429E

CS11439E CS31439E

CS58108
Extinguisher visual inspection tag pack of 10

### Deluxe Range

Aluminium 150mm x 200mm

CS59528

CS59538

## Emergency Escape

CS12001G CS32001G
CS12001L CS32001L

CS12002G CS32002G
CS12002L CS32002L

CS12003G CS32003G
CS12003L CS32003L

CS12004G CS32004G
CS12004L CS32004L

CS12005G CS32005G
CS12005L CS32005L

CS12006G CS32006G
CS12006L CS32006L

CS12007G CS32007G
CS12007L CS32007L

CS12008G CS32008G
CS12008L CS32008L

CS12009G CS32009G
CS12009L CS32009L

CS12010G CS32010G
CS12010L CS32010L

CS12011G CS32011G
CS12011L CS32011L

CS12012G CS32012G
CS12012L CS32012L

CS12013G CS32013G
CS12013L CS32013L

CS12014G CS32014G
CS12014L CS32014L

CS12015G CS32015G
CS12015L CS32015L

CS12016G CS32016G
CS12016L CS32016L

CS12033J CS32033J
CS12033V CS32033V

CS12056J CS32056J
CS12056V CS32056V




CS12142L




CS12143L

CS12059H CS62059Q
CS12059Q

CS12047G CS32047G
CS12047L CS32047L

CS12052G CS32052G
CS12052L CS32052L

CS12062G CS32062G
CS12062L CS32062L

CS58005

CS32034U

CS32037U

**How to order** | **Choose Your Sign** | **Choose Material Codes** | **Choose Size Codes**

1 1234 Ⓖ Ⓛ

Material | Sign | Size

1 Rigid Plastic
2 Self Adhesive
3 Photoluminescent Rigid Plastic
*5 Miscellaneous Products
6 Aluminium
7 Polycarbonate

Ⓐ 100 x 75 mm
Ⓑ 80 x 80 mm
Ⓒ 150 x 150 mm
Ⓓ 100 x 150 mm
Ⓔ 200 x 150 mm
Ⓕ 200 x 200 mm
Ⓖ 300 x 100 mm
Ⓗ 300 x 250 mm
Ⓙ 400 x 200 mm
Ⓚ 400 x 300 mm
Ⓛ 450 x 150 mm
Ⓜ 600 x 200 mm
Ⓝ 400 x 400 mm
Ⓟ 600 x 400 mm
Ⓠ 600 x 450 mm
Ⓡ 178 x 203 mm
Ⓢ 200 x 75 mm
Ⓣ 210 x 210 mm
Ⓤ 100 x 100 mm
Ⓥ 300 x 150 mm
Ⓦ 600 x 900 mm
Ⓧ 200 x 100 mm

*No size code is required when ordering miscellaneous products

## Mandatory

CS51637
Supplied in sheets of 6 each
label is 65mm

CS11606B CS31606B
CS11606F CS31606F
CS11606N

CS11618B
CS31618B

CS11605F
CS11605N

CS11610B
CS31610B

CS11609B

## Prohibition

A5 Rigid plastic

CS53045

A5 Rigid plastic Pack of 5

CS53060

## SILICONE SIGN ADHESIVE

- Ideal for fixing rigid safety signs to most surfaces
- Low modulus silicon adhesive
- Applicator gun supplied separately

| Part No. | Description |
|---|---|
| 81/00775 | Silicone sign adhesive |
| 81/00774 | Applicator Gun For Silicone |

**How to order** **Choose Your Sign**




**Choose Material Codes**

1 Rigid Plastic
2 Self Adhesive
3 Photoluminescent Rigid Plastic
*5 Miscellaneous Products
6 Aluminium
7 Polycarbonate

**Choose Size Codes**

| | | |
|---|---|---|
| A 100 x 75 mm | H 300 x 250 mm | Q 600 x 450 mm |
| B 80 x 80 mm | J 400 x 200 mm | R 178 x 203 mm |
| C 150 x 150 mm | K 400 x 300 mm | S 200 x 75 mm |
| D 100 x 150 mm | L 450 x 150 mm | T 210 x 210 mm |
| E 200 x 150 mm | M 600 x 200 mm | U 100 x 100 mm |
| F 200 x 200 mm | N 400 x 400 mm | V 300 x 150 mm |
| G 300 x 100 mm | P 600 x 400 mm | W 600 x 900 mm |
| | | X 200 x 100 mm |

*No size code is required when ordering miscellaneous products

## SAFETY POSTERS

| Part No. | Description |
|---|---|
| 81/03279 | Fire Safety Poster Laminated A2 |
| 81/03280 | First Aid For Burns Poster Laminated A2 |
| 81/03281 | Electric Shock Poster Laminated A2 |
| 81/03282 | Coshh Poster Laminated A2 |
| 81/03283 | Workplace First Aid Guide Poster Laminated A2 |
| CS58112 | H&S Law Poster Rigid Plastic |
| 81/03287 | H&S Law Poster Flexible Plastic |




81/03281 Electric Shock Poster Laminated A2

81/03279 Fire Safety Poster Laminated A2

81/03282 Coshh Poster Laminated A2

CS58112 H&S Law Poster Rigid Plastic




81/03280 First Aid For Burns Poster Laminated A2

81/03283 Workplace First Aid Guide Poster Laminated A2

**How to order** | **Choose Your Sign** | **Choose Material Codes** | **Choose Size Codes**




1 Rigid Plastic
2 Self Adhesive
3 Photoluminescent Rigid Plastic
*5 Miscellaneous Products
6 Aluminium
7 Polycarbonate

| | | |
|---|---|---|
| A 100 x 75 mm | H 300 x 250 mm | Q 600 x 450 mm |
| B 80 x 80 mm | J 400 x 200 mm | R 178 x 203 mm |
| C 150 x 150 mm | K 400 x 300 mm | S 200 x 75 mm |
| D 100 x 150 mm | L 450 x 150 mm | T 210 x 210 mm |
| E 200 x 150 mm | M 600 x 200 mm | U 100 x 100 mm |
| F 200 x 200 mm | N 400 x 400 mm | V 300 x 150 mm |
| G 300 x 100 mm | P 600 x 400 mm | W 600 x 900 mm |
| | | X 200 x 100 mm |

*No size code is required when ordering miscellaneous products

# 7

# Means Of Escape

Redlam Panic Bolts
119

Key Box's & Spares
119

Escape Ladder
120



Evacuation Chair
120

Rotary Hand Bell
120

Agrippa Door Holders & Closers
121

Emergency Gas Horn & Protection Box and Fixings
122

Lifehamer
123



Fire Triangle
123

Fire Door Seal
123

Exit Stopper
123

Door Hardware
124

## REDLAM PANIC BOLTS

Manufactured from cast aluminium, Redlam panic bolts are the economical solution to the problem of providing reliable security for internal emergency exits.

- Designed for emergency exit single doors. Breaking the Ceramtube™ results in the bolt sliding back automatically and unlocking the door.
- Designed for interconnecting emergency exit doors. Operates on one side of the door by breaking the Ceramtube™ and on the other side of the door by pushing the knob.
- Supplied complete with hammer and chain. Padlocks are available separately. Use of an optional padlock prevents unauthorised removal of Ceramtube™ without breaking the tube itself.
- Ceramtube™ Replacement cartridges for both Mk I and Mk II Redlam panic bolts are designed to produce no sharp edges when smashed. Packed in boxes of twenty (125mm with +/- 4mm tolerance).

| Part No. | Description |
|---|---|
| 46/32951 | Panic bolt Mk2 |
| 46/33070 | Keeper plate (spare) |
| 39/51921 | Hammer and chain (spare) |
| 46/57050 | Ceramtube (box of 20) |
| 46/54457 | Padlock (anti-tamper) size 1.25" |

A

B

## KEY BOX AND GLASSES

MK1 & MK2

- Manufactured from durable ABS plastic
- Unique 'snap fit' design
- MK1 key box supplied complete with printed glass

| Part No. | Description |
|---|---|
| 46/54280 | MK1 key box **(A)** |
| 46/27218 | Spare break glass for MK1 key box (glass) |
| 39/51921 | Hammer and chain |
| 39/93922 | MK2 key box **(B)** |
| 46/57345 | Spare break glass for MK2 key (plastic) |

## ESCAPE LADDERS 15 AND 25 FOOT

- Steel ladder, for domestic use only
- Suitable for 2 and 3 storey buildings
- Fully assembled ready for emergency use
- Boxed – will fit under most beds for easy storage
- Simple and quick – attaches to window for escape
- Hooks over window openings
- Metal Rungs

| Part No. | Description |
|---|---|
| 466355 | Escape ladder - 15 foot |
| 466430 | Escape ladder - 25 foot |

Evacusafe™
innovation | manufacturing | training

## EVACUATION CHAIR

- 4 permanent wheels provide easy manoeuvrability
- Flat seat for superior comfort
- Foot and armrests which aid relaxation of client
- Adjustable padded head cushion offers extra protection
- Rear brakes to secure your position on level ground

| Part No. | Description |
|---|---|
| 81/03646 | Evacusafe "Standard" Chair |

## ROTARY HAND ALARM BELL

- Bell sounds 60db alarm at 35 meters
- Die cast aluminium dome powder coated red
- Weight 1.8kg overall dia 280mm and 135mm depth
- Base plate die-cast aluminium

| Part No. | Description |
|---|---|
| 42/52030 | Rotary hand alarm bell |

## AGRIPPA DOOR HOLDERS

- Digital sound activated
- Learns the sound of your fire alarm system
- Easy, wire free installation and programming
- Daily timed release option
- 200 N Holding force
- Requires 2 x Alkaline C cell batteries
- Conforms to EN1155 and is CE marked
- Available in 2 x colours

| Part No. | Description |
|---|---|
| 81/03668 | Agrippa Holder - White |
| 81/03669 | Agrippa Holder - Black |

## AGRIPPA DOOR CLOSERS

- Battery powered and wire-free
- Fail safe, closing the door upon battery failure
- LED display and low battery warning
- Daily timed release option to close the fire door at night
- Red button on unit to manually close the fire door
- Listens and learns the sound of your specific fire alarm providing greater reliability
- Available in 2 x colours

| Part No. | Description |
|---|---|
| 81/03666 | Agrippa Closer – Black |
| 81/03667 | Agrippa Closer - Brushed Chrome |



## EMERGENCY GAS HORN

- To attract attention in an emergency fire situation
- Ideal for temporary installations such as construction sites, exhibitions and events
- Supplied in a blister pack for storage and transport
- Maximum 120db
- Sturdy, easy to fix (using 4 x screws)
- Designed to give an Emergency Gas Horn a home
- Makes it easy to identify a missing Gas Horn
- Do not position in direct sunlight or heat which will exceed 50 degrees celcius

| Part No. | Description |
|---|---|
| 81/03644 | Emergency Gas Horn **(A)** |
| 81/03684 | Emergency Gas Horn Backboard and Clip **(B)** |

A

B

## EMERGENCY GAS HORN PROTECTION BOX

- Sturdy plastic box with a translucent cover marked 'Fire Safety Air Horn'
- Includes: a carry handle, two securing clasps and is supplied with a wall mounting bracket
- Enables convenient storage for an Emergency Gas Horn
- The bracket can be mounted on to a wall and the box can be removed as required
- Easy to Fix (using 2 x screws)
- Allows Gas Horn to remain accessible and secure

| Part No. | Description |
|---|---|
| 81/03676 | Gas Horn Protection Box **(A)** |
| 81/03683 | Emergency Gas Horn Clip **(B)** |

A

B

## LIFEHAMMER

- Effective emergency escape tool
- Tough pointed double hammerhead combined with sharp protected blade
- Supplied with bracket
- TUV approved
- Breaks auto glass and cuts seat belts
- Overall Tool Size: 175mm length x 68mm width

| Part No. | Description |
|---|---|
| 81/03294 | Lifehammer |

## FIRE TRIANGLE

Made from powder coated steel the alarm triangle with striker is the perfect fire alarm for use when the most cost effective solution is needed ie: camp sites



| Part No. | Description |
|---|---|
| 81/03653 | Fire Triangle 340 x 340 x 340mm |

## FIRE DOOR SEAL

- Provides tamper evident protection for boxes, cases, fire exit doors, fire extinguishers and first aid boxes
- Large clear numbers facilitates maintenance checking and identification
- Total length is 228mm with 150mm operational length

| Part No. | Description |
|---|---|
| 81/02876 | Fire Door Seal Yellow |

## EXIT STOPPER

- Completely self-contained electronic door alarm
- Highly visible stop sign discourages unauthorised use of emergency doors
- Key operated override facility
- Can be installed and protecting doors in minutes
- Virtually indestructible polycarbonate housing
- Dimensions - 136mm H x 136mm W x 50mm D
- Low Battery Warning (9udc alkaline battery included)
- 95-105 dB alarm when activated
- Set to sound for 30 seconds, 3 mniutes or continuos

| Part No. | Description |
|---|---|
| 81/03343 | Exit Stopper (Single Door Application) (STI-6400) |
| 81/03715 | xit Stopper (Double Door Application) (STI-6402) |

# FIRE ESCAPE PANIC HARDWARE

## DOOR CLOSERS



- CE and certifier fire and performance tested
- Suitable for use in all applications
- 10 year mechanical warranty
- Finished in stove enamelled silver
- Supplied with easyfix templates and instructions

| Part No. | Description |
|---|---|
| 81/03356 | Overhead Door Closer Fixed Size 3 to suit doors upto 950mm wide |
| 81/03357 | Overhead Door Closer Adjustable Size 2-4 to suit doors upto 1150mm wide |

## PANIC LATCHES

- CE and certifier fire and performance tested
- Tested to BSEN 1125-2008
- 10 year warranty
- Finished in stove enamelled silver
- Supplied with 760mm bar as standard longer bar available
- Push bar panic latch supplied with single and double door strikes
- Rebated push bar to suit rebated double doors

| Part No. | Description |
|---|---|
| 81/03363 | Contract Push Bar Panic Bolt (complete set) |
| 81/03364 | Longer Bar only ( Fits XCL / XCB / XLL / XLB ) 1100mm - plain bar |
| 81/03365 | Contract Push Bar Panic Latch c/w strike **(A)** |
| 81/03366 | Contract Push Bar Panic Latch - C/W vertical rods **(B)** |

## PUSH PAD LATCH

- Tested to BSEN 179/2008

| Part No. | Description |
|---|---|
| 81/03367 | Push Pad c/w Pullman Latch to BS EN 179 |

OWN FLEET OF TRANSPORT

## OUTSIDE ACCESS DEVICE

- Tested to BSEN 1125-2008

| Part No. | Description |
|---|---|
| 81/03368 | Outside Access Device c/w Cylinder |

NEXT DAY DELIVERY AT EXTRA COST

# 8

# Detection & Alarm

Electronic & Stand Alone Fire Alarm Detection

## Section 8 DETECTION & ALARM

**Apollo Range**
127 - 128

**Hochiki Range**
129




**Rafiki Range**
130

**Bells/Sounders**
130

**Magnetic Door Retainers**
130

**Detector Test Gas**
131

**Power Supplies**
131

**Batteries:**
**Yuasa Premium Range**
131

**Batteries:**
**Yuasa Value Range**
131

**Batteries:**
**Interlogic Range**
132

**Emergency Lighting**
133

**Fire Cable**
133

**Disabled Toilet Alarm**
134

**Evacuator Alarms**
134

**Howler Alarms**
135 - 136

**Call Point Covers**
136

# APOLLO RANGE

## SERIES 65 RANGE - CONVENTIONAL DETECTION

- Complying to EN54 Pts 5/7/8 and LPC certificated.
- Wide operating voltage
- Advanced electronic technology
- Flashing LED option
- Magnetic test switch option
- Can be used on security systems
- Electrically and mechanically compatible with Series 60
- Proven detection performance

| Part No. | Description |
|---|---|
| 82/00399 | Ionisation smoke detector |
| 82/00400 | Optical smoke detector |
| 82/00401 | Heat detector CR (84-100C) |
| 82/00402 | Heat detector A1R (54-65C) |
| 81/03532 | Heat detector CS |
| 81/03533 | Heat detector BR |
| 82/00046 | Common mounting base |
| F850287N | Common diode base |

## KAC MANUAL CALL POINTS (CONVENTIONAL)

KAC Manual callpoints - the industry's leading name in call point technology
Certified to EN54 Part 11, listed with LPCB to BS5839 Part 2.

| Part No. | Description |
|---|---|
| 82/00404 | MCP indoor call point (surface mounted) - KAC EN54 PART 11 |
| 82/00406 | Hinged cover for MCP - KAC EN54 PS200 (snap onto callpoint) |
| 82/00407 | Test key for MCP - KAC EN54 |
| 82/00062 | Pattress box for class 2000 MCP KAC |
| 82/00056 | Transparent hinged cover for class 2000/4000 MCP KAC |
| 82/00058 | Replacement glass for class 2000/4000 MCP (5 pack) KAC |
| 82/00060 | Spare test key for class 2000/4000 MCP (10 pack) KAC |
| 81/03541 | Non Breakable MCP Glass |

## XP95 RANGE (ANALOGUE ADDRESSABLE DETECTION)

- Digital Protocol for error-free transmission
- Alarm Flag for fast alarm reporting
- Alarm Address for fast location of alarm
- Automatic addressing with the patented XPERT card
- Electronics-free, easy fit base
- Easy to install and compatible with wide range of panels installation
- Compatible with Series 90 and Discovery
- Wide range of products

| Part No. | Description |
|---|---|
| 82/00097 | Optical sensor XP95 Apollo |
| F850505N | Optical/heat multi sensor XP95 Apollo |
| 82/00100 | Heat standard temperature XP95 Apollo 55 deg |
| 82/00101 | Heat high temperature XP95 Apollo 90 deg |
| F850697N | Beam detector XP95 Apollo |
| F850544N | Beam reflector XP95 Apollo |
| F850459N | Isolating base for up to 20 XP95 Sensors Apollo |
| F850289N | Blank expert card for XP95 Apollo |
| F850352N | Input output unit |
| 82/01000 | Detector base |

## xP95 RANGE SOUNDERS/BEACONS

The Intelligent Open-Area Sounder/Beacons are designed for use in open areas and can be connected to any Discovery or XP95 system.

| Part No. | Description |
|---|---|
| F852054N | Open area sounder red |
| F852056N | Open area sounder/beacon |
| F852080N | Integrated base sounder |
| F850876N | Sounder/beacon base |
| F852429N | Wall beacon (red flash) - VAD |
| F3951914N | LED beacon (24V) with red flash - VID |

# ☐ Addressable Analogue Manual Call Points

## APOLLO XP95

- Plug and play terminal connections for fast wiring
- Allow wiring continuity testing before fitting
- Reports an alarm in under 0.2 seconds
- Resettable element

| Part No. | Description |
|---|---|
| F850070N | Waterproof IP65 MCP for XP95 Apollo |
| 82/00125 | Surface MCP for XP95 Apollo |

## HOCHIKI ESP RANGE

- Digital serial communication with immunity to noise Enhanced Systems Protocol (ESP)
- Built in Interrupt capability for fast response to call point operation and sensor fire alarms
- High resolution analogue readings
- Low Power Mode reduces loop standby currents when operating on batteries
- Supports multi I/O devices allowing up to 8 digital inputs and outputs per address
- Built in functions to help find and protect against double addressing faults
- Supports group commands for sounder activation and synchronisation
- Supports up to 240 different device types
- Addressing in any sequence provides flexible data gathering and output activation
- Simple transmission method for easy fire alarm control panel interface and reliable operation

| Part No. | Description |
|---|---|
| F850344N | Optical sensor ESP Hochiki |
| F850346N | Heat rate of rise sensor ESP Hochiki |
| F850499N | Optical/heat multi sensor ESP Hochiki |
| F850347N | Addressable base for ESP Hochiki |
| F850500N | Isolator module for ESP Hochiki |
| F850318N | Monitoring module mini zone for ESP Hochiki |
| F850317N | Zone monitor for ESP Hochiki |
| F850322N | Relay output module for ESP Hochiki |
| F850321N | Dual switch monitor for ESP Hochiki |
| 82/00124 | Hand held programmer for ESP Hochiki |

## HOCHIKI CDX RANGE

The CDX range is a well established range of photo electronic devices. Hochiki's flat response technology enables the photo electronic device to be equally sensitive to a much wider range of combustible materials.

| Part No. | Description |
|---|---|
| F850379N | Photoelectric smoke detector SLK-R CDX range |
| F850384N | Heat detector fixed temperature (90C) CDX range |
| F850383N | Heat detector rate of rise Grade 1 (60C) CDX range |
| F850380N | Combined heat detector Grade 2 (60C) CDX range |
| F852004N | Beam detector CDX Hochiki |
| F850385N | Common mounting base CDX Hochiki |

## RAFIKI RANGE

| Part No. | Description |
|---|---|
| SNP00319 | 2 Zone Panel |
| SNP00381 | 4 Zone Panel |
| SNP00635 | 4 Zone Twin Flex |
| SND00253 | Optical detector |
| SND83904 | Combined Smoke/heat/sounder |
| SND83906 | Rafiki Combined |
| SND00250 | DETECTOR BASE |
| SND00249 | AA MANUAL CALL POINT |
| SND00271 | RAFIKI MANUAL CALL POINT |
| F851406N | SOUNDER BEACON LED |
| SND00254 | SOUNDER BEACON |

## RELAY

| Part No. | Description |
|---|---|
| SNT00105 | Relay Box / White Bristol (ISO/Switch) |

## FIRE BELL

The fire bell is the oldest form of a signalling device available in the market. Although they are not as flexible as electronic sounders, they produce a distinctive universally recognisable sound.

| Part No. | Description |
|---|---|
| 82/00064 | 6" bell motorised 24V klaxon |

## SOUNDERS

The range of fire alarm sounders incorporates Sonos sounders for small to medium commercial applications.

| Part No. | Description |
|---|---|
| F851128N | Sonos sounder shallow base red 24V |
| F850811N | Sonos base sounder cover |
| F850285N | Sonos Sounder Red Shallow |
| F850486N | Sonos Sounder / Beacon Red Shallow |

OWN FLEET OF TRANSPORT

## MAGNETIC DOOR RETAINER UNITS

The magnets are constructed with a pressed coil and anti-remenance pin, giving them a protection of IP54. The protection diodes are integrated into this construction. The plastic housing is manufactured from Bayblend and contains 30% PA6 glass fibre, which makes it much stronger than standard ABS. Bayblend offers high heat resistance, high impact and notched impact strength, and high stiffness and dimensional stability.

| Part No. | Description |
|---|---|
| 82/00847 | Universal Bracket Wall Or Floor Mounting - 150mm |
| 82/00848 | Universal Bracket Wall Or Floor Mounting - 300mm |
| 82/00849 | Door Holder, Surface Mount, 400N, with Release Button |
| 82/00850 | Door Holder, Square Base, 400N |
| 82/00851 | Door Holder, Flush Mounting, 400N |
| 82/00852 | Door Holder, Wall Mount, 400N, with Release Button |
| 82/00853 | Door Holder, Floor Mounting, 400N, with Release Button |
| 82/00854 | Door Holder, Universal Adjustable Tube, 400N, with Release Button, 175mm |
| 82/00855 | Door Holder, Universal Adjustable Tube, 400N, with Release Button, 325mm |
| 82/00856 | Door Holder, Universal Adjustable Tube, 400N, with Release Button, 475mm |
| 82/00857 | Door Holder, Surface Mount, 400N, Mains Powered |

*MAGNETIC DOOR HOLDER WITH RELEASE BUTTON*

*MAGNETIC DOOR HOLDER FLUSH MOUNTING*

*MAGNETIC DOOR HOLDER FLOOR MOUNTING*

*MAGNETIC DOOR HOLDER SQUARE BASE*

*MAGNETIC DOOR HOLDER WITH RELEASE BUTTON*

## DETECTOR TESTING

A

B

| Part No. | Description |
|---|---|
| F850210N | 400ml Gas safe smoke aerosol **(A)** |
| F852540N | Solo Test Gas 360ml **(B)** |

## ☐ Power Supply Units



*EN54:4 APPROVED PSU 24VDC 5A+1.6A*

*EXTERNAL BATTERY BOX FOR USE WITH PM705C*

## POWER SUPPLIES

The PM702C and PM705C are fully featured EN54-4 approved power supply units ideal for use in fire system applications. They features intelligent battery charging, monitoring and signaling. Regulated 27.6 VDC output will source up to 5A into the load (PM705C) as well as providing up to 1.6 A for charging the standby batteries. The load output features full electronic short circuit protection under both mains and standby battery operation. Maximum battery life is assured through continuous active battery monitoring and 3 different charge levels: bulk (fast charge), absorption and temperature compensated float. Deep discharge protection prevents premature battery failure when operating from standby for extended periods.

| Part No. | Description |
|---|---|
| 82/00858 | 24 Volt 2A + 0.8A EN54-4 approved power supply |
| 82/00859 | 24 Volt 5A + 1.6A EN54-4 approved power supply |
| 82/00860 | External battery box for use with PM705C |
| 82/00861 | Battery extension lead for PM705C |

# YUASA BATTERY RANGE

## NP RANGE (PREMIUM)

- Deep discharge recovery
- Security from electrolyte leakage
- Oxygen recombining
- Float or cyclic use
- Usable in any orientation
- Lead calcium grids giving long life

| Part No. | Description |
|---|---|
| 82/00192 | SLA Battery 1.2 Ah 12 volt |
| 82/00193 | SLA Battery 2.1 Ah 12 volt |
| 82/00194 | SLA Battery 2.8 Ah 12 volt |
| 81/03585 | SLA Battery 3.2 Ah 12 volt |
| 82/00195 | SLA Battery 7.00 Ah 12 volt |
| 82/00196 | SLA Battery 12.0 Ah 12 volt |
| 82/00198 | SLA Battery 17.0 Ah 12 volt |
| 82/00197 | SLA Battery 24.0 Ah 12 volt |

## (VALUE) RANGE

Manufactured by Yuasa, a range of maintenance-free, rechargeable, sealed lead acid batteries for use in alarm systems, emergency lighting.

| Part No. | Description |
|---|---|
| 82/00007 | Battery 1.2 Ah 12 volt |
| F850053N | Battery 3.2 Ah 12 volt |
| 81/03650 | Battery 7.2 Ah 12 volt |
| 81/03651 | Battery 12.0 Ah 12 volt |
| 82/00201 | Battery 17.0 Ah 12 volt |
| 81/03652 | Battery 24.0 Ah 12 volt |

## INTERLOGIC BATTERIES

| Part No. | Description |
|---|---|
| F3951637N | Battery 12V 2.2 AH |
| 82/00863 | Battery 12V 3.2 AH |
| F850896N | Battery 12V 7.2 AH |
| F850897N | Battery 12V 12 AH |
| F850898N | Battery 12V 18 AH |
| F850899N | Battery 12V 26 AH |
| 82/00862 | Battery 12V 45 AH |
| 82/00864 | Battery 12V 65 AH |

*BATTERY 12V 2.2 AH*

*BATTERY 12V 3.2 AH*

*BATTERY 12V 7.2 AH*

*BATTERY 12V 12 AH*

*BATTERY 12V 18 AH*

*BATTERY 12V 26 AH*

*BATTERY 12V 45 AH*

*BATTERY 12V 65 AH*

## Emergency Lighting

### EXIT BOX

- Dual circuit PCB (NM & M)
- Down arrow fitted as standard
- 36 metre viewing distance
- Designed with down light panel

| Part No. | Description |
|---|---|
| 82/00272 | Exit box 8 Watt maintained |

### TWIN SPOT

- Strong white steel enclosure
- Powerful beam 20 Watt lamps
- Fully adjustable heads
- Fitted with 3 hour battery and 20 Watt Heads

| Part No. | Description |
|---|---|
| F850283N | Twin spot 3hr non-maintained |

### BULKHEAD LUMINAIRES

- 4Ah Nickel Cadmium Battery
- IP65 Weatherproof Rated
- Snap Shut hinged gear tray
- Strong Freznel Diffuser

| Part No. | Description |
|---|---|
| F850885N | Bulkhead luminaire 8 Watt 3hr maintained and non-maintained IP65 - LED |

### FIRE CABLE

- Manufactured to BS 7629-1
- Tested and approved by LPCB and BASEC
- Supplied in 100 meter coils
- Prysmian Gold standard

| Part No. | Description |
|---|---|
| 81/03672 | FP200 fire cable 2 core 1.5mm red 100m |
| 81/03673 | FP200 fire cable 4 core 1.5mm red 100m |

## DISABLED PERSON TOILET ALARM

- Attractively designed, easy to install and simple to use
- Allows a distressed person to raise an alarm in the event of an emergency
- Simply pull the cord to activate a light and sounder outside the WC

| Part No. | Description |
|---|---|
| 82/00231 | Standard toilet alarm system |



## EVACUATOR RANGE

### SITEMASTER

- Combined Sounder and Strobe
- 110db Sounder
- Tough and Durable - ABS Plastic Construction
- 25 Units can be linked to form a system with a greater coverage

| Part No. | Description |
|---|---|
| 82/00865 | Evacuator push button |
| 82/00866 | Evacuator break glass |

## ABS PLASTIC CASE

### Howler HO1

- Simple push on and push off to operate
- New design red casing in tough ABS plastic
- Recommended for internal and external use with IP65 rated switch
- Equipped with 118dB Siren
- External dimensions H300 x W200 x D120mm
- Supplied with 9v PP9 battery

| Part No. | Description |
|---|---|
| 82/00422 | Howler alarm - push on, push off |
| 82/00443 | Howler alarm - push on, push off c/w multilink option |
| 82/00453 | Howler alarm - push on, push off c/w red strobe |

### Howler HO2

- Simple push on and twist off anticlockwise to operate
- New design red casing in tough ABS plastic
- Recommended for internal and external use with IP65 rated switch
- Equipped with 118dB siren
- External dimensions H300 x W200 x D120mm
- Supplied with 9v PP9 battery

| Part No. | Description |
|---|---|
| 82/00426 | Howler alarm - push on twist off |
| 82/00445 | Howler alarm - push on twist off c/w multilink option |
| 82/00455 | Howler alarm - push on twist off c/w red strobe |

### Howler HOCP

- HOCP model prevents unauthorised silencing of the alarm
- New design red casing in tough ABS plastic
- Recommended for internal use only
- Equipped with 118dB siren
- External dimensions H300 x W200 x D120mm
- Supplied with 9v PP9 battery and two re-setting keys

| Part No. | Description |
|---|---|
| 82/00423 | Howler alarm - call point operated |
| 82/00441 | Howler alarm - call point operated c/w multilink option |
| 82/00451 | Howler alarm - call point operated c/w red strobe |

## Howler Site Alarm

- Dimensions H260 x W160 x D75mm
- Volume 98dB at 1000mm
- Power Source 9VPP3 Battery
- Casing Material ABS Plastic

| Part No | Description |
|---|---|
| 82/03508 | Howler Site Alert (SA01) |



## Howler "Wireless" Site Alert RF

- Designed for smaller sites with smaller budgets
- Designed for incredibly simple installation and operation, each system has a Master Unit, and up to 30 Subsidiary units can be linked to it.
- The alarm can be activated at any point, and is silenced by pressing the button on any unit 3 times in succession.
- The system includes a silent automatic disconnection warning (If any Site Alert becomes disconnected for a pre-set period of time, an LED illuminates on the unit).
- The weatherproof design is suitable for indoor and outdoor locations and the units are powered by standard, readily available alkaline batteries.

| Part No | Description |
|---|---|
| 81/03583 | Site Alert Wireless "Master" (SA02) |
| 81/03584 | Site Alert Wireless "Sub unit" (SA02) |

## CALL POINT COVER ALARMED

- Constructed from tough clear polycarbonate
- Battery powered integral sounder emits a piercing 96dB (at 1 metre).
- Easy to install, can retrofit over existing device
- Protects equipment from accidental operation, vandalism, product misuse, dust and weather
- Lock or break seal options for added security
- Cover backed by a lifetime guarantee against breakage in normal use
- Polycarbonate tested from -40°C to 49°C

| Part No. | Description |
|---|---|
| 46/60152 | Eurostopper - multikit surface mounted call point cover with integral sounder (STI15C20ML) |
| 81/03342 | Eurostopper - multikit surface mounted call point cover without integral sounder (STI15C10ML) |

# 9

# Industrial Safety

PPE
First Aid
High Visibility
Spill Kits and Storage

PPE Equipment
139

First Aid Kits & Cabinets
139 - 140

Eyewash Stations
140

Burns Kits
141

Transit Chair
141

Evacuation Blanket
142

Accident Book & Holder
142

High Visibility Armbands
143

High Visibility Waistcoats
143

Spill Kits
143

Liquid Cabinets/Bin
144

## ENGINEERS PERSONAL PROTECTIVE EQUIPMENT

- A range of personal protective equipment for fire engineers for workshop or external site use.

| Part No. | Description |
|---|---|
| 81/00350 | Safety spectacles |
| 81/03069 | Safety spectacles case |
| 81/02737 | Safety over spectacles |
| 42/51853 | Dustmask |
| 81/03070 | Nitrile gloves |
| 81/00352 | Rigger gloves |
| 81/03067 | Super grip glove |
| 81/03051 | Disposable latex gloves box of 100 |
| 81/00348 | Safety helmet |
| 81/02738 | Chin Strap elastic for safety helmet |
| 81/00349 | Ear defenders outer ear |
| 81/03052 | Inner ear defenders pack of 2 |
| 81/03054 | Barrier cream and hand cleanser 100ml tube |
| 81/00614 | Industrial handwipes tub |
| 81/02502 | Floor kneeling pad |

## FIRST AID KITS AND CABINETS

- Fully stocked and compliant with HSE regulations
- Available for 1-10, 11-20 or 21-50 persons
- Wall bracket supplied separately

### Contents

**All Sizes:**

Waterproof Plasters
Sterile Eye Dressings
Triangular Bandages
Safety Pins

**Medium & Large Only:**

First Aid Dressings
Moist Wipes
Disposable Gloves



| Part No. | Description |
|---|---|
| 81/03224 | First Aid Kit 1-10 Person (Medium Evolution Case) |
| 81/03225 | First Aid Kit 11-20 Person (Medium Evolution Case) |
| 81/03226 | Wall Bracket For Medium Evolution Cases |
| 81/03227 | First Aid Kit 21-50 Person |
| 81/03228 | Wall Bracket For Large Evolution Cases |

## OFFSITE AND VEHICLE FIRST AID KITS

- Ensure off-site employees have adequate first aid equipment
- Ideal for minor incidents on the road
- Passenger Carrying Vehicle Kit required by law (Road traffic act 1986)

| Part No. | Description |
|---|---|
| 81/03231 | Off Site Kit One Person In Vinyl Zipper Wallet |
| 81/03232 | Off Site Kit One Person In Plastic Case |
| 81/03233 | Vehicle Kit (Small Evolution Case) |
| 81/03579 | Truck and Van First Aid Kit |
| 81/03235 | Passenger Carrying Vehicle Kit |
| 81/03236 | Wall Bracket For Small Evolution Cases |
| 81/03578 | Taxi Kit (small workplace) (BS 8599-1 Compliant) |

## CATERING FIRST AID KITS

- British Standard compliant
- Designed for all food handling environments
- Include blue washproof plasters and blue adhesive tape
- Supplied in a durable blue evolution case
- Complies to BS8599-1:2011

| Part No. | Description |
|---|---|
| 81/03574 | Catering First Aid Kit 1-10 people |
| 81/03575 | Catering First Aid Kit 11-20 people |
| 81/03576 | Catering First Aid Kit 21-50 people |

## EYEWASH STATION

- Kit includes 2 x 500ml sterile eyewash bottles and 2 x sterile eye pad dressings
- Wall bracket supplied separately part no 81/03226
- 0.9% sterile saline solution ideal for irrigating eyes and general wound washing applications

| Part No. | Description |
|---|---|
| 81/03237 | Emergency Eyewash Cabinet (Medium Evolution Case) Without Bracket |
| 81/03240 | Economy Eyewash Station Includes 2x500ml Bottles |
| 81/03241 | Emergency Saline Bottle 500ml |

## BURNS KITS

- Each kit is supplied with a range of products designed to provide effective treatment of burn injuries
- All kits include Burnaid burn dressing which halts the progression of the burn to minimise further tissue damage

| Part No. | Description |
|---|---|
| 81/03244 | Mini Burns Kit |
| 81/03245 | Midi Burns Kit |
| 81/03577 | Large Burns Kit |

## 2 WHEEL TRANSIT CHAIR

- Lightweight foldable transit chair
- Plastic coated steel construction
- Supplied with safety strap and non-marking wheels
- Maximum load 102kg

| Part No. | Description |
|---|---|
| 81/03259 | 2 Wheel Transit Chair |

81/03243 Saline Pods 20ml Pack Of 25

## EVACUATION BLANKETS

- Provide warmth and comfort to patients
- Radiant heat reflective over 90% for foil blankets

| Part No. | Description |
|---|---|
| 81/03256 | Foil Blanket Single |

100 YEARS SERVICE TO THE FIRE TRADE



## ACCIDENT BOOK AND STORAGE

Legal Requirement

- By law every business must record accidents to employees and visitors
- Space to record a total of 53 incidents
- Enables compliance with all requirements of the social security administration act 1992 and data protection act 1996

| Part No. | Description |
|---|---|
| 81/03261 | Accident Book |
| 81/03263 | Accident Book Wall Holder |




LEGAL REQUIREMENT

## FIRST AID, FIRE WARDEN AND FIRE MARSHAL IDENTIFICATION ARMBANDS

- Cost effective arm bands for easy identification of key for personnel
- Durable rip stop nylon construction with clear printing and velcro closure

## FIRST AID, FIRE WARDEN AND FIRE MARSHAL HIGH VISIBILITY WAISTCOATS

- Ensures visibility and identification
- Highly visible when brought into contact with any light source

| Part No. | Description |
|---|---|
| 81/03270 | First Aid Hi Visibility Waistcoat – Small (36") |
| 81/03271 | First Aid Hi Visibility Waistcoat – Medium (38"- 40") |
| 81/03272 | First Aid Hi Visibility Waistcoat – Large (42"- 44") |
| 81/03641 | First Aid Hi Visibility Waistcoat – Extra Large (46") |
| 81/03273 | Fire Marshal Hi Visibility Waistcoat – Small (36") |
| 81/03274 | Fire Marshal Hi Visibility Waistcoat – Medium (38"- 40") |
| 81/03275 | Fire Marshal Hi Visibility Waistcoat – Large (42"- 44") |
| 81/03642 | Fire Marshal Hi Visibility Waistcoat – Extra Large (46") |
| 81/03640 | Fire Warden Hi Visibility Waistcoat – Small (36") |
| 81/03639 | Fire Warden Hi Visibility Waistcoat – Medium (38"- 40") |
| 81/03637 | Fire Warden Hi Visibility Waistcoat – Large (42"- 44") |
| 81/03638 | Fire Warden Hi Visibility Waistcoat – Extra Large (46") |

## GENERAL PURPOSE SPILL KIT

- A range of high quality general purpose spill kits
- These absorbent products are suitable for use with water, oils, coolants, cutting fluids and mild solvents

| Part No. | Description |
|---|---|
| 81/02895 | 38ltr General Spill Kit Shoulder Bag – H42 x W49 x D21cm |

## OIL ONLY SPILL KITS

- Oil Range will absorb oil whilst repelling water due to the hydrophobic material
- Oil only products act quickly, decreasing the risk of environmental contamination, and are suitable for all fuels and hydrocarbons indoors and out

| Part No. | Description |
|---|---|
| 81/02899 | 115ltr Oil Only Spill Kit Wheeled Unit – H107 x W48 x D55.5cm |

## FLAMMABLE LIQUID CABINETS

- Designed for storage of flammable and hazardous liquids
- Fully welded seams
- Doors c/w reinforced vertical panels
- Constructed from zintec coated steel with adjustable shelves
- Comply with HSG 51
- Supplied complete with lock and key

| Part No. | Description |
|---|---|
| 81/03335 | Flammable liquid cabinet small – H762 x W458 x D458mm |
| 81/03336 | Flammable Liquid Cabinet medium – H610 x W610 x D306mm |
| 81/03337 | Flammable Liquid Cabinet large – H1830 x W915 x D483mm |

email ORDERING

## STORAGE BIN

- Constructed from zintec coated steel
- Integral leak proof sump
- Lid fitted with anti-fallback hinges
- Lockable

| Part No. | Description |
|---|---|
| 81/03333 | Storage Bin small – H508 x W635 x D335mm |
| 81/03334 | Storage Bin large – H610 x W1220 x D610mm |